

Ernst Mayr Library
Museum of Comparative Zoology
Harvard University

2531

HARVARD UNIVERSITY

Moll.

QC

455.2

.M67

1952

Fasc. 1-2



LIBRARY

OF THE

DEPARTMENT OF MOLLUSKS

IN THE

MUSEUM OF COMPARATIVE ZOOLOGY

Gift of:

RICHARD I. JOHNSON

2531

RICHARD L JOHNSON

Offense
Bookbinding Co., Inc.
100 Cambridge St.
Charlestown, MA 02129



CATALOGUS
CONCHYLIIORUM

QUÆ RELIQUIT

D. ALPHONSO D'AGUIRRA & GADEA

COMES de YOLDI,

REGIS DANIÆ CUBICULARIORUM PRINCEPS, ORDINIS DANNEBROGICI
IN PRIMA CLASSE & ORDINIS CAROLI TERTII EQUES.

SCRIPSIT

O. A. L. MÖRCH.

FASCICULUS PRIMUS.

CEPHALOPHORA.

HÆC CONCHYLIA PUBLICA AUCTIONE CALENDIS
OCTOBRIBUS DIVIDENTUR.

HAFNIÆ.

TYPIS LUDOVICI KLEINI.

MDCCCLII.

1852

MUSEUM OF THE CITY OF BOSTON

ARCHAEOLOGICAL COLLECTION

ANTHROPOLOGY

2179
53

Conditioner.

1.

Effecterne sælges i den Stand, hvori de ved Hammerslaget findes, og efter den Tid er Incassator ikke længer ansvarlig for dem. Iøvrigt maae Effecterne være afhentede senest 2 Dage, efterat Auctionen er tilendebragt.

2.

Kjöberne ere fritagne for Auctionsomkostninger.

3.

Incassator bekjendte, vederhæftige Kjøbere gives 6 Ugers Credit, Andre betale contant.

4.

Opraab skeer i Rigsbankpenge, og Betalingen erlægges til Undertegnede, boende i Stormgade Nr. 198.

Kjöbenhavn i August 1852.

N. Nyegaard.

Bemærkninger.

Den første Talrække angiver det Nummer, hvorunder Arten eller Varieteten bortsælges, den anden Antallet af Exemplarerne, der opbydes enkeltviis.

* Betyder at Exemplaret er særdeles smukt, og aldeles uden Feil.

1. 2. 3. 4. 5. Angiver at Exemplaret er mere eller mindre beskadiget.

De der ikke have noget Mærke ere i Almindelighed godt serverede uden nogen væsentlig Feil.

† Betyder at Arten kun forekommer fossil.

! Angiver at Exemplaret hidrører fra Forfatteren, der har benævnet Arten.

l. eller lg. Længde.

d. eller dm. Diameter.

m. Millimeter. 1 dansk Tomme er 26 millimeter.

Kammerraad Nyegaard (Stormgade 198) og Catalogets Forfatter (Nyhavn Nr. 1) modtage Comissioner.

Auktionen afholdes i Amaliegade Nr. 121, den 1ste October 1852.

Remarque.

La premiere colonne de chiffres indique le numéro sous lequel l'espece ou la varité doit etre vendue; la seconde marque le nombre d'exemplaires: chaque exemplaire doit etre crié seul.

* Signific que l'exemplaire est remarquablement beau, bien conservé, et sans aucune défectuosité.

1. 2. 3. 4. 5. Indique que l'exemplaire est plus ou moins complet.

Ceux qui ne portent aucun signe sont, en général, bien concervés et sans défectuosité essentielle.

† Signific que l'espece n'est que fossile.

! Indique que l'Exemplaire, a été reçu de la personne qui a donné le nom à l'espèce.

l. ou lg. longueur.

d. ou dm. largueur.

m. millimetre.

Monsieur le procureur Nygaard (Stormgade Nr. 198) ainsi que l'auteur du Catalogue (Nyhavn Nr. 1) recoivent les commissions.

Errata.

no 190 lege H. Yoldii n.

- 607 — australis.

- 675 — B. cantagallanns Rang.

- 971 — exustus.

Deleatur no. 1240.

1096 adde Ind. or.

Mutanda est terminatio in sequentibus numeris:

in a: 460. 468. 1389. 1394. 1627. 1650. 1724. 1863. 1894. 2892

in us: 475. 531. 548. 599. 1152. 1797. 1938. 1939. 2006. 2841.
2849. 2853.

in um: 1747. 1751. 1756. 1760. 2075. 2519.

in e: 822. 932. 2518.

in is: 1406. 1475. 1990.

CEPHALOPHORA.

Fam. Helicea.

Trib. 1 Helicida.

Vitrina Drp.

- | | | | |
|---|----------------|----------------|------------|
| 1 | 1* | grandis Bk. | Guinea. |
| 2 | 1 ² | Lamarckii Fer. | Teneriffa. |
| 3 | 2 | diaphana Drap. | Eur. mer. |

Nanina Gray.

- | | | | |
|---|---|----------------------|----------|
| 4 | 2 | <u>N. citrina</u> L. | Ind. or. |
| 5 | 2 | <u>minor.</u> | — |
| 6 | 1 | polita. | — |
| 7 | 1 | luctuosa Bk. | — |
| 8 | 2 | var. | — |
| 9 | 1 | <u>Juliana</u> Gray. | Ceylon. |

H. rosacea Sowb.

- | | | | |
|----|----|--|---------|
| 10 | 2 | <u>bistrialis</u> Bk. | I. or. |
| 11 | 1 | l. 33 m. | |
| 12 | 1* | Stuartiæ Sow. | Celebes |
| 13 | 1 | cidaris Lam. inferne fascia ca-
stanea. | I. or. |
| 14 | 1 | nemorensis Müll. | — |

H. cretacea Born.

Ariophanta Desm.

- | | | | |
|----|----|-----------------|---|
| 15 | 1* | trifasciata Ch. | — |
|----|----|-----------------|---|

Pachystyla nob.

- 16 1 mauritiana Lam. I. Mauritius.

H. inversicolor β Pfr.

- 17 1 ochroleuca Fer. „Bermuda.”

Hemiplecta (Alb.) n.

- 18 1* Cuvieriana Lea. I. Philippin.

- 19 1¹ — —

- 20 3 Blainvilliana Lea. —

H. semigranosa Sowb.

- 21 1* rufescens Grat. non Pen. „Sumatra.“

- 22 1 ligulata Fer. I. or.

- 23 1 var. fasciata. —

- 24 3 semirugata Bk. —

H. globulus Fer. non Müll.

- 25 1 tranquebarica Fabr. —

Cysticopsis n.

- 26 1* cubensis Pfr. 1¹ Cuba.

Microcystis Bk.

- 27 1 ornatella Bk! Pitcairn.

- 28 1 filiceti Bk! ined —

- 29 1 aurulenta Bk! — —

- 30 2 margarita Bk! — —

Macrochlamys Bens.

- 31 1 calamechroa Jonas. Guinea.

Zonites Mtf.

- 32 2 acies Partsch. Dalmatia.

- 33 2 compressa Ziegler. 1b. —

- 34 2* croatica Partsch. —

- 35 1* verticillus Fer. Austria.

- 36 1² algira L. Gallia.

H. oculus capri Müll.

H. ægophthalmus Gm.

Euryomphala Bk. Patera Held.

- 37 1⁴ *solitarium* Say. Ohio.
 38 1* *alternata* Say. —
 38 1 *monile* Brod. dm. 9. m. Columbia.
 H. planorbis Jay.
 39 1* *quinquestrigata* Bk. ined. Am. m.
 40 1* *perspectiva* Say. Ohio.
 41 6* *rupestris* Drp. Gallia.
 (*Acanthinula* Bk.)
 42 1¹ *aculeata* Müll. Dania?

Mesomphix Raf.

- 43 1 *fuliginosa* Griffith. Ohio.
 44 3 sp. „Coquimbo.“
 45 1 *concolor* Fer. Portorico.

Helicella Lam.

- 46 3 *cayennensis* Pfr. Cayenne.
 47 1 *arborea* Say. Pensylvania.

Trochomorpha (Alb.) n.

- 48 1 *Metkalfi* Pfr. Philippin.
 49 2 n. sp. Nicobar.
 50 3 *trochiformis* Fer. pallida. Taiti.
 H. circumdata Mühlf.
 51 4 var. *fasciata*.
 52 2 var. *obscura*.

Ryssota Alb.

- 53 2* *otaheitana* Fer. Philippin.
 H. ovum Val.
 54 2 *Lamarckiana* Lea. —
 56 1² *stolephora* Val. —
 57 1¹ var.

58	2	<u>Mülleri</u> Pfr.	Philippin.
59	1*	porphyrea Pfr.	—
60	2*	<u>coelatura</u> Fer.	I. Bourbon.

Theba Leach Xerophila Held.

61	3*	planata Ch.	Marocco.
62	1*	areolata Sow.	California.
63	6	alboranensis Web. & Berth.	Fuerta vent.
64	2	var.	—
65	6	pisana Müll.	Eur. mer.
66	10	variabilis Drp.	—
		H. virgata Mtg.	
67	4	cespitem Drp.	—
68	2	major.	—
69	4	ericetorum Müll.	—
70	2	obvia Hartm.	—
71	6	maritima Drp.	—
72	1	cretica Fer!	I. Creta.
73	1	instabilis Z.	Croatia.
74	2	apicina Lam.	Eur. mer.
75	3	conspurcata Drp.	—
76	2	sp. n.	I. S. Croix.
77	2	simulata Fer.	Ægyptus.
78	1	costulata Z.	Eur. mer.
79	1	caperata Mtg.	Gallia.

H. intersecta Poiret.

80	6	striata Drp.	—
81	4	pyramidata Drp.	—
82	2	trochoides Poiret.	Eur. mer.
83	4	lemniscata W. & B.	Canar.

Crenea Alb. Obelus Hartm.

84	3	scitula Jan.	Eur. mer.
----	---	--------------	-----------

- 85 9 elegans Gm. Eur. mer.
 H. terrestris Ch. non Forsk.
 86 5 tumulorum W. & B. Canar.
 87 2* pumilio Ch. Marocco.
 88 2* Caroni Dh. Sicilia.
 H. turrita Rm.

Ochthephila Bk.

- 89 5 polymorpha Lowe. Madera.
 90 4 lentiginosa Lowe. —
 91 1 sp. —
 92 2 abjecta Lowe. —
 93 2 maderensis Wood. —
 94 2 sp. —
 95 1 Vargasiana Pfr? —
 96 1 punctulata Sow. —

Leucochroa Bk. (Jacosta Gray.)

- 97 6 explanata Müll. Eur. mer.
 H. albella Lam. non L.
 98 1 filimargo Z. Chers. Taur.
 99 1 delphinula Lowe. Madeira †
 Delphinula sulcata „Lam.” Bowd.

- 100 1 Bulweriana Lowe. —
 101 2 sp. †

H. Jeannotiana Terv. aff.

- 102 5 cariosa Oliv. Latoquia.
 103 4 cariosula Mich. Arf. bor.
 104 10 candidissima Drp. —
 105 3 desertorum Forsk. Ægyptus.
 106 1 maculosa Born. Nubia.

Eulota Hartm. Fruticicola Held.**Bradybaena Bk.**

- 107 2 „castor Fer.“ t. juv. Madagascar.

108	2	<i>limbata</i> Drp.	Gallia.
109	1*	<i>Olivieri</i> Fer.	„Ricinoni.”
110	3	<i>incarnata</i> Müll.	Helvetia.
111	2*	<i>obstructa</i> Fer.	Africa bor.
112	8	<i>cartusiana</i> Müll.	Gallia.
113	4	<i>similaris</i> Fer.	Brasila.
114	2	<i>fasciata</i> .	—
115	2*	<i>fruticum</i> Müll.	Dania.
116	2	<i>strigella</i> Drp.	—
117	2	<i>umbrosa</i> Partsch.	Saxonia
118	1	<i>villosa</i> Drp.	Helvetia.
119	1	<i>planorboides</i> Raf.	Ohio.

Petasina Bk. Conulus Fitz.

120	3	<i>edentula</i> Drp.	Germ.
-----	---	----------------------	-------

Pitys Bk.

122	2*	<i>bilamellata</i> Pfr.	Opara.
-----	----	-------------------------	--------

Tridopsis Raf. Anchistoma Kl.

(Caracollina Ehrb.)

123	2	<i>lenticula</i> Fer.	Tanger.
124	4	—	Sicilia.
125	5	<i>lens</i> Fer. Rm.	Eur. mer.
126	2	<i>barbula</i> Charp.	I. Jonic.
(Vortex Bk.)			
127	2*	<i>angigyra</i> Z.	Italia.
128	2	<i>obvoluta</i> Müll.	Helvetia.
129	1	<i>holoserica</i> Stud.	—

(Drepanostoma Porro.)

130	1*	<i>nautiliformis</i> Porro.	Italia bor.
(Polygyra Say.)			
131	1*	<i>cereolus</i> Meg.	Am. sept.
132	1*	<i>volvoxis</i> Par.	—

(Dædalochila Bk.)

- 133 1 auriculata Say. Louisiana.

(Tridopsis Raf.)

- 134 1* fraterna Say. Am. septr.

H. convexa Rf. β Pfr.

- 135 2* hirsuta Say. —

- 137 1* personata Lam. Germania.

- 138 1* fallax Say. Am. sept.

- 139 1* palliata Say. Ohio.

- 140 1 obstricta Say. —

- 141 1 thyroidus Say. —

- 142 1* albolabris Say. —

- 143 2* major Binney. —

Polygyratia Gray. Ophiogyra Alb.

- 144 1 polygyrata Born. Brasilia.

Fer. t. 69 A. f. 7—9.

- 145 1 charybdis n. Fer. t. 69 B. f. 5? —

H. polygyrata minor Autt.

- 146 1 (detrita.)

Helicigona Risso.**(Chilotrema Leach.)**

- 147 4 lapida L. I. Möen.

(Campylæa Bk.)

- 148 1 intermedia Fer. Steiermark.

- 149 1 coerulans Mühlf. Croatia.

H. lacticina Z.

- 150 4* alpina F. Big. Gallia.

- 151 1 tigrina Jan. Eur. mer.

- 152 1* Schmidtii Z. Carniol.

- 153 2 setosa Z. Eur. mer.

154	2	<i>Sadleriana</i> Z.	Eur. mer.
155	2*	<i>hirta</i> Mke	—
156	1	<i>cingulata</i> Stud.	—
157	1	<i>macrostoma</i> Mühlf.	—
158	1	<i>Zonata</i> Z.	Helvetia.
159	2	<i>trizona</i> Z.	Dalmatia.
160	1	<i>Raspailii</i> Payr.	Corsica.
161	2	<i>Pouzolzi</i> Dh.	Dalmatia
162	2	var.	Corsica.
163	1*	<i>planospira</i> Lam.	Eur. mer.
164	1*	<i>foetens</i> Stud.	Austria.
165	2	<i>cornea</i> Drp.	Gallia.
166	1*	var. <i>H. squamatina</i> F.	—
167	1	<i>sativa</i> Parr.	—
168	2*	<i>pyrenaica</i> Drp.	—
		(<i>Sterna</i> Alb.) non L.	
169	2*	<i>quimperiana</i> Fer.	—
		(<i>Arianta</i> Leach.)	
170	8	<i>arbustorum</i> L.	Eur. mer.
		<i>Solaropsis</i> Bk.	
171	1	<i>Moricandi</i> Bk.	Brasil.
		<i>H. serpens</i> Spix non Martyn.	
		<i>H. punctata</i> Wagn. non Born.	
172	2*	<i>brasiliانا</i> Dh.	—
173	1*	<i>pellis serpentis</i> Ch IX. f. 1095, 96, an var. <i>major præcedentis</i> ?	
174	1*	<i>serpens</i> Martyn.	—
		<i>H. pellis serpentis</i> Fer. t. 75 Af. 2.	
		<i>Macrocyclus</i> Bk.	
175	1*	<i>laxata</i> Fer.	Chile.
		<i>H. peruviana</i> Lam.	

Ampelita Bk.

176	1*	<u>lanx</u> Fer.	Madagascar.
177	1	„lachesis Fer !“ ined.	—
178	1	madagascariensis Lam.	—
179	7*	<u>sepulturalis</u> Fer.	—
		H. labrella Lam.	
180	2*	var.	—
181	1	var.	—
282	1	var.	—

Eyrystoma (Alb.) n.

183	5	<u>vittata</u> Müll.	Ind. or.
184	2	alba, major et minor.	
185	3	<u>fallaciosa</u> Fer.	—

Geotrochus (v. Hasselt.)

187	1	lituus Les.	N. Guinea.
		H. papuana Q. & G.	
188	1	labium Fer. vix Pfr.	—
189	1	pileus Müll.	Archip. ind.

Planispira Bk.

(Chloritis Bk. Semicornu Kl.)

190	1	sp. n.	Java.
-----	---	--------	-------

H. unguicula Fer. t. 76. f. 4.

(Planispira Bk.)

191	1	zonaria L.	—
192	1	coluber Bk.	—
193	3*	<u>zonalis</u> Fer.	—
194	1*	porrecta Yoldi. ined.	Ind. or.
195	1*	sp. n.	

H. porrecta var. Yoldi.

196	1*	Moricandi Sow.	Philippin.
-----	----	----------------	------------

- 197 2 *Lasallii* Eyd. Philippin.
H. meretrix Sow.
- 198 1 sp. —
Obba Bk. Pusiodon Sw.
- 199 1 *rota* Brod. —
- 200 2 *Listeri* Gray. —
- 201 1 var. —
- 202 4* *papilionacea* Val. —
- 203 3 *planulata* Lam. —
H. auriculata Sw. —
- 204 1* *columbarium* Sow. —
- 205 1 sp. —
- 206 1 *platyodon* Pfr. China.
Discus (Alb.) n.
- 207 3 *Kierulfii* Mörch. Philippin.
Carocolla Mtf. Serpentulus Kl. Lam-
padion Bolt.
- 208 1 *angistoma* Fer. Antill.
- 209 1* *carocolla* L. —
- 210 2 *C. albilabris* Lam. —
- 211 2 *minor*. —
- 212 1 *distorta*. —
- 213 2 *marginella* Gm. Portorico.
H. indiscreta Müll 1837.
H. Bornii Pfr.
L. orbiculare Bolt.
- Pleurodonta Fisch.**
- 214 1 *heteroclites* Lam. Fer. t. 57 f. 2 Jamaica.
- 215 1 *Lamarckii* var. a Fer. t. 57 f. 1 —
- 216 1* *acuta* Lam. Enc. Fer. t. 57. f. 3. —
H. acutissima. Lam. hist.

- 217 2* lychnuchus Müll. Martinica.
 218 5* Josephinæ Fer. Guadeloupe.

Dentellaria Sch.

- 219 1 formosa Fer. c. epid. Antill.
 220 1* nigrescens Gray. Guadeloup.
 221 1* sp. ?

diff. a præcedente, t. depressa,
 columella edentula.

- 222 2* badia Fer. Guadeloup.
 223 2* dentiens Fer. Martinique.
 224 2* obesa Bk. —
 225 3 punctata Born. —

H. hippocastanum Lam.

Lyrostoma (Sw.) n.

- 226 1¹ peracutissima Ad. Jamaica.
 H. straminea Alb.
 227 1* picturata Ad. —
 H. sinuata Lam. Del.
 228 1 sinuata Müll. —
 L. turrita Bolt. Ch. IX. f. 1010-12.
 229 2 invalida Ad. —
 230 1 anomala Pfr. —

Labyrinthus Bk.

- 231 3 plicata Born. Puerto Cabel.
 232 1 auriculina Petit. Guyana.

Anostoma Fisch. Tomogeres Mtf.

- 233 1 depressa Lam. Campeche.
 H. ringens Aut. non. L.
 234 1* ringens L. Brasilia.
 A. globulosa Lam.

Otala Bk.

(Parthena Alb.)

- | | | | |
|-----|----|-------------------------|------------|
| 235 | 1* | angulata Fer. | Portorico. |
| | | C. inflata Lam. | |
| | | (Otala Bk.) | |
| 236 | 2* | lima Fer. | — |
| 237 | 6* | incerta F. | S. Thomas. |
| 238 | 3* | jun. | — |
| 239 | 1* | auricoma Fer. | Cuba. |
| | | H. microstoma Lam. | |
| 240 | 1 | discolor Fer. | Cayenne. |
| 241 | 2* | — | — |
| 242 | 2 | orbiculata Fer. | Guyana. |
| | | Coryda (Alb.) n. | |
| 243 | 2* | pudibunda Bk. | Cuba. |
| | | H. alauda Fer. γ. Pfr. | |
| 244 | 2* | nemoralina Petit. | S. Thomas. |
| 245 | 4 | jun. | — |
| 246 | 1* | var. | S. Jan. |
| 247 | 2* | monodonta Lea. | Haiti. |
| 248 | 1* | indistincta Fer. | America. |
| 249 | 2* | Troschelii Pfr. | Cuba. |

Mycena Alb. Cochlea Adanson.

(Hemicycla Sw.)

- | | | | |
|-----|----|-------------------------|------------|
| 250 | 1 | plicaria Lam. | Cuba. |
| | | H. plicatula Lam. hist. | |
| | | (Mycena Alb.) | |
| 251 | 2 | Sauleyi d'Orb. | Canar. |
| 252 | 3 | sarcostoma Webb. & B. | — |
| 253 | 1 | Adansonii W. & B. | Teneriffa. |
| 254 | 1 | malleata Fer. | Canar. |
| 255 | 1* | — | — |

256	2*	<u>consobrina</u> Fer.	Canar.
257	2	var.	—
258	2	var.	—
259	2	Gaudryi d'Orb.	—
260	9*	<u>undata</u> Lowe.	Madeira.
		H. Groviana Fer.	
261	1*	<u>nivosa</u> Sow.	—
		H. phlebophora Lowe.	
Helicogena Riss.			
		(Iberus Mtf.)	
262	1	Gualteriana L.	Almeria.
		(Macularia Alb.)	
263	1	<u>scabricula</u> Dh.	Sicilia.
		H. erycina Ch. & J.	
264	1	var.	—
265	2	strigata Müll.	Italia.
266	2*	<u>serpentina</u> Fer.	—
267	2	var.	—
268	5	var. minor.	—
269	2	var β Pfr.	Sicilia.
270	2	<u>niciensis</u> Fer.	Italia.
271	2	var.	—
272	1*	marmorata Fer. dm. 25 m.	Gaucin.
273	1	var.	—
274	1*	var. minor perist. albo.	Eur. mer.
275	3	<u>splendida</u> Drp.	—
276	8	var.	—
277	1*	<u>alabastrites</u> Mich. fasciis 5.	Algir.
278	1*	var. alba.	
		(Tachea Leach.)	
279	1	signata Fer.	Eur. mer.
280	1	var.	—

281	2*	<u>sylvatica</u> Drp.	Eur. mer.
282	2	<u>globularis</u> Z. Rm. f. 442	Sicilia.
283	2 ¹	<u>platychela</u> Mke.	—
284	2 ¹	<u>sicana</u> Fer.	—
285	3	<u>fasciata</u> .	—
286	1	<u>vindobonensis</u> C. Pfr. H. austriaca Mühlf.	Austria.
287	1*	<u>nemoralis</u> L. dm. 27 m.	I. Möen.
288	1*	<u>scalaris</u> .	
289	1	<u>scalaris</u> .	
290	1*	<u>sinistrorsa</u> .	Gallia.
291	2	var? <u>H. hybrida</u> Poiret.	Herlufsholm.
292	6*	<u>hortensis</u> Müll. (Archelix Alb.)	Dania.
293	5	<u>vermiculata</u> Müll.	Eur. mer.
294	2*	<u>alonensis</u> Fer.	Hispania.
295	1	<u>Codringtoni</u> Gray.	Græcia.
296	1*	<u>lactea</u> Müll.	Eur. mer.
297	1*	<u>hieroglyphicula</u> Michaud.	Algir.
<u>Acavus Mtf.</u>			
298	2	<u>hæmastoma</u> L.	Ceylon.
299	2*	<u>melanotragus</u> Born.	—
300	2	var. <u>albofasciata</u> .	—
301	1	<u>jun.</u>	
302	1*	<u>Waltoni</u> Reeve.	—
303	1*	var. <u>tenuis</u> .	
<u>Oxychona n.</u>			
304	2*	<u>bifasciata</u> Burrow. H. Blanchetiana Moric.	Brasilia.
305	3*	var. <u>perist. carnea</u> .	—
<u>Chloræa Alb.</u>			
306	2	<u>Thersites</u> Brod.	Philippin.

- | | | | |
|-----|----|---------------------------------------|-------------|
| 307 | 3* | <i>fibula</i> Sow. | Philippin. |
| 308 | 4 | <i>Hügelii</i> Pfr. | — |
| | | <i>H. bifasciata</i> Lea. | |
| 309 | 1* | <i>Hanleyi</i> Pfr. | — |
| 310 | 1 | <i>amoena</i> Pfr. | — |
| 311 | 1* | <i>constricta</i> Pfr. | — |
| 312 | 1 | <i>sirena</i> Bk. | — |
| | | Orustia n. | |
| 313 | 1* | <i>monticula</i> Sow. | — |
| 314 | 1* | <i>sphærica</i> Sow. | |
| 315 | 1 | <i>balteata</i> Sow. | — |
| 316 | 2* | <i>annulata</i> Sow. | — |
| 317 | 1* | <i>iloconensis</i> Sow. | — |
| 318 | 1 | <i>fenestrata</i> Sow. | — |
| 319 | 2* | <i>viridis</i> Dh. | Madagascar. |
| 320 | 1* | var. | — |
| | | Corasia Alb. | |
| 321 | 1 | <i>reginæ</i> Brod. labro incompleto. | Philippin. |
| 322 | 2 | <i>albayensis</i> Brod. | — |
| 324 | 1* | — | — |
| 325 | 2 | <i>Valenciennesii</i> Eydoux. | — |
| 326 | 1 | <i>intorta</i> Sow. | — |
| 327 | 1* | <i>ponderosa</i> Pfr? | — |
| 328 | 3* | <i>decipiens</i> Sow. | — |
| 329 | 1* | <i>mirabilis</i> Fer. | — |
| 330 | 2 | <i>H. fulgens</i> Sow. | |
| | | <i>H. formosa</i> 2. Wood. | |
| 331 | 4* | <i>viridostriata</i> Lea. fasciata. | — |
| 332 | 2* | <i>H. polychroa</i> Sow. | |
| 333 | 1* | var. <i>ferruginea</i> . | — |
| 334 | 1* | var. <i>castanea</i> . | — |
| 335 | 2 | var. <i>unicolor</i> . | — |

336	1*	<i>florida</i> Sow.	Philippin.
337	4*	<i>hydrophana</i> Sow.	—
338	4*	<i>metaformis</i> Fer.	—
339	1*	<i>fasciata</i> .	—
<i>Axina</i> (Alb.) n.			
340	1*	<i>zebuensis</i> Brod.	—
341	1*	<i>Cumingii</i> Pfr.	—
342	2	<i>Roissyana</i> Fer.	—
343	3*	var. <i>castanea</i> .	—
344	2	<i>polita</i> .	—
345	2	—	—
346	4	<i>melanochila</i> Val.	—
<i>H. brunnea</i> Sow.			
347	2*	<i>pan</i> Brod.	—
348	1*	<i>pulcherrima</i> Sow. *)	—
349	1*	var.	—
350	1*	var.	—
351	1	var. <i>sulphurea spira conoidea</i> .	—
<i>Helicophanta</i> Fer.			
352	1	<i>cornu giganteum</i> Ch. (epid. denudat.) 82 m.	Madagascar.
<i>H. vesicalis</i> Lam.			
353	1	<i>magnifica</i> Fer.	—
<i>H. polyzonalis</i> Lam.			
356	1 ²	(<i>polita</i> .)	—
<i>Galaxias</i> (Bk.) n.			
357	2*	<i>argillacea</i> Fer.	„Timor.“
358	3*	<i>lucana</i> Müll.	Cap.
359	3*	<i>globulus</i> Müll.	—
<i>H. lucana</i> Lam. non Müll.			
360	2*	—	—

*) *H. festiva* Don. autoritate cl. *Cumingii* propria species est.

Coenatoria Held. Pomatia Bk.

- 361 3 *Mazzulii* Jan. Sicilia.
 362 2 var. *fasciata*. —
 366 1 var. *globosa*. —
 367 5* *aspersa* Müll. Eur. mer.
 368 1* *sinistrorsa*. —
 369 1* *distorta*. Cornu copiae Born.
 lg. 50 m. Beauvais. —
 370 2* *lutescens* Z. Gallicia.
 371 1 *pomatia* L. *sinistrorsa*. Eur. mer.
 H. pomaria Müll.
 372 1* sp. Hisp. mer.
 373 2 *vulgaris* Z. Eur. mer.
 374 2 *grisea* L. —
 H. cincta Müll.
 H. obtusalis Z.
 375 1* *melanostoma* Drp. Lusitania.
 376 2 var. Gallia.
 377 2 *lucorum* Müll. Italia.
 (*Cantareus* Risso.)
 378 4 *terrestris* Forsk. p. 33. n. 85. Italia.
 H. aperta Born.
 H. naticoides Drp.
 379 1* c. operculo. —

Polymita Bk.

(Liostoma Sws.)

- 380 1* *jamaicensis* Ch. Jamaica.
 (*Polymita* Bk.)
 381 2 *picta* Born. linea alba, nigro ter-
 minata; colum. fascia; nigra. Cuba:
 382 2* var. *linea alba*. —

- 383 2 var. *linea nigra*. Cuba.
 384 2* var. *fascia suturali nigra*. —
 385 2* var. —
 386 2* var. —
 387 1 var. —
 388 1* *versicolor* Born. —
 389 2 *muscarum* Lea. Jamaica.

H. globulosa Fer.

- 390 1 var. —
 391 2 var. —
 392 1 var. *alba*. —

Pomatia (Bolt.) n.

- 393 1 *undulata* Fer. Haiti.

H. lineolata Lam.

- 394 1 *cornu militare* L. detrita. ?

H. gigantea Scop. Lam.

H. malum terræ Ch.

Ianira Alb.

- 395 2* *codonodes* Pfr. Nicobar.
 396 2 *detrita*. —
 397 2 *jun.* —

Stylodon Chr. & Jan. Columplia Mous.

- 398 1* *uniplicata* Sow. Mous. I. Sechelles.

Pachya (Alb.) n.

- 399 5* *cepoides* Lea. Philippin.

Sagda Bk.

- 400 1 *torrefacta* Ad. Jamaica.
 401 1 *pila* Ad. —

Artemon Bk. Streptaxis Gray.

- 402 1* *Spixiana* Pfr. Brasilia.

H. candida Moric.

- 403 1* *Wagneri* Pfr. —

404	1* <u>Dunkeri</u> Pfr.	Brasilia.
	A. epistylum Müll. Bk?	
405	2* <u>contusa</u> Fer.	—
406	3* <u>jun.</u>	—
407	2 <u>alveus</u> Dkr.	—
408	1 <u>comboides</u> d'Orb.	—

Trib. 2. Bulimidae.

Testacella Lam.

409	5* <u>haliotoidea</u> F. Big.	Gallia.
-----	-------------------------------	---------

Amphibulima Lam.

410	1 ¹ <u>tigrina</u> Les. Fer.	Brasilia.
-----	---	-----------

Succinea Drp.

411	1* <u>rubescens</u> Dh.	Guadeloupe.
-----	-------------------------	-------------

412	1 —	—
-----	-----	---

413	1* <u>pustris</u> L.	Am. septr?
-----	----------------------	------------

S. amphibia Lam.

414	3 <u>sp.</u>	Brasil.
-----	--------------	---------

415	4* <u>oblonga</u> Drp.	Dania.
-----	------------------------	--------

416	1* <u>sp.</u>	?
-----	---------------	---

417	3 <u>grönlandica</u> Bk.	Kuksuk.
-----	--------------------------	---------

Simpulopsis Bk.

418	2* <u>atrovirens</u> Moric.	Brasilia.
-----	-----------------------------	-----------

419	2 <u>obtusata</u> Sow.	—
-----	------------------------	---

H. brasiliensis Moric.

420	1* <u>sulculosa</u> Fer.	—
-----	--------------------------	---

Oleacina Bolt. Polyphemus Mtf.

Glandina Sch.

(Homorus Alb.)

421	3* <u>cyanostoma</u> Rüpp.	Abyssinia.
-----	----------------------------	------------

(Melia Alb.)

422	2 <u>venusta</u> Pfr.	Jamaica.
-----	-----------------------	----------

- 423 1* leucozonias Gm. I. Martinique.
 Strombus rufus (edentulus per-
 elegans) Mart.
 A. albolineata Lam.
 (Oleacina Bolt?)
- 424 1* cubani d'Orb. Cuba.
 (*Glandina* Bk.)
- 425 1 rosea Fer! Florida.
 ()
- 426 1 algira Brug. Algier.
 H. Poireti Brug.
 (*Cionella* Jeffr.)
- 427 4* folliculus Meusch. Eur. mer.
 Azeca Leach.
- 428 2 tridens Pult. Gallia.
 P. Godallii Mich.
 Acicula Risso.
- 429 2 acicula Müll. Dania.
 Subulina Bk.
- 430 octona Ch. I. S. Crucis.
 Achatina Lam. Archachatina Alb.
- 431 1* acuta Lam. L. 120 m. I. Mauritius.
 A. mauritiana P. & Mich.
- 432 1 fulica Fer. —
 A. mauritiana Lam.
- 433 1* variegata Roissy. Guinea.
 A. elegans Link.
- 434 3 jun. —
- 435 1* marginata Sws. —
- 436 3* purpurea Ch. —
- 437 1 var. —

- 438 2* immaculata Lam? lg. 75 m. Senegal.
 A. variegata R. t. V. f. 3. c.
- 439 1 Zebra Ch. Guinea.
- 440 1 tigrina Cumg. Fer. t. 133 f. min. —
- 441 2 bicarinata Brug. —
 A. sinistrorsa Pfr.
- 442 1¹ — —
- 443 1* ustulata Lam. Fer. non Reeve. Africa.

Columna Perry.

- 444 1* columna Müll. —

Pseudotrochus Kl. Chersina Humphr **Liguus Mtf.**

- 445 2* virginea L. Cuba.
- 446 3 var. —
 (Oxystrombus Kl.)
- 447 1 fasciata Müll. —
- 448 1 lineata Val. Humb. Voy. t. 55 f. 2. —
- 449 1* crenata Sws. —
- 450 2* var. sulphurea. —
- 451 1* var. lg. 73 m. —
 A. fasciata var. ε. Pfr. Reeve f. 35 c.
- 452 1* alabaster Rang. I. Princip.

Pseudachatina Alb.

- 453 1* Downesii Gray. jun. 50 m. Fernando Po.
 A. Kerkadonis Grat?

Helicteres Fer. Achatinella Sws,

- 454 4* lorata Fer. jun. I. Sandwich.
 A. bulimoides Sws.
- 455 1* var? —
- 456 1 var? —

457	4	<i>decora</i> Fer.	I. Sandvich.
458	3*	var.	—
459	3*	var ?	—
460	1*	<i>prasina</i> R.	—
461	1*	sp.	—
462	1*	<i>insignis</i> Pfr.	—
463	1*	<i>bicolor</i> Jay jun ?	—

Tornatellina Bk.

464	2*	<i>trochiformis</i> Bk!	I. Iuan Fern.
-----	----	-------------------------	---------------

Limicolarius Sch.

465	2 ¹	<i>Kambeul</i> Ad. Bolt.	Guinea.
466	1*	<i>ædilis</i> Fer. t. 141 A. f. 4.	—
467	1*	sp.	—

B. Kambeul P. & Mich. XIII. 11, 12.

468	1	<i>flammea</i> Müll.	—
469	1	<i>strigata</i> Müll.	—
470	1	<i>striatula</i> Müll.	—
471	1	sp.	—
472	1	<i>flammigera</i> Fer.	—
473	2	non A. <i>Richii</i> Reeve. — jun.	

Orthalicus Bk.

474	1*	<i>regina</i> Fer. t. 119 f. 5.	Columbia.
475	1*	<i>perversa</i> Sws.	Brasil.

A. *regina sinistrorsa* Pfr.

476	3	<i>Zebra</i> Müll. Bk.	Antill.
477	2	var.	—
478	6*	<i>undatus</i> Brug.	—
479	2	var. B. <i>pulchellus</i> Spix.	—
480	1	<i>gallina sultana</i> Ch.	Brasil.

Bulimus. Scop.**Plectostylus Bk.**

481	2*	<i>peruvianus</i> Brug.	Peru.
-----	----	-------------------------	-------

- 482 1* var gracilior. Peru.
 483 2* coquimbensis Brod. Chile.
 484 5* chilensis Les. —

B. granulosus Brod.

Mesembrinus Alb.

- 485 1* lita Fer. Brasilia.
 486 1 pseudosuccineus Moric. —
 487 1 liliaceus Fer. —
 488 1 citrinovirens Moric! —

Bulimulus Leach.

- 489 5* virgulatus Fer. Antill.
 B. caraibæorum Lam. —
 H elongata Bolt. (Ch. IX. f.
 1125 a.) —
 490 4* var. strigata. —
 491 3 var. carnea. —
 491 2 Kämmereri n. St. Thomas.
 492 10* exilis Gm. —

Rabdotus Alb.

- 494 4 albicans Brod. Bolivia.
 495 5 scalariformis Brod. Peru.
 496 4 Laurentii Sow. Chile.

Næsiotus Alb.

- 497 1* nux Brod. Gallopagos.
 498 2* escariferus Sow. —

Rumina Risso.

- 499 6* decollatus L. Eur. mer.
 500 4 — pulli. —

Obeliscus (Alb.)

- 501 2 calcareus Born. Brasil.
 Columna maritima Spix.
 502 1 obeliscus Moric. —

- 503 1* *sylvaticus* Spx. Brasilia.
- 504 1 *subuliformis* Moric. —
- Opeas Alb.**
- 505 3* *clavulus* Fer. Guadeloupe.
- 506 1 *mimosarum* d'Orb. Brasilia.
- 507 3 *micra* d'Orb. —
- 508 2 *oryza* Brug. Guadeloupe.
- Cochlicellus Fer.**
- 509 6* *conoideus* Drp. Eur. mer.
- 510 2* sp. I. Canar.
- 511 4 *ventrosus* Fer. E. mer.
- B. ventricosus* Drp. non. Ch.
- 512 8* *acutus* Müll. —
- 513 3 *turricula* (Turb.) Ch. XI. 2063-64 Gallia.
- Turritella turricula* Link.
- B. articulatus* Lam.
- Macroceramus Guild. Colobus Alb.**
- 514 1* *lineatus* Brug. Guadeloupe.
- B. cylindricus* Gray.
- 515 4 *Guildingii* Pfr. I. Tortola.
- M. signatus* Guild. non Spx.
- 516 2* *formosus* Gray. S. Domingo.
- C. pupiformis* Fer.
- 517 4 *Gossei* Pfr. Jamaica.
- Cylindrella Hydeana* Ad.
- Mastus Bk.**
- 518 2 *pullus* Gray? Ind. or.
- Cylindrus Fitz.**
- 519 3* *obtusius* Drp. Austria.
- Brephulns Bk.**
- 520 *detritus* Müll. Eur. mer.
- B. radiatus* Brug.

- 521 2 fasciolaris Olivi. Creta.
 522 2 cylindricus Mke. Tauria.
 B. lineatus Rm.
 B. tauricus Lang.
 523 1* sp. Eur. mer.
 524 2 illibatus Z. —
 525 3 sp. —
 526 2* bidens Kryn. —
 527 2* zebriola Fer. —

B. zebra Olivi non Müll.

- 528 2 sp. —
 529 1 gibber Kryn. Tauria.
 B. revolutus Z.

530 1 sp. —

- 531 1* Tournefortiana^{us} Fer. Græcia.
 P. tridentata Lam.

Ena Leach.

(Petræus Alb.)

- 532 2 labrosus Fer. Syria.
 533 3 arabicus Frsk. 127. (monente Stp.) Arabia.
 P. candida Lam.
 B. Forskålü Bk.

- 534 2 obesatus W. & B. I. Canar.
 (Ena Leach.)

- 535 1* montanus Drp. Gallia.
 536 3* obscurus Müll. Hirschholm.
 (Peristoma Kryn.)

- 537 1* appenninus Jan. Eur. mer.
 B. assimilis Rm.
 538 1 merduenianus Kryn. Tauria.
 B. tener. Z.

Scutalus Alb.

539	1* <u>heterotrichus</u> Moric!	Brasilia.
540	2* <u>velutino hispidus</u> Moric!	—
541	1 <u>Tupacii</u> d'Orb.	Bolivia.
542	1 sp. præced. aff.	Herradura.
543	1* <u>proteus</u> Brod.	Peru.
544	1 var. <u>fasciata</u> .	—
545	5 <u>derelictus</u> Brod.	Chile.

Liostracus Alb.

546	2 <u>multifasciatus</u> Lam.	Guadeloupe.
547	2* var.	Brasilia.
548	1* <u>coxeiratus</u> Moric.*) <u>trifasciata</u> .	—
549	1* var. <u>bifasciata</u> .	—
550	1* var. <u>fusca</u> , fascia lutea.	—
551	5* var.	—
552	1* <u>opalinus</u> Sow.	—
	"B. <u>angulosus</u> Fer."	
553	3* <u>vimineus</u> Moric.	—
554	* var.	—

Otostomus Bk.

555	1* <u>auris muris</u> Moric.	—
	<u>O. myotis</u> Bk.	
556	2 <u>auris leporis</u> Brug.	—
557	3 var.? <u>basi gibboso</u> .	—
	<u>Stenostoma auritum</u> Spx.	
	<u>O. lateralis</u> „Mke.“ Bk.?	
558	1* <u>navicula</u> Wag.	—
	<u>Navicula fasciata</u> Spix.	

*) „Mr. de Ferussac l'a nommée depuis H. picturata. Je ne vois pas pourquoi il a changé le nom que je lui avais donné, d'autant plus que c'est de moi qu'il a eu cette coquille.“ de Yoldi.

Anthinus Alb.

- 559 1* multicolor Rang. Brasilia.

Gonyostomus Bk.

- 560 2* goniostomus Fer. —

- 661 1* fusiformis Rang. —

B. dubiosus Jay.

- 662 1* capueira Spix. —

B. angiosomus Wag.

Eurytus Alb.

- 663 1* Onca d'Orb. —

- 664 1* succinoides Petit. N. Granada.

- 665 1 pullus. —

Bulimus Scop.

- 666 1 glandiformis Lea. N. Granada.

- 667 1* lutescens King. Buen. Ayres.

B. nucleus Sow.

- 668 3* crenulatus Pfr. Chile.

B. chilensis Sow.

- 669 3* rosaceus King. —

- 670 1 granulosus Rang. Brasilia.

- 671 1 jun. —

- 672 1 ovum B. ovati? —

- 673 2 oblongus Müll. Am. mer.

- 674 1 polita. —

- 675 1* chionostoma n. Brasilia.

B. ovatus var. Pfr.

B. ovatus Sw. Treat. p. 178 f. 26?

- 676 1* ovatus Müll. —

Borus (Alb.) n.

- 677 2* iostoma Sow. —

B. phasianella Val.

- 678 1 var. —

- 679 1* Moritzianus Pfr. Columbia.
~~680~~ 1* Taunaisii Fer. l. 50 m. Brasilia.

Pachyotus Bk.

- 681 bilabiatus Brod. —
 H. Maximiliana Fer.

- 682 1* egregius Jay. —
 B. bilabiatus, minor Pfr.

- ~~683~~ 1* melanostomus Sws. —

- 684 1 Swainsoni Pfr. —

- 685 1* Illecola Moric. —

B. rhodospira Bk.

Coniclus Alb.

- 686 1* perplexus Sow. —

B. Myersii Sow.

Strophochila almeida Spx.?

- 687 1* pudicus Müll. —

Plecochilus Guild.

- 688 1 auris Sileni Born. I. S. Vincent.

- ~~689~~ 2* undulatus Martini. Antill.

B. glaber Gm.

- 690 1* sp. —

- 691 1* distortus Ch. Am. mer.

- 692 2 var. —

- ~~693~~ 1* signatus Spix. —

Odontostomus Bk.

- 594 4* bahiensis Moric. Brasilia.

- 595 1 bahicola n. —

B. bahiensis Reeve f. 442.

Differt a præcedente t. graci-
 liore, ap. angustiore, plica
 columellari minore, vix di-
 visa; colore grisea.

- 596 1* *juvencus* n. Brasilia.
B. fuscagula „Lea” jun. d’Orb.
 Voy. p. 317 (excl. diagn.)
H. miliola ib. t. 39 f. 1. 2.
B. janeirensis Sow. var. Pfr.
- 597 2 *fuscagula* Lea. —
- 598 1 var. —
- 599 1 *exesus* Spix. —
- 600 1 *leucotrema* Bk. —
- 601 1 *pantagruelinus* Moric. —
Scarabus labrosus Mk.
- 602 4* *pupoides* Spix. —
P. inflata Wag.
H. fasciata P. & M.
- 603 1* *odontostomus* Sow. —
H. gargantua Fer.
- Tomigerus Spix.**
- 604 1* *tomigeroides* Moric. Brasilia
T. turbinatus Spix.
Anostoma tomigera Moric. Bk.
- 605 3 *dentatus* Gray. —
P. Sowerbyana Fer.
- Partulus Fer.**
- 606 1* *fulvicans* Pfr. l. 35 M. Seychelles.
- 607 3* *fabia* Martyn. I. Societ.
B. australis Brug.
- 608 5* *gibbus* Fer. I. Marian.
- 609 1 *Thersites* Pfr. I. Sandwich.
P. inflata Reeve.
- 610 1* *roseus* Brod. I. Societ.
- 611 8* *vanikorensis* Q & G. —

- | | | | |
|-----------------------------|----|-------------------------------------|-------------|
| 612 | 1* | Hebe Pfr. | I. Societ. |
| 613 | 1* | otaheitanus Brug. | Taiti. |
| Caryodes (Alb.) n. | | | |
| 614 | 2 | Dufresnii Leach. | N. Holland. |
| 615 | 1 | melo Q. & G. | — |
| 616 | 1 | inflatus Lam. | — |
| 617 | 1 | bullae Mke? | — |
| Placostylus Bk. | | | |
| 618 | 1* | Shongii Les. | N. Guinea. |
| 619 | 1 | fibratus Martyn. | N. Zeland. |
| Chrysallis (Alb.) n. | | | |
| 620 | 2 | chrysalidiformis Sow. | Philippin. |
| 621 | 5 | Wagneri Grat. *) | — |
| | | B. ustulatus Jay. | |
| 622 | 1 | var.? B. aspersus Grat. t. 4. f. 3. | |
| 623 | 4 | mindoroensis Brod. | — |
| 624 | 1 | melanogaster n. | — |
| | | B. mindoroensis var. f. Brod. | |
| | | B. m.-Ch. d'Orb. Dict. c. fig. | |
| 625 | 2 | electricus Reeve. | — |
| | | B. mindoroensis k. Brod. | |
| | | B. lichenifer Mörch. | |
| 626 | 1* | var. crassa. | — |
| 627 | 2 | virgatus Jay. | — |
| | | B. sylvanus Brod. | |
| 628 | 3 | dryas Brod. | — |
| | | B. porraceus Sow. non. Jay. | |
| 629 | 3 | jun. B. paradoxus Pfr. | — |

*) B. Wagneri Pfr. = Cochlog (Dontostoma) distenta Fer. Bull. (1827—28) Vol. 13; p. 153. n°. 41.

Orthostylus (Bk.) n.

630	1	<i>inversus</i> Müll.	<i>polita</i> .	I. or.
631	2	<i>perversus</i> L.	<i>dextrorsa</i> .	—
632	1	<i>sinister</i> (Müll.)	n.	—
		<i>H. perversa viridis</i> Ch. IX. 936, 37.		
		<i>B. perversus</i> δ <i>virens</i> Bk. β Pfr.		
		<i>H. sinistra</i> γ . ϵ . Müll.		
		<i>H. sinistra</i> Mart. N. Manigf. t. 2. f. 2, 3.		
		<i>H. biliosa</i> α Bolt.		
633	1*	<i>chloris</i>	Reeve.	Philippin.
634	1*	var.	<i>abbreviata</i> .	—
635	1*	<i>lævis</i>	Müll.	I. or.
636	1*	<i>porcellanus</i>	Mous.	—
637	1	sp.		—

Canistrum Kl.

638	2*	<i>luzonicus</i>	Sowb.	
		<i>B. ovoideus</i> autt. non Brug		
639	2*	var.		
640	2*	var.		
641	1*	<i>stabilis</i>	Sow.	—
Eudoxus (Alb.) n.				
642	1*	<i>Dumonti</i> Pfr. (<i>Helix</i>)		Philippin.
643	2*	<i>albinus</i>	Grat.	—
		<i>B. virgineus</i> Lea.		
		<i>B. bullula</i> Brod.		
644	1*	<i>cincinniformis</i>	Brod.	—
645	7	var.		—
646	2*	<i>labiozonalis</i>	Grat. <i>rosea</i> .	—
		<i>B. cincinnus</i> Sow.		
647	2	v. <i>rufescens</i> .		—

- 648 2 v. alba, fascia suturali rosea. Philippin.
 649 1 v. fascia suturali nigra.
 650 2* var. β . t. solida, angustiore.
 rufescens.
 651 1* alba, fascia suturali nigra.
 652 1* rosea.
 653 1 subcarinatus Pfr. —
 654 1 sp. —
 655 1 sp. —

Pytohelix Sws.

- 656 1* calista Brod. —
 657 1* boholensis Brod. —
 658 1* fulgetrum Brod. —
 659 1 satyrus Brod. —

Helicobulinus Brod.

- 660 1* bicoloratus Lea.
 B. Alberti Brod.
 661 1¹ imperator Pfr. —
 662 6 philippinensis Pfr. —
 663 1⁴ rufogaster Lesson. polita. —
 664 1 sp. n? —
 B. rufogaster. Less. abbreviata.
 665 1* Reevii Brod. —
 666 1* Woodianus Lea. —
 667 3 var. —
 668 1* var. alba. —
 669 1* sarcinosus Fer. —

Pupa Drp.**Phœnicobius n.**

- 670 2 brachyodon Sow. —

671	2	<u>adustus</u> Sow.	Philippin.
672	2	<u>aratus</u> Sow.	—
673	1	var. <u>straminea</u> .	—

Gibbulina Bk.

674	2	<u>Lyonetiana</u> Pallas.	I. Mauritius.
675	1	<u>pagoda</u> Fer.	—

H. concamerata Wood.

676	2*	<u>sulcata</u> Müll.	—
677	2	<u>palanga</u> Les.	—
678	1*	var. <u>abbreviata</u> List. 588 f. 49.	—
679	1*	var.	—

680	2	<u>versipolis</u> Fer.	—
-----	---	------------------------	---

681	2*	<u>dealbata</u> Web. & B.	I. Canar.
-----	----	---------------------------	-----------

Ptychotrema n.

682	1	<u>guineensis</u> (Cyclodontina) Bk.!	Guinea.
-----	---	---------------------------------------	---------

Megaspira Lea.

683	1	<u>Ruschenbergiana</u> Lea.	Brasilia.
-----	---	-----------------------------	-----------

Cerion Bolt. (Strophia Alb.)

684	10*	<u>uva</u> L.	Caracas.
685	1	sp.	Antill.
686	2*	<u>striatella</u> Fer.	Martinique.
687	3	<u>chrysalis</u> Fer.	Cuba.
688	1	<u>Gruneri</u> Pfr.?	—
689	1	<u>alvearia</u> Dw.	Guadeloupe.
690	1	var.?	—?
691	1*	sp.	—

Torquilla Stud. (Chondrina Reichb.) 1828.

692	1	<u>bulimoides</u> Pfr.	Syria.
-----	---	------------------------	--------

H. sidoniensis Fer.

693	4*	<u>quinquedentata</u> Born.	Eur. mer.
		P. <u>cinerea</u> Drp.	

- 694 2* secale Drp. Eur. mer.
 695 3* avenacea Brug. —
 P. avena Drp. —

696 1* nana Mühlf. —

 P. Philippii Cantr.

697 2 granum Drp. —

698 1* frumentum Drp. Gallia.

699 3* variabilis Drp. —

700 2* polyodon Drp. —

Odontocyclas Schlütt. (Scopelophila Alb.)

701 2 Rossmässleri Schmidt. Carniolia.

Chondrus Cuv. Chondrula Bk.

702 2* quinqueplicata Mühlf. Dalmatia.

703 1 spreti Z. —

704 1 Bergeri Roth. Græcia.

 P. tricuspidis Bk.

705 3* quadridens Drp. Gallia.

Pupula Leach.

706 2 dolium Drp. —

707 8 doliolum Brug. —

708 10* umbilicata Drp. —

Vertigo Müll.

709 6* antivertigo Drp. Germania.

 V. septemdentata Fer.

Clausilia Drp.

710 3* tridens Ch. Portorico.

 C. costulata Lam.

711 1 torticollis Oliv. Creta.

712 1 retusa Oliv. —

713 4 exarata Z. Dalmatia.

714 1* sulcosa Wag. —

 C. ragusensis Z.

(Limnophysa Fitz.)

732	6*	Vahlii Bk.	Grönland.
733	5	jun.	—
734	3	Pingelii Bk.	—
735	5	viator d'Orb.	Am. mer.
736	4	peregra Müll.	Finland.

(Neritostoma Kl. Radix Mtf. Gularia Leach.)

737	4	desidiosa Say.	Am. bor.
738	4	geisericola Bk.	Islandia.

Chilina Gray.

739	2	Dombeyana Brug.	Chile.
740	2	var. spira abbreviata	—
741	1	fluctuosa Humphr.	—
742	1	major Sow. juv.	—
743	3*	tenuis Gray.	—

Physa Lam. Bulimus Ad.

744	2*	Maugeri Gray.	Mexico.
745	4	rivalis Mat. & Rack.	Brasilia.
746	3	sp.	Chile.
747	4*	sp.	I. S. Crucis.
748	4	crassula Dw.	Pensylvania.
749	2	gyrina Say.	—

Planorbis Geoff. Coretus Ad.

750	1*	bicarinatus Say.	Am. bor.
751	2	var.	—
752	1	sp.	Brasilia.
753	1	sp.	Teneriffa.
754	1	sp.	S. Thomas.
755	1	lutescens Lam.?	Antill.
756	2	ferrugineus Spix.	Bahia.
757	2	peruvianus Brod.	Coquimbo.

<u>758</u>	4	<u>exustus</u> Dh.	Ganges.
		P. coromandelicus Fabr.	
759	6	minor.	—
760	3*	viridis Spix.	Rio.
761	2*	<u>lugubris</u> Wag.	—
<u>762</u>	4	<u>arcticus</u> Bk.	Grönland.

Fam. Auriculidæ.

Auricula Lam. Ellobium Bolt.

<u>763</u>	1*	<u>A. auris</u> Midæ L.	I. or.
		A. midæ Lam.	
<u>764</u>	2	<u>auris</u> Judæ L.	—
765	1	var.	—
766	2	tridentata Mart.	—
		E. subtile Bolt.	
		A. reticulata Sch.	
		A. simiæ Fer.	

Pythia Bolt. Polyodonta Fisch. Scarabus Mtf.

<u>767</u>	1*	<u>trigonus</u> Troschel. vix Reeve.	Sincapuhra.
<u>768</u>	2 ¹	<u>plicatus</u> Ch. var.?	I. or.
769	1	castaneus Less.	—
<u>770</u>	1	<u>Lessoni</u> Blv.	—
		A. Petiveriana Dh.	
<u>771</u>	1*	<u>imbrium</u> Mtf. Leach.	—
		H. pythia Müll.	
<u>772</u>	2	<u>helicina</u> Bolt. (Ch. IX. 1249, 50)	—
		P. Listeri Reeve.	
		P. Listeriana Bk.	—

Cassidula Fer. Rhodostoma Sw. Sisdula Gray.

<u>773</u>	2*	<u>angulifera</u> Petit.	N. Holl.
------------	----	--------------------------	----------

774 1* *inflamata* Bolt. l. or.

V. *coffea* Ch. IX. f. 1043, 4.

C. *Chemnitzii* Bk.

775 1* *felis* Brug. —

776 1* *nucleus* Martyn. —

777 1* *mustelæ* Dh. —

Melampus Mtf.

778 3 *fusca* Mart. 2. f. 445. Antill.

V. *minuta* Gm.

A. *monile* Lam.

779 6² *torosa* Mart. 2. f. 444. —

V. *flava* Gm.

780 4² *coffea* L. —

A. *coniformis* Lam.

781 1¹ sp. Ind. or.

782 1* *lutea* Q & G. —

Tralia Gray.

783 10 *ovulum* Brug. Antill.

V. *pusilla* Gm.

A. *nitens* Lam.

Ophicardelus Bk

784 1* *australis* Q. & G. N. Holl.

Alexia Leach. Pythia Gray.

785 3 *myosotis* Drp. M. med.

786 2* *reflexilabris* d'Orb. Chile.

Carychium Müll.

787 4 *minimum* Müll. Sölleröd.

Fam. Cyclostomidæ.

Cyclostoma Lam. Mtf.

(*Tropidophora* Trosch.)

788 1* *Cuvierianum* Petit. 75 m. Madagasc.

- 789 1* *occlusum* n. Madagasc.
C. Cuvierianum var. *minor* Petit.
Differt a *præcedente* t. *minore*
(38 m.) *umbilico* fere *triplo*
angustiore, *obteco*.
- 790 1* *bicarinatum* Sow. —
C. multifasciatum Grat.?
- 791 1* *Michaudii* Grat. —
C. carinatum Lam. Sow. f. 117.
- 792 11 *Barclayanum* Pfr. c. op. I. Maurit.
C. carinatum Sow. f. 118.
(*Otopomus* Gray.)
- 793 3 *Listeri* Gray. —
C. fimbriata „Lam.“ Deles.
C. Philippii Grat.
- 794 2* *clathratulum* Recl. c. op. Arabia.
Sow. f. 16 vix. f. 15.
- 795 1 *ligatum* Müll. Madagascar.
(*Cyclostomus* Mtf.)
- 796 2* *costulatum* Ziegl. 1. c. op. Eur. mer.
C. sulcatum Sow.
- 797 6 *buccinulum* Bolt. —
C. sulcatum Drp.
C. siculum Sow.
C. affine Risso.
- 798 2* *polysulcatum* Pot. & Mich. —
- 799 8* *elegans* Müll. —
- 800 2* *lævigatum* Web. & Berth. I. Canar.
C. canariense d'Orb.

Cyclotus Guild. Aperostoma Tr. Platystoma Kl.

- 801 1* *conoideum* Pfr. I. Maurit.

C. spurcum Sow.

- 802 1 **Jamaicense** Ch. Jamaica.

C. lineatus Gray.

- 803 2* **corrugatum** Sow. 1 c. op. —

C. jamaicensis Gray.

- 804 1* **inca** d'Orb. Bolivia.

C. Blanchetiana Moric.!

- 805 2 **brasilianum** Sowb. c. op. Brasilia.

C. prominula Fer.!

- 806 1* **discoideum** Sow. Demerara.

Cyrtotoma n.

- 807 1² **mexicanum** Mke. Acapulco.

Cistula Humphr. ^a**Chondropoma** Pfr.

- 808 2 **scabriculum** Sow. c. op. ¹Jamaica.

- 809 2 — —

Licina Browne.

- 810 2 **Humphreyanum** Pfr. —

C. pictum Humphr.**Tudora** Gray.

- 811 10 **megachila** P. & M. c. op. Curacao.

C. simile Gray. Sow.**C. ravidum** Parr.

- 812 1* **versicolor** Pfr. Antill.

C. aurantiacum Sow.**C. aurantium** Gray. W. S.

- 813 12* **rufilabrum** Bk. —

Adamsiella Pfr.

- 814 2* **variabile** Ad. Jamaica.

C. mutatum Ad.

- 815 1¹ **Grayanum** Pfr. —

C. obscurum Gray.

- 816 2* **ignilabre** Ad. —

- 817 1 Banksianum Sow. Jamaica.
 C. hyacinthinum Ad.

Chondropoma Pfr.

- 818 1* pictum Pfr. Cuba.
 819 2* lunulatum Müll. Antill.

Pomatias Stud.

- 820 1* obscurum Drp. Eur. mer.
 C. patulum Sow.

- 821 3* auritum Z. —
 C. excisilabrum Meg.

Steganotoma Trosch.

- 822 1 rupestris Bens. Ind. or.

Cyclophorus Mtf.

(Cyclohelix n.)

- 823 6 turbo Ch. —
 824 1* trochoides (Helicodonta) Yoldi.
 n. sp. Nicobar.
 825 5* Zebra Grat. Philippin.
 C. philippinarum Sow. var. f.

(Cyclophorus Mtf.)

- 826 1² linguiferum Sow. f. 198. —
 827 1 sp. Ind. or.
 828 1 volvulus Müll. —
 829 1* ceylanicum Pfr. c. op. Ceylon.
 C. indicum Sow. non Dh.
 830 1* Zollingeri Mous. Java.
 831 1 involutus (var. β .) Müll. Ind. or.
 832 3* Woodianum Lea. Philippin.
 C. luzonicum Sow.
 833 2 var. —
 834 1 canaliferum Sow. f. 141, 42 sup. Philippin.

(Leptopoma Pfr.)835 1 *lingulatum* Sow. f. 210. Philippin.836 1 *helicoides* Grat. Pfr. —*C. Stainforthii* Sow. f. 215, 16.

non 17.

837 1 *concinnum* Sow. f. 223 vix 224. —838 1 *vitreum* Les. —*C. nitidum* So. 227. non 225, 26.839 3 *læve* Sow. f. 220. (non 221, 222) —**Craspedopoma Pfr.**840 2* *lucidum* Lowe. c. op. Madeira.**Megalomastoma Gild.**841 2 *cylindraceum* Ch. Portorico.*C. flavulum* Lam.842 6 *antillarum* Sow. I. Tortola.
(*Pupinella* Gray.)843 1 *altum* Sow. Philippin.**Pupina Vign.**

(Registoma v. Has.)

844 2* *fusca* Gray. —*P. vitrea* Sow.

(Moulinsia Grat.)

845 3 *grandis* Gray. —*M. Nunezii* Grat.*Pupa aurantia* Grat. Not.**Trib. 2. Helicinidæ.****Helicina Lam.**

(Trochatella Sws. Ampullina Blv.)

848 1 *Tankervillei* Gray. Jamaica.849 2 *pulchella* Gray. —

H. Sloanii Fer!**H. scitula Wood.**

- 850 2 **Josephinæ** Ad. —
 (Lucidella Sws.)
- 851 2* **aureola** Fer. —
 (Oligoyra Say.)
- 852 2 **castanea** Guild. —
- 853 2 **citrinolabris** Ad. —
- 854 3 **brasiliensis** Gray. Brasilia.
- 855 6 **var major**. —
- 856 3* **variabilis** Wag. —

H. flava Spx. H. zonata Sow.

- 857 3* **nicobarica** Phil. c. op. Nicobar.
- 858 2* **variabilis** Guild. non Wag. Antill.
 (Pachystoma Sws.)
- 859 1* **citrina** Grat. Philippin.

H. polita Sow.

- 860 1* **aurantia** Gray. c. op. Jamaica.
- 861 2* **fasciata** Lam. 1 jun. c. op. —

H. picta Fer.

- 862 2* **neritella** Lam. 1 c. op. —
- 863 4* **sp.** Antill.
- 864 4* **solidula** Gray. —

(Alcadia Gray.)

- 865 1* **submarginata** Gray. Cuba.

H. pulcherima Lea. Sow. f 14.**H. crassa d'Orb.**

- 866 2* **major** Gray. Jamaica.
- 867 2* **Brownii** Ad. 1 c. sp. —
- 868 2 **Hollandi** Ad. —

Proserpina Guild.

- 869 4 **nitida** Guild.

Fam. Rissoadæ.**Alvania Ris.**

- 870 6 calathiscus Mtg. M. med.
 T. cimex L?
 A. europæa Risso.

Rissoina d'Orb.

- 871 1 sp. —
 872 1 sp. Antill.
 873 3 sp. —

Rissoa Frem.

- 874 6 auriscalpium L. m. med.
 R. acuta Desm.
 875 1 costata Desm. —
 876 10 sp. —
 877 5 sp —

Paludinella Bk. Sabinea Leach.

- 878 5 striatella Fabr. Grönland.
 R. saxatilis Möll.
 879 5 globulus Möll. —

Truncatella Risso.

- 880 6 caraibæensis Sow. Antill.
 T. succinea Ad.
 881 6 truncatula Drp. m. med.

Skenea Flem.

- 882 5 planorbis Fabr. Grönland.

Fam. Pyramidellidæ.**Pyramidella Lam. Obeliscus Humph.**

- 883 2 punctata (Turbo) Ch. 4. f. 1493, 94 I. Maurit.
 Plotia guttata Link.
 P. maculosa Lam.

- 884 1* ventricosa Quoy. ap. Guerin. Vanikoro.
 885 1² dolabrata L. Antill.
 886 2² lineata Bolt. Ch. V. f. 1603, 4. Guinea?
 P. dolabrata Reeve. C. S.?
 887 1* terebellum Müll. ?
 888 1 var ? ?
 889 1 sp. Philippin.
 890 1 sp. —
 Eulima Ris.
 891 1* sp. n. lg. 17 m. Lesson leg.

Fam. Littorinidæ.

Planaxis Lam.

- 892 1* planicostatus Sow. Gallopagos.
 893 1 — —
 894 3 nucleus Lam. Antill.
 895 4* var ? —
 896 20 lineatus Da Costa. —
 P. pedicularis Lam.

Modulus Gray.

- 897 4 lenticularis Ch. —
 Tr. modulus L.
 898 2 tectum. Gm. Ind. or?

Littorina Fer.

(Pagodus Gray. Hamus Kl.)

- 899 2 pagodus L. Ind. or.
 900 2* rugosa Gray. —
 901 12 tectum persicum L. —
 902 5 Antoni Phil. Antill.
 903 2 muricata L. —

(Garagoi Kl. Phasianella Lam. p. p.)

904	2	<u>Ziczac</u> Ch.	—
905	6	<u>carinata</u> d'Orb.	—
906	8	<u>undulata</u> Gray.	Ind. or.
907	10	<u>peruviana</u> Lam.	Chile.
		L. zebra Wood.	
908	1	sp.	N. Holl.
909	10	<u>undulata</u> Gray.	Ind. or.
910	6	<u>angulifera</u> Lam.	Brasilia.
911	5	var.	—
912	2	var.	?
913	1	<u>scabra</u> L.	Ind. or.
914	1*	<u>pulchra</u> Sw.	Panama.
		T. zebra Mawe. Don. 1834	
		()	
915	8	<u>guttata</u> Phil.	Antill.
		Ph. punctata Pfr.	
916	3	<u>minima</u> Wood.	—
917	4	<u>neritoides</u> L.	M. med.
		T. cærulescens Lam.	
		(Neritoides Brown.)	
918	1*	<u>irrorata</u> Say. c. op.	Am. bor.
919	2	<u>littorea</u> L.	Eur. mer.
920	20*	<u>grönlandica</u> Ch.	Grönland.
		L. castanea Dh.	
		T Davidis Bolt.	
921	4	v. T. albocinctus Lnk. 1885 d-g.	—
922	4*	var. T. diminutus Link. Ch.	
		1885. ab.	—
923	4*	<u>arctica</u> Möll.	—
		T. littoralis Fab. non L.	

- 924 3 obtusata L. Dania.
 N. pisum Meusch.
 T. neritoides Gm.
- 925 6 sp. Islandia.
Lacuna Turt.
- 926 5 divaricata Fab. Grönland.
Solarium Lm. Architectonica Bolt.
- 927 1 australe Ch. China.
 S. maximum Phil.
- 928 1 minor. —
- 929 1 nobile Bolt. Ch. V. f. 1695, 6. —
 S. verrucosum Phil.
- 930 2 zonatum Phil. Ch. V. f. 1673? Ind. or.
 (Torinia Gray. Heliacus d'Orb.)
- 931 2 bicarinatum d'Orb? Antill.
- 932 1* infundibuliformis Ch. Gm. —
 Tr. planior infundibuliformis
 Ch. 1796. 7.
 Tr. Chemnitzii. Ki.
- 933 3 stramineum Ch. Tranquebar.
 A. gothica Bolt.
- 934 2 sp. ?
- 935 2 sp. ?
- 936 1* sp. c. op. ?
- 937 1 sp. ?
- 938 1 sp. ?
- 939 1 Herberti Dh. Antill.
 T. cylindraceus Ch?
 T. cylindricus Gm.
- 940 2 trochoides Dh. ?
- 941 1 hybridum L. Ind. or.

S. radiata Bolt.

S. cingulum Ki.

(*Philippia* Gray.)

942 5 *luteum* Lam. (non Phil.) Bengal.

Scalaria Lam.

(*Epitonium* Kl. *Aciona* Leach.)

943 1* *scalaris* L. Ind. or.

S. conica Lam.

S. genuina Link.

S. pretiosa Lam.

944 1¹ *neglecta* Reeve & Ad. China.

945 1 sp —

946 1 *ferruginea* n. —

S. Palasii Sow. f. 15.

947 2¹ *nicobarica* Bk. Coromandel.

Sow. f. 14.

(*Scala* Kl. *Clathrus* Ocken.)

948 1* *clathrus* L. M. med.

S. communis Lam.

949 1 — —

950 9 var? ?

951 2 *Turtonis* (Risso) Sow. M. med.

S. planicosta Biv.

T. tenuicosta Mich. 1829.

952 6 *lamellosa* Lam. —

S. pseudoscalaris Dh.

953 1* *ambigua* L. Ind. or.

S. lineata Ki.

S. lyra Sow. f. 38.

954 3* *minuta* Bolt. M. 4. f. 1435, 36. ?

T. Martinii Wood.

S. striata Ki.

(Clathrus Gray.)

- | | | | |
|-----|----|----------------------------------|-----------|
| 955 | 2* | <u>australis</u> Lam. | N. Holl. |
| 956 | 2* | <u>grönlandica</u> Ch. lg. 40 m; | Grönland. |
| 957 | 2* | lg. 24 m; 22 m. | — |

(Cirsotrema n.)

- | | | | |
|-----|---|----------------------|----------|
| 958 | 1 | <u>varicosa</u> Lam. | Ind. or. |
|-----|---|----------------------|----------|

Fam. Heteropoda.

Janthina Bolt.

- | | | | |
|-----|----|---|--------|
| 959 | 7 | <u>globosa</u> Sw. | China. |
| 960 | 4 | <u>fragilis</u> Lam. | — |
| | | <u>T. ianthinus violaceus</u> Ch. | |
| 961 | 1 | <u>violacea</u> Bolt Kn. 2. 30. f. 2, 3. Oc. atl. | |
| 962 | 3. | sp. | — |
| 963 | 2 | <u>exigua</u> Lam. | — |

Onustus Humphr.

(Xenophora Fisch. Phorus Mtf.

- | | | | |
|-----|----|---|-------------|
| 964 | 6* | <u>trochiformis</u> Born. Index. | St. Thomas. |
| | | <u>T. conchyliophorus</u> Born. | |
| | | <u>T lithophorus</u> Ch. | |
| | | <u>Ph. onustus</u> Reeve (non Nils.) | |
| | | <u>Astræa lapidifera</u> Bolt. | |
| 965 | 1* | c. op. | — |
| 966 | 1 | <u>corrugatus</u> Reeve | Ind. or. |
| 967 | 1* | <u>umbilicaris</u> Brander. | Grignon. |
| | | <u>Tr. Schröteri</u> Gm. | |
| | | <u>Tr. agglutinans</u> Lam. | |
| 968 | 1 | — | — |
| 969 | 1 | <u>solaris</u> L. dm. 88. m. c. spinis. | Tranquebar. |
| | | <u>Astræa polaris</u> Bolt. | |
| 970 | 1 | <u>calculiferus</u> Reeve. | China. |

(Onustus Humphr.)

971 1 exutus Reeve. China.**Carinaria Lam.**972 1¹ cristata (Patella) L M. med.C. mediterranea Perr. —**Fam. Ampullariadæ.****Ampullaria Lam.****Pachylabra Sw.** (Pachystoma Guild.)973 10 carinata Sw. Schr. Fl. IX. f. 14. Ind. or.974 1 orbata Perry.A. virens Lam. Del.A. globosa Sw.975 2* ampullacea L. Geve. f. 289 a. b. —A. celebensis Q. & G?976 1 oblonga Sw. Philippin.977 1 puncticulata Sw. ?**Pomus Humphr.** (Ampullaria Sw.)978 1 urceus Müll. Surinam.A. rugosa Lam.979 3 intermedia Fer. Brasilia.A. sordida Sw.

980 1 (ova.) —

981 1 scalaris d'Orb. —A. angulata Jay.**Marisa Gray.** (Ceratodes Guild.)982 1 effusa Müll. —983 2* castanea Dh. Martinique?A. luteostoma Dh.984 1* sp. Am. mer.985 3 luteostoma Sw. —986 2² cornu arietis L. —

Fam. Vermetidæ.**Siliquaria Lam.**

- | | | | |
|------|---|--------------------------|----------|
| 1017 | 1 | <u>anguina</u> L. | Ind. or. |
| 1018 | 1 | <u>lævigata</u> Lam. | — |
| 1019 | 1 | <u>australis</u> Q. & G. | — |
| 1020 | 1 | <u>muricata</u> Born. | Antill. |
| | | S. <u>echinata</u> Gm. | |

Vermetus Ad.

(Serpuloides Gray. Serpulatorbis Sassi.)

- | | | | |
|------|----------------|----------------------|---------|
| 1021 | 1 | <u>gigas</u> Rivona? | M. med. |
| 1022 | 1 ² | <u>sp.</u> | ? |

(Bivonia Gray.)

- | | | | |
|------|---|----------------------|---------|
| 1023 | 2 | <u>decussata</u> Gm. | Antill. |
| | | (Separatista Gray?) | |

- | | | | |
|------|---|-----------------------|---|
| 1024 | 1 | <u>lumbricalis</u> L. | — |
| | | V. <u>Knorrii</u> Dh. | |
| 1025 | 1 | <u>minor.</u> | — |

Fam. Cerithiacea.**Turritella Lam.**

(Torcula Gray.)

- | | | | |
|------|----------------|-------------------------------------|---------|
| 1026 | 1 ² | <u>exoleta</u> L. | Antill. |
| | | (Haustator Mtf. Terebellum Browne.) | |

- | | | | |
|------|--|---------------------|---|
| 1027 | | <u>variegata</u> L. | — |
|------|--|---------------------|---|

T. marmoratus Ch. IV. f. 1422.Elob. marmoreum Bolt.T. imbricata Lam. Ki. f. 2.

- | | | | |
|------|----------------|-------------------------|------------|
| 1028 | 3 ¹ | <u>imbricata</u> L. | — |
| 1029 | 1 | <u>imbricata</u> Lam. | Grignon †. |
| 1030 | 2 | <u>Hanleyana</u> Reeve. | Peru. |
| | | (Xylohelix Ch. | |
| 1031 | 1 ¹ | <u>terebra</u> L. | Ind. or. |

1032	3 ³	minor.	Ind. or.
1033	1*	torulosa Ki.	Senegal.
1034	2 ²	bicingulata Lam.	Antill.
		Xylohelix T. marmoreus minor Ch.	
1035	3	cingulata Sow.	Chile.
		T. tricarinata King.	
1036	7 ¹	—	—
1037	2	ungulina L.	M med.
		T. Linnæi Dh.	
1038	4	cingulifera Sow.	N. Holl.
		T. fragilis Ki.	
1039	3	erosa Couth.	Grönland.
		T. polaris Bk.	
		(Zaria Gray.)	
1040	2 ¹	bacillum Ki.	Ind. or.
1041	2 ²	duplicata L.	—
1042	1 ¹	var. T. acutangula L.	—
1043	2	replicata L.	—
		T. attenuata Reeve.	
1044	1 ¹	terebralis Lam.	Bordeaux †.
		(Mesalia Gray.)	
1045	2 ¹	multisulcata Lam.	Grignon †.
1046	2	lactea Möll.	Grönland.
1047	5	minor.	—
		Pirena Lam.	
		(Melanatria Bowd.)	
1048	2*	fluminea Gm. majore c. op.	Madagascar.
		Pirena spinosa Lam.	
		(Faunus Mtf.)	
1049	1	atra L.	Ind. or.
		Pirena terebralis Lam.	
1050	1	jun.	—

Melanopsis Lam.

<u>1051</u>	1*	<u>costata</u> Olivier. (Fer!)	Syria.
<u>1052</u>	1	<u>costellata</u> Fer!	Burdigalia.
<u>1053</u>	2	<u>maroccana</u> Ch.	Marocco.
<u>1054</u>	3	<u>Dufourii</u> Fer!	Eur. mer.
<u>1055</u>	2	<u>prærosa</u> L.	—

M. lævigata Lam.

<u>1056</u>	1*	<u>lævigata</u> Oliv.	Archip. Fer.!
<u>1057</u>	4	<u>acicularis</u> Fer.	Vindobon.

M. Audebardi Prevost.

<u>1058</u>	1	<u>Esperi</u> Fer.	Austria.
-------------	---	--------------------	----------

Melania Lam. Melas Mtf.

(Tiara Bolt. Melacantha Sw.)

<u>1059</u>	2*	<u>amarula</u> L.	Ind. or.
<u>1060</u>	1*	—	Nicobar.
<u>1061</u>	2	—	Ind. or.
<u>1062</u>	1	<u>crenularis</u> Dh?	—
<u>1063</u>	1*	<u>setosa</u> Sw.	Philippin.

(Melanella Sw.)

<u>1064</u>	3	<u>Hollandri</u> Fer.	Illyria.
		(Plotia Bolt) n.	

<u>1065</u>	1	<u>spinulosa</u> Lam.	Timor.
<u>1066</u>	1*	<u>lineata</u> Gray.	Calcutta.

M. lirata Bens.

<u>1067</u>	2	<u>granifera</u> Lam.	I. Marian.
<u>1068</u>	2	—	—

(Melanoides Oliv.)

<u>1069</u>	10	<u>tuberculata</u> Müll.	Calcutt.
-------------	----	--------------------------	----------

M. pyramis Bens.

<u>1070</u>	1*	<u>asperata</u> Lam.	Ind. or.
-------------	----	----------------------	----------

M. inquinata Dfr. Dh.

M. grandis Jaq.

M. pulchra v. d. Busch.

1071 2 sp. —

1072 8 sp. Nicobar.

1073 5 sp. ?

(*Aylacostoma* Spix.)

1074 2 *atra* Richard. Guiana.

M. semiplicata Lam. Enc.

M. truncata Lam. h.

(*Hemisinus* Sws ?)

1075 1 n. sp. Guinea.

1076 1* *conus* Jacq. Ava.

Jo. Lea. *Melafusus* Sw.

1077 1 *spinosa* Lea. Am. bor.

(*Ceriphasia* Sw.)

1078 4* *canaliculata* Say. —

Str. Sayii Wood.

1079 7 var. —

1080 2* *virginica* (Buc.) Gm. Say. —

1081 3* var. *fasciata*; —

***Leptoxis* Raf. *Anculotus* Say.**

1082 2 *prærosa* Say. *Melania prærosa*

***Tympanotonus* Kl. *Vibex* Ock.**

1083 1* *Rangii* Dh. Madagascar?

M. tuberculosa Rang non Spix.

M. calcitrata Fer!

1084 2* *aurita* Müll. Guinea.

1085 3 — —

1086 1 — —

1087 2* *fusca* Gm. Senegal.

1088 1* *minor*. —

Pachystoma Gray?

- 1089 2 costellata Lam. Grignon †.

Cerithium Ad.

(Potamides Brong.)

- 1090 1 Humboldtii Valc. Panama.

- 1091 2 serratum Lam. Grignon †.

(Tympanostoma Sow.)

- 1092 2* radula L. Senegal.

- 1093 1* minor. —

- 1094 1* fuscatum L. —

M. aculeata Müll.

(Cerithidea Sw.)

- 1095 1 varicosum „Sow.” Ki. Am. cent.

- 1096 1 decollatum L. —

(Pyrazus Mtf.)

- 1097 6 cingulatum Gm. Ind. or.

S. pictus Bolt.

C. fluviatile P. & M.

- 1098 3* sulcatum Born. —

C. molluccanum Gm.

T. mangiorum Ch.

S. fuscus Gm.

- 1099 1* semistriatum (Bolt.) n. —

C. sulcatum Ki. t. 27. f. 1.

- 1100 1 palustre L. —

- 1101 3 jun. —

(Telescopium Ch. Sch.)

- 1102 1* telescopium L. Ind. or.

Vertagus Kl.

- 1103 1 tæniatum Q. & G. N. Guinea.

- 1104 6 vertagus L. I. or.

1105	2	Martinianum Pfr.	I. or.
		C. procerum Ki.	
		V. vulgare Sch. p. p.	
1106	2	fasciatum Ch.	—
		S. caminatus Bolt.	
1107	7*	asperum L.	—
1108	2*	sp.	—
1109	2	articulatum Reeve.	—
		C. obeliscus var. Ki. V. f. 1 a.	
1110	3	chinense Ch.	—
		S. acanthinus Meusch.	
		S. muricatus Bolt.	
		C. obeliscus Brug.	
1111	2	aluco L.	—
		C. coronatum Bolt.	
		(Aluco Link. Rhinoclavis Sw.	
		Cerithium Ad.)	
1112	1	nodulosum Brug.	—
1113	1	Adansonii Brug Ki.	Senegal.
		C. mutatum Sow. G.	
1114	3	uncinatum Gm.	M. rub?
1115	2*	columna Sow.	Chile?
1116	4	duplicatum Yoldi. n. sp.	Sina.
1117	3	trigonum Yoldi. n. sp.	—
1118	1	Schröteri n.	M. rub.
		Schr. Einl. t. 3. f. 7.	
1119	1	sp.	?
1120	2	tuberculatum L.	Ind. or.
1121	2	morus Lam.	?
1122	2	dissimile Yoldi. n. sp.	Antill.
1123	2	semiferrugineum Lam.	—
1124	4	litteratum Born.	—

- 1125 3 atratum Born. Antill.
- 1126 3 thymelus Meusch. M. med.
- M. alucoides Olivi.
- C. vulgatum Brug.
- B. tuberculatus L?
- 1127 1* vulgatum ♂ Blv. Ki. t. 9. f. 29. —
- 1128 1 — —
- 1129 6 mediterraneum Dh. —
- C. rugosum Gray W. S.
- C. fuscum Costa.
- C. mediterraneum Dh.
- 1130 2 sp. — Vera Cruz.
- 1131 6* minimum (Mur.) Gm. Curaçao.
- C. zonale Brug.
- (Lampania Gr. Batillaria Bens.)
- 1132 3 zonale Lam. non Brug. China.
- (Pirenella Gr.)
- 1133 1 mamillatum Phil. M. med.
- (Bittium Leach.)
- 1134 4 radula Brug. —
- (Mastonia Hinds.)
- 1135 2 ornatum Dh. Ki. excl. syn. Antill.
- Triphoris Dh.**
- 1136 4* turris Thomæ Ch. 3022 —
- Fam. Aporrhaidæ.**
- Aporrhais. Da Costa.** (Chenopus Phil.)
- 1137 2 pes pelecani L. M. German.
- Sthruthiolaria Lam.**
- 1138 1 papulosa Martyn. N. Zeland.
- M. pes struthiocameli Ch.
- M. stramineus Gm.
- S. nodulosa Lam.

- 1139 1 vermis Martyn? lg. 40 m. N. Zeland.
M. australis Gm.

Fam. Strombidae.

Pterocera Lam.

(Harpago Kl.)

- 1140 1* chiragra L. Ind. or.
L. harpago Mart. Bolt.

- 1141 1 (jun.) —

- 1142 3* arthritica Bolt. —

P. rugosum Sow.

Harpago var. Mart. 3. f. 856, 57.

- 1143 1 pseudoscorpio Lam. —
(Millepes Kl.)

- 1144 2 millepeda L. —

- 1145 1* scorpius L. —

(Heptadactylus Kl.)

- 1146 1 crocata Link. —

P. aurantia Lam.

- 1147 1 Yoldii n.

Differt a præcedente labro digitis 7 leviter recurvatis, nec angulatis, tribus anticis approximatis.

- 1148 7 lambis L. —

- 1149 1 radix bryoniæ Ch. —

P. truncata Lam.

S. bryoniæ Gm.

Strombus L.

- 1150 1 gigas L. Antill.

- 1151 2 (jun.) —

- 987 1 cornu arietis L. Am. mer.
 988 1 fasciata Guild. —

Lanistes Mtf.

- 989 2 Bolteniana Ch. Ægyptus.
 C. carinatum Olivi.
 H. hyalina β . Gm.
 990 1 intorta Lam. Guinea.
 991 1* guineensis Ch. —
 L. Olivieri Mtf.
 (Meladomus Sw.)
 992 1* olivacea Sow. Zanzibar.
 Bul. tristis Jay.
 A purpurea Anton.

Globulus Sow. (Euspira Ag.)

- 993 2 sigaretinus (Natica) Lam. Grignon †.
 994 2¹ — —
 995 2 patulus (Natica) Lam. —
 996 4 minor. —
 997 1 spiratus Dh. —
 998 1 Willemeti Dh. —
 (Lithoglyphus Meg.)
 999 1* naticoides Fer. Eur. mer.
 1000 1* fuscus Z. —

Valvata Müll.

(Poecilospira n.) an Planorbis?

- 1001 1* trochus (Nerita) Müll. Baden.
 Tr. carinatus C. IX. 1051.
 Tr. callosus Gm. 73.
 Tr. fluminea Gm? —
 Paludina multiformis Ziet. (Valv.) Dh.
 (Valvata Müll.)
 1002 4 piscinalis Müll. Dania.

- 1003 1 *tricarinata* Lesueur. Am. bor.
V. carinata Sow.

Paludina Lam.

(*Bithinia* Prideaux.)

- 1004 2 *tentaculata* L. Dania.
P. impura Lam.
 (Viviparus Mtf.)
- 1005 4 *Listeri* Forb. —
N. vivipara Müll.
V. lacustris Bk. 1847.
- 1006 2 *vivipara* L. Germania.
N. fasciata Müll.
P. achatina Drp.
V. Linnæi Bk. 1847.
- 1007 4 *dissimilis* Müll. Ind. or.
P. carinata Sw.
- 1008 3 *unicolor* Olivier Africa.
- 1009 2 *Swainsoni* n. China.
P. unicolor Sw.
- 1010 2 *angularis* Müll. Ch. —
- 1011 4 — var. (3. c. op.) —
- 1012 1 sp. ?
- 1013 1 *carinata* Val. Manila.
P. Burroughiana Lea.
- 1014 4* *decisa* Say. Am. bor.
- 1015 1 *subcarinata* Say. —
Bul. carinatus Brug.

Paludomus Sws.

- 1016 1 *chilinoides* Reeve. Ceylon.
M. ceylanica Fer!

1152	1	<u>rosacea</u> Mart.	Guinea.
		A. torosus Meusch.	
		S. bubonius Lam.	
1153	1	(jun.)	
1154	1*	<u>granulatus</u> Sw.	Antill.
1155	3	<u>pugilis</u> L.	—
1156	5	<u>costoso muricatus</u> Mart.	—
		S. raninus Gm.	
		S. affinis Gm.	
		L. curruca Bolt.	
		S. lobatus Sw.	
		S. bitubercularis Lam.	
1157	2	<u>gallus</u> L.	—
1158	1	<u>latissimus</u> L.	Ind. or?
1159	1*	<u>tricornis</u> Mart.	M. rub.
1160	1	jun.	—
1161	2*	<u>accipitrinus</u> Mart.	Antill.
		S. costatus Gm.	
Gallinula Kl.			
1162	3	<u>canarium</u> L.	Ind. or.
1163	3	<u>gibba</u> Mart.	—
		L. turturella Bolt.	
		S. isabella Lam.	
1164	3	<u>variabilis</u> Sw.	—
1165	2	var.	—
1166	1	<u>epidromis</u> L.	—
1167	1	<u>columba</u> Lam.	—
		S. Tankervilleii Sw.	
1168	1*	<u>labiosus</u> Gray.	China.
1169	2	<u>dilatatus</u> Sw.	Ind. or.
1170	5	<u>vittatus</u> L.	—

Monodactylus Kl.

- 1171 1* aratum Martyn. N. Zelandia.
 S. Zelandiæ novæ Ch.
 L. vomer Bolt.
 S. pacificus Sw.
- 1172 1* adustus Ch. Ind. or.
 L. aratum Bolt.
 S. melanostomus Sw.
- 1173 3 striato granulatus Mart. —
 Auris asini Mart.
 S. Lamarckii Gray.
 S. auris Dianæ Ki. Dh. non L.
- 1174 1 auris Dianæ L. —
 P. guttatus Martini.
 L. bulla Bolt.
- 1175 2 — —
- 1176 3 lentiginosus L. —
- 1177 3 fasciatus Born. M. rub.
 S. polyfasciatus Ch.
 L. elegantissimus Link.
 S. lineatus Lam.

Aporrhais Kl.

- 1178 3 luhuanus L. Ind. or.
- 1179 3 decora Bolt —
 L. miniatus Link.
 L. lævilabris Mke.
 S. cylindricus Sw.
 S. mauritianus Lam.
- 1180 2 gibberulus L. —
- 1181 5 (minor.) —
- 1182 1 albus Mart. 3. f. 797, 98. M. rub.
 S. gibberulus Sow. f. 18.

1183	3	<u>marginatus</u> L.	Ind. or.
		S. carinatus Bolt.	
1184	1	<u>succinctus</u> L.	—
1185	6	<u>flosculosus</u> Mart.	—
		A. gibberulus Meusch.	
		L. flammea Link.	
		S. floridus Lam.	
1186	2	<u>urceus</u> L.	—
1187	2	var.	—
1188	2	var.	—
1189	2	var.	—
1190	3*	<u>plicatus</u> Lam.	—
		S. dentatus Gm.	
1191	1*	<u>elegans</u> Sow.	M. rub.
1192	1	<u>dentatus</u> L.	Ind. or.
		A. Samaar Mart. Meusch.	
		S. tridentatus Gm.	
Rostellaria Lam. (Fusus Humphr.)			
(Rimella Ag.)			
1193	1	cancellata Lam.	Ind. or.
		S. fissurella Sow.	
1194	6	fissurella L.	Grignon †.
		(Tibia Bolt.)	
1195	1	magna (Fusus) Ch.	M. rub.
		R. dentula Perry.	
		R. curvirostris Lam.	
		Tibia insulæ Choramb Bolt.	
1196	1	jun.	—
		(Gladius Kl.)	
1197	1 ²	<u>fusus</u> L.	Ind. or.
		R. rectirostris Lam.	

Terebellum Kl. (Seraphs Mtf.)

- | | | | |
|------|----|--------------------|------------|
| 1198 | 1* | sopita Brand. | Grignon †. |
| | | T. convolutum Lam. | |
| 1199 | 3* | terebellum L. | Ind. or. |
| | | T. subulatum Ch. | |
| 1200 | 3 | var. | — |

Fam. Pleurotominae.**Trib. 1. Conidae.****Conus L.**

(Rhombus Mtf. Coronaxis Sw. Cucullus Bolt.)

- | | | | |
|------|----|---------------------------------------|----------|
| 1201 | 6 | marmoreus L. | Ind. or. |
| 1202 | 2 | nocturnus Hw. | — |
| 1203 | 2* | lg. 50. m. lg. 43 m. | — |
| 1204 | 1 | — | — |
| 1205 | 1* | proarchithalassus Bolt. M. 2. 687, 8. | |
| | | C. bandanus Hw? lg. 65 m. | |
| 1206 | 1* | lg. 55 m. | |
| 1207 | 1 | nicobaricus Hw. lg. 80 m. | — |
| | | C. monstrosus Ch. | |
| 1208 | 1* | lg. 60 m. | — |
| 1209 | 1 | lg. 65. m. | — |
| 1210 | 1* | peplum Ch. lg. 80 m. | — |
| | | C. arachnoideus Gm. | |
| | | C. araneosus Hw. | |
| 1211 | 1* | fascia postica oblitterata lg. 75 m. | — |
| 1212 | 1* | imperialis L. polita lg. 65. | — |
| 1213 | 1* | lg. 47 m. | — |
| 1214 | 1* | fuscatus Born. lg. 62 m. | — |
| 1215 | 1* | lg. 42 m. | — |
| 1216 | 1 | lg. 52 m. | — |

1217	1 ⁴	zonatus Hw.	Nicobar.
1218	1 ²	—	—
(Stephanoconus n)			
1219	10	leucostictus Hw.	Antill.
		C. nebulosus Sol.	
1220	1	aurantius Hw. lg. 70 m.	—
1221	3	—	—
1222	1*	varius L. lg. 39 m.	—
		C. granulatus Bolt.	
1223	3	verrucosus Hw.	—
		C. granulatus Mart. non L.	
1224	2*	mindanus Hw. l. 35.	—
1225	2	var.	—
1226	9	mus Hw.	—
		C. barbadensis Hw.	
1227	1	bæticus Reeve?	—
1228	1	punctatus Hw.	?
		C. biliosus Bolt	
		C. piperatus Dw.	
1229	8	lividus Hw.	Ind. or.
1230	1	(polita.)	—
1231	1*	distans Hw. lg. 70 m.	—
		C. mennonitarum coronatus Ch.	
(Puncticulis Sw.)			
1232	2*	ceylonicus Ch.	—
		C. obesus Hw.	
1233	1		—
1234	1	fustigatus Hw.	—
1235	2	pulicarius Hw.	—
1236	2	arenatus Hw. lg. 55 m. lg. 62 m.	
1237	1*	lg. 57 m.	—
1238	2	var.	—

- 1239 1 stercus pulicum Meusch. M. rub.
 C. arenatus Ki. t. 10 f. a. b.
 1240 1 biliosus Bolt. Ind. or.
 C. punctatus Hw. non Gm.
 C. piperatus Dw.

Coronaxis (Sw.) n.

- 1241 3 minimus L. Ind. or.
 1242 1* lg. 23 m. —
 1243 3 musicus Hw. —
 1244 3 africanus Meusch. —
 C. tæniatus Hw.
 C. geminus Bolt.
 1245 3 sponsalis Ch. —
 1246 4 hebræus L. —
 1247 2* var. —
 1248 2 chaldæus Bolt. —
 C. vermiculatus Lam.

Cylindrella Sw.

- 1249 3 sulcatus Hw. China.
 C. costatus Ch.
 C. asper Lam.

Nubecula Kl. (Rollus Mtf. Tuliparia Sw.)

- 1250 1 geographus L. Ind. or.
 1251 2 var. —
 1252 3 tulipa L. —
 1253 3 obscurus Humphr. —

Lithoconus n.

- 1254 5 millepunctatus L.
 1255 4 litteratus L.
 1256 2 minor.
 1257 1 eburneus Hw.
 1258 3 —

1259	2	junior.	Ind. or.
1260	2*	<u>tessellatus</u> Born.	—
1261	4	—	—
1262	2	<u>flavidus</u> Lam.	Taiti.
1263	1	c. epid.	—
1264	2	virgo L.	Ind. or.
1265	1	c. epid.	—
1266	1	<u>quercinus</u> Hw.	—
		C. buxeus Link.	
1267	1*	c. epid. lg. 55.	—
1268	1	—	—

Dendroconus Sw.

1269	1	figulinus L. lg. 85 m.	—
1270	1	Loroisii Ki. lg. 82 m.	Nicobar.
		C. agretis Spgl.	
		Enc. Meth. t. 332 f. 5.	
		Mus. Gotw. t. XIV. f. 105 b.	
1271	1	suratensis Hw. lg. 92.	Ind. or.
1272	2	betulinus L.	—
1273	1*	glaucus L. lg. 47.	—
1274	1	<u>siamensis</u> Hw.	—
1275	2	—	—
1276	1	<u>papilionaceus</u> Hw.	Guinea.
1277	2	<u>genuanus</u> L.	—

Leptoconus Sw.

1278	1	Thomæ Gm. Ch. X. t. 133 n. 2.	Ind. or.
		C. omaicus Hw.	
		lg. 77 m.	
1279	1	regularis Sow.	Panama.
1280	3*	spurius Gm.	Antill.
		C. proteus Hw.	
1281	2	—	—

1282	1*	<u>leoninus</u> Hw.	Antill.
1283	2	minor.	—
1284	1*	<u>amadis</u> Mart. lg. 53 m.	Ind. or.
1285	4	<u>cassis</u> Meusch.	—
		<u>C. acuminatus</u> Hw.	
		<u>C. substriatus</u> Link.	
1286	2	<u>erythræensis</u> Bk. Ch. X. f. 1300.	M. rub.
1287	2	<u>thalassiarchus</u> Gray.	Ind. or.
1288	1	<u>nobilis</u> L. lg. 55	—
1289	1	<u>ammiralis</u> L. lg. 57 m.	—
1290	1	lg. 50 m.	—
1291	1	lg. 45 m. <u>polita</u> .	—
1292	2	var. lg. 39 m	—
1293	1	var. <u>granulatus</u> lg. 41.	—
		Rhizoconus n.	
1294	3	<u>miles</u> L.	—
1295	2	minor.	—
1296	3 ¹	<u>vexillum</u> Mart.	—
		<u>C. epistomium</u> Meusch.	
1297	1	<u>leopardus</u> Meusch. (L. 781. s. 28) lg. 77 m.	—
		<u>C. sumatrensis</u> Hw.	
1298	4	<u>capitaneus</u> L.	—
1299	1	var.	—
1300	1*	<u>mustelinus</u> Hw. lg. 80 m.	—
1301	1*	<u>nemocanus</u> Hw. lg. 65 m.	—
1302	1	<u>fumigatus</u> Hw. <u>polita</u> .	M. rub.
1303	4	<u>hyæna</u> Hw.	Ind. or.
1304	1	<u>malaccanus</u> Hw.	—
1305	1	<u>centurio</u> Born. lg. 50 m.	—
1306	2	minor lg. 38 m.	—

1307	1*	<u>monile</u> Hw. lg. 65 m.	Ind. or.
1308	3	—	—
1309	4	<u>generalis</u> L.	—
1311	2	<u>senator</u> L.	—
		C. vulpinus Hw.	
1311	1	<u>planorbis</u> Born.	—
		C. polyzonias Gm.	
		C. vitulinus Hw.	
1312	3	—	—
1313	2	<u>lineatus</u> Ch.	—
1314	2	<u>ermineus</u> Born.	—
		C. lithoglyphus Meusch.	
		C. orleanus Bolt.	

1315	1*	—	—
1316	3*	<u>daucus</u> L.	Antill.
1317	6	—	—
1318	2	var.	—
1319	3	var. lutea.	—
1320	1	<u>punctatus</u> Gm.	Ind. or.
		C. augur Hw.	

Chelyconus n.

1321	10	<u>testudinarius</u> Mart.	Guinea.
1322	4	<u>achatinus</u> Ch.	—
1323	1	<u>monachus</u> L. lg. 43 m. polita.	—
1324	5	<u>informis</u> Hw.	Cap.
1325	4	<u>mercator</u> L.	Antill.
1326	2	<u>mediterraneus</u> Hw.	M. med.
1327	2	var.	—
1328	2	<u>catus</u> Hw.	Ind. or.
1329	4*	—	—
1330	1	var. ?	—
1331	1	sp.	—

1332	<u>venulatus</u> Hw.	Ind. or.
	C. ateralbus Ki. ?	
1333	1 <u>concinus</u> Brod.	California.
	(Pionoconus n.)	
1334	6 <u>magus</u> L.	Ind. or.
1335	14 —	—
1336	2 var. ?	—
1337	1 sp.	—
1338	1 <u>Cecilii</u> Ki.	Philippin.
	(Phasmoconus n.)	
1339	2 <u>radiatus</u> Gm.	Antill. ?
	C. Martinianus R.	
	C. gubba Ki. ?	
1340	1* <u>rusticus</u> L.	Ind. or.
	C. cinereus Hw.	
1341	1 (polita.)	—
1342	1 —	—
1343	2 minor.	—
1344	4 <u>pygmæus</u> Reeve.	Antill.
1345	1 <u>lacteus</u> Lam.	Ind. or.
1346	1 <u>spectrum</u> L.	—
1347	1 <u>Adamsonii</u> Gray. 1839. S. Ill. N. Holl.	
	C. cingulatus Sow. non Lam.	
	C. rhododendron Couth.	
1348	1 <u>bullatus</u> L.	Ind. or.
1349	1 <u>gubernator</u> Hw.	—
1350	3 <u>striatus</u> L.	—
1351	3 <u>stercus muscarum</u> L.	—
	Cylinder Mtf. Textilia Sw.	
1352	1 <u>crocatus</u> Lam. lg. 42 m.	—
1353	1 <u>aulicus</u> L.	—
1354	1 minor.	—

1355	1 ¹	<u>aulicus</u> L	Ind. or.
1356	1	<u>omaria</u> Hw.	—
1357	2	<u>minor</u> .	—
1358	1	<u>pennaceus</u> Born.	—
		<u>C. brunneus</u> Meusch.	
		<u>C. omaria</u> β Reeve.	
1359	2	<u>episcopus</u> Hw.	—
1360	2	<u>vicarius</u> Lam. (non L)	—
1361	1	<u>jun.</u> ?	—
1362	2*	<u>verriculum</u> Reeve.	—
1363	8	<u>var.</u>	—
1364	1*	<u>victoria</u> Reeve.	N. Holl.
1365	8	<u>textile</u> L.	Ind. or.
1366	4	<u>abbas</u> Hw.	—

Hermes Mtf. Theliconus Sw.

1367	3	<u>australis</u> Ch.	China.
1368	2	<u>terebra</u> Born.	Ind. or.
		<u>C. terebellum</u> Gm.	
1369	1	<u>coccineus</u> Gm. lg. 40 m.	—
		<u>C. Solandri</u> Brod & Sow.	
1370	1	<u>granulatus</u> L. lg. 40 m.	—
1371	1	<u>lg.</u> 30 m.	—
1372	1*	<u>pertusus</u> Hw.	—
1373	1	<u>fabula</u> Sow. lg. 31 m.	—
1374	1	<u>lg.</u> 25.	—
1375	2	<u>glans</u> Hw.	—
1376	2	<u>nussatella</u> L.	—

Trib. 2. Pleurotominae.

Pleurotoma Lam. (Turris Humph.) (Turris Humphr.)

1377	1	<u>grandis</u> Gray.	China.
------	---	----------------------	--------

- | | | | |
|------|----------------|---|----------|
| 1378 | 1 | <u>babylonia</u> L. | Ind. or. |
| 1379 | 1 | <u>tigrina</u> „Lam.” Reeve. | — |
| 1380 | 1 | <u>cingulifera</u> Lam. | — |
| | | (<u>Turricula</u> Sch. non Kl.) | |
| 1381 | 3 | <u>australis</u> Ch. | China. |
| 1382 | 2 | <u>tornata</u> Dw. | Ind. or. |
| | | T. <u>flammea</u> Sch. | |
| | | P. <u>javana</u> Reeve. | |
| 1383 | 3 ¹ | <u>javana</u> L. | — |
| | | P. <u>nodifera</u> Lam. | |
| | | P. <u>spuria</u> Link. | |
| 1384 | 1 | <u>flavidula</u> Lam. | — |
| | | M. <u>gibbosus</u> Ch. non Born. | |
| 1385 | 1* | <u>olivacea</u> Sow. | Panama. |
| | | P. <u>funiculatum</u> Val. | |
| 1386 | | <u>crenularis</u> Lam. | Ind. or. |
| | | (<u>Tomella</u> Sw.) | |
| 1387 | 4 ¹ | <u>lineata</u> Lam. | Guinea? |
| | | (<u>Perrona</u> Sch.) | |
| 1388 | 1 ¹ | <u>spirata</u> Lam. | — |
| | | (<u>Clavatula</u> Lam.) | |
| 1389 | 2* | <u>coronatus</u> Ch. IV. vig. 39. f. C. | — |
| | | P. <u>muricata</u> Lam. | |
| | | P. <u>conica</u> Lam. Enc. | |
| | | T. <u>regia</u> Bolt. | |
| 1390 | 1* | <u>bimarginata</u> Lam. | — |
| 1391 | 2* | <u>virginea</u> (Turris) Ch. XI. 1838. | — |
| | | P. <u>rubrifasciata</u> Reeve 171? | |
| | | (<u>Clionella</u> Gray.) (<u>Terebra</u> ?) | |
| 1392 | 2 | <u>sinuata</u> Born. | Africa. |
| | | <u>Boletus</u> <u>turbinatus</u> Ch. | |
| | | P. <u>buccinoides</u> Lam. | |

(Brachystoma Sws. Drillia Gray.

Clavus Mtf.?)

- 1394 2 alatus (Turbo) Ch. Ind. or.
 M. nodulosus Gm.
 P. crenularis Lam.

1395 2 Griffithii Gray. —

1396 1* interrupta Lam. —
 (Clavus Mtf.)

1397 1 echinata Lam. N. Guinea.
 (Crassispira Sw.)

1398 3² fucata Reeve. Antill.

1399 1 pulchella Reeve. —

1400 2 sp. —

1401 3 sp. —

1402 2 zebra Lam. —

1403 1* fuscescens Gray. —

1404 2 — —

1405 1* harpula Val. —

1406 2* digitale Reeve. Ind. or.
 (Mangelia Leach. Cythara Sch.)

1407 3 Vauquelinii Payr. M. med.
 (Bela Leach.)

1408 1 Bertrandii Payr. —
 (Daphnella Hinds.)

1409 5* lymnæiformis Ki. Antill.
 (Oenopota n.)

1410 3* pleurotomaria Couth. Grönland.

1411 3* Pingelii Bk. —

1412 3* livida Möll. —

1413 2 viridula Möll. (non Fabr.) —
 (Pleurotomina Bk. 1847.)

1414 2* nobilis Möll. —

- 1415 3* exarata Möll. Grönland.
 P. Mölleri Reeve.
 „D. lactea Möll.“ Reeve.

Fam. Terebrina.

Terebra Lam. (Acus Humphr.)

- 1416 2 strigata Sow. Panama.
 B. elongatum Wood.
 T. flammea Les.
 T. zebra Ki.
- 1417 1 maculata L. Ind. or.
- 1418 1 chlorata Lam. —
 T. Knorrii Gray.
- 1419 5 dimidiata L. —
- 1420 1¹ muscaria L. —
 Vertagus areolatus Link.
- 1421 3 subulata L. —
 B. varium Martyn.
- 1422 1 robusta Hinds. Panama.
- 1423 1 varia Meusch. 1787. Ind. or.
 B. ornatum Martyn.
 E. guttatum Bolt.
 T. oculata Lam.
- 1424 2 crenulata L. —
- 1425 1* striatula Lam. Senegal.
- 1426 10¹ ferruginea Born. —
- 1427 1* var. castanea c. op. —
- 1428 1 duplicata L. Ind. or.
- 1429 2 Dussumieri Ki. China.
- 1430 2* hastata Gm. Antill.
 B. lancinula Gm.

- 1431 strigillata L. Antill.
 B. pugio Gm.
 B. concinna Dh.
- 1432 3 coerulescens Lam. Ind. or.
 B. niveum Gm.?
- 1433 6* fusca Martyn. Taiti.
 T. inconstans Hinds.
 T. striatula var. Ki.
- 1435 5 cinerea Born. Antill.
 T. acicularis Lam.
- 1436 2 var. —
- 1437 1* lanceolata L. lg. 47 m. Ind. or.
- Myurella Hinds.**
- 1438 1 nebulosa Sow. Zanzibar.
- 1439 2 affinis Gray. Ind. or.
 T. striata Q. & G.
- 1440 2 armillata Hinds. California.
- 1441 1 babylonia Lam. 42 m. Ind. or.
- 1442 2 cerithina Lam. —
- 1443 3 commaculata Gm. —
 T. scabrella Lam.
 E. acutissima Bolt.
- 1444 1 minor. —
- 1445 2 cancellata Bolt. —
 Elob. ancile Bolt.
 T. myurus Lam.
- Eburna Lam. (Latrunculus Gray.)**
- 1446 3 Molliana Ch. Ind. or.
 B. zeylanicum Brug.
 B. giratum Bolt.
- 1447 4 spirata L. —

E. areola Lam.

E. tessellata Sw.

B. marmoratum Link?

1448 5 *canaliculata* Sch. Ind. or.

B. areola Link?

B. rude Bolt.?

E. spirata Lam. non L.

1449 2* sp. —

var.? *apertura carneola*.

1450 1* *Valentiana* Perry. l. 35. m. M. rub. Roux.

1451 1 — —

1452 1* var? —

1453 1* — Ind. or.

1454 2 *maculosa* Bolt. Ch. 4. f. 1120, 1. —

E. pacifica Sw.

E. lutosa Lam.

1455 1* lg. 40 m. —

Fam. Nassina.

Bullia Gray. (*Pseudostrombus* Kl.)

(*Buccinanops* d'Orb.)

1456 3 *gradata* Dh. Patagonia.

B. cochlidium Ki. d'Orb.

1457 1* *armata* Gray lg. 50 m. —

B. moniliferum Val.

(*Liodomus* Sw.)

1458 2* *lævigata* Ch. Cap.

B. lævissimum Gm.

1459 1² *aperta* Ch. —

B. digitale Meusch.

B. achatinum Lam.

- 1460 3¹ annulata Lam. Cap.
 1461 1² callosa Ch. IV. p. 307. vig. 40. Angora.
 B. lævissima (β Gm.) Gray.
 1462 3 (pulli) —
 (Bullia Gray.)
 1463 1* semiplicata Gray. N. Guinea.
 1464 1 — —
 1465 1 Grayii Reeve. Ind. or.
 1466 2 var. —
 (Pseudostrombus Kl. Dorsanum Gr.)
 1467 3 tranquebarica Bolt. —
 B. lineolatum Sow.
 B. Belangeri Ki.
 1468 3* vittata L. —
 1469 1 granulosa (Terebra) Lam. Ch.
 XI. 1816. —
 1470 2 livida Reeve. Zanzibar.
 1471 5 aciculata (Buc.) Lam. Antill.
 B. monile L.?
 1472 4* var.? Senegal.
 Nassa Lam.
 1473 2* glans L. Ind. or.
 1474 2 — —
 1475 5¹ suturale Lam. —
 1476 2 foliorum Gm. Rumph. 29. Y. —
 1477 4 lævis Ch. 4. 1194. 5. —
 B. canaliculatum Lam. *Gray*
 B. dorsatum Bolt.
 1478 1 var.? —
 1479 6* tænia Gm. —
 B. olivaceum Brug.

Northia pristis? Gray. Fig.
t. 84 a. f. 4. cfr.

1480	1*	var.	Ind. or.
1481	6	<i>fasciata</i> Ch. 4, 1167. <i>B. stolatum</i> Gm. <i>B. ornatum</i> Ki. Dist. communis Bolt.	—
1482	4	<i>glaberrima</i> Gm. M. 4. f. 1177.	?
1485	3	<i>foveolata</i> Dkr.	Coromandel.
1486	1*	<i>monile</i> Ki.	N. Guinea.
1487	4	<i>hepatica</i> Pult. Mtg.	Ind. or.
7 1488	1	<i>crenulata</i> Lam.	—
1489	20	<i>corniculum</i> Olivi. <i>L. olivacea</i> Dh. <i>B. fasciolatum</i> Lam.	M. med.
1490	2	sp.	Ind. or.
1491	3*	<i>Pfeifferi</i> Dkr. Totombo Ad.?	Senegal.
1492	1	<i>gibba</i> Brug. Ch. XI. f. 1810. <i>B. jaspideum</i> Link. <i>B. foliosum</i> Wood.	—
1493	6	<i>mutabilis</i> L. (<i>Alectrion</i> Mtf.)	M. med.
1494	2*	<i>papillosa</i> L.	Ind. or.
1495	1*	<i>clathrata</i> Lam. Enc.	—
1496	2 ²	sp.	China.
1497	3	<i>marginulata</i> Lam.	Ind. or.
1498	3*	sp.	—
1499	1	sp.	Philippin.
1500	4	<i>subspinoso</i> Lam.	N. Holl.
1501	2	<i>muricata</i> Q. & G.	—
1502	1	<i>horrida</i> Dkr.	—

(Hinia Leach. Tritia Ris.)

- 1503 4* reticulata L. M. med.
 N. oblonga Ch. 4. 1162. 3.
 B. vulgatum Gm.
 B. chrysostomum Bolt.
- 1504 2* var. Ki. t. 19 f. 71. —
- 1505 2* cancellata Ch. 4, 1164. Norvegia,
 N. reticulata Aut.
- 1506 8 obsoleta Say. Am. bor.
 B. olivæforme Ki.
- 1507 1* var. —
- 1508 2 margaritifera Dkr. Ind. or.
- 1509 1* fasciata Q. & G. N. Holl.
- 1510 4 incrassata Ström. M. med.
 B. ascanias Brug.
- 1511 7* ambigua Pult. Antill.
- 1512 2 plicosa Dkr. Cap.
- 1516 4* antillarum Phil. (d'Orb.?) Antill.
 B. zonale Brug.
- 1517 2 var.? —
- 1518 4* xanthostoma Gray. 1839. Panama.
 N. luteostoma Sow. & Brod.

(Arcularia Mart.)

- 1519 1 plicata Bolt. Mart. 2. f. 411. M. rub.
 B. arcularium Forsk. t. XII. f. A.
- 1520 1* velicata Meusch. Ind. or.
 N. Rumphii Dh.
 A. major nodosa etc. Mart. 2. 412.
- 1521 3 arcularia L. —
- 1522 4* scalariformis Ch. —
 A. major costata M. 2. f. 209, 10.
 N. scalariformis Ch. 4. 1174, 75.

- 1523 1* *coronata* Brug. Ind. or.
(*Eione* Ris.)
- 1524 5 *gibbosula* L. —
- 1525 4 sp. —
- 1526 3 *Thersites* Brug. —
Cas. *plicatus* Meusch.
- 1527 1 *verrucosa* Brug. Nicobar.
(*Cyclope* Ris. *Cyclops* Mtf.)
- 1528 7 *neritea* L. M. med.
- Desmoulea Gray.**
- 1529 1 *ventricosa* Lam. Enc. Guinea.
B. *retusum* Lam.
- Phos Mtf.**
- 1530 2* *senticosa* L. China.
- 1531 3* var.? —
- Strongylocera** n. (l'Ast. t. 30. f. 17.)
- 1532 7* *textilina* n. List 965. f. 20. Antill.
- 1533 1* var. *fascia nigroarticulata*. —
- 1534 1* *cancellata* Q. & G. N. Holl.
B. *pyrostoma* Reeve?
- 1535 1* var. *apertura maculata*; apice
rosea. —
- Cyllene Gray.**
- 1536 1* *chrysostoma* Meusch.
Li. 968. f. 22. b. Antill.?
Sow. Man. f. 425?

Fam. Mitrina.

Mitra Lam.

Tiarella Sw.

- 1537 1 *papalis* L. Ind. or.
- 1538 1* *cincta* Meusch. —

M. pontificalis Lam.

M. coronata Sch.

M. episcopalis minor Ch.

1539 1* var.?

V. stictica Link. Mart. 4. f. 1366.

1540 1* puncticulata Lam. Ind. or.

M. diadema Sw.

1541 1* minor. —

1542 2* episcopalis L. —

1543 1* minor. —

1544 1* cardinalis Meusch. l. 60 m. —

Pileus cardinalitius Ch.

M. vermiculosa Martyn.

1545 1 lg. 50. m. —

Scabricola Sw.

1546 2* sphærulata Martyn. —

M. scabriuscula Lam.

V. leucostoma Gm.

1547 1* clathrus Gm. lg. 35. m. —

M. crenifera Lam.

1548 1* scabricula L. lg. 50. m. —

M. granatina Lam.

1549 3 filaris L. lg. 34; 32; 30. m. —

M. filosa Lam. R. 81¹.

M. nexilis Martyn.

Callithea Sw.

1550 4* sanguisuga L. —

M. stigmataria Lam.

1551 1 — —

1552 1* subulata Lam. —

M. ignea Wood.

M. terebralis Sw.

- 1553 3¹ acuminata Ch. Gm. Ind. or.
 M. crebrilirata Reeve.
 M. elata Bolt.

Cancilla Sw.

- 1554 3² interlirata Reeve. Tranquebar.
 M. 4. f. 1391.

- 1555 1* lineata Sw. Columb. occ.

- 1556 1* isabella Sw. China.

Nebularia Sw.

- 1557 1 coronata Ch. (jun.) Ind. or.

- 1558 2 adusta Mart. —

A. ruffina L. ?

M. erimitarius Bolt.

- 1559 5 (minor.) —

- 1560 1 sp. —

- 1561 1 ferruginea Lam. —

M. vitulina Dw.

- 1562 1* tessellata Martyn. lg. 73 m. —

- 1563 3 nodulosa Gm. Antill.

Tur. reticulato contracta Ch.

M. granulosa Lam.

- 1564 1* lens Wood. Panama.

M. foraminula Sw.

M. Dupontiae Ki.

- 1565 1 nigra Ch. lg. 45 m. Guinea.

M. melaniana Lam.

- 1566 1* orientalis Gray. lg. 57 m. Chile.

M. chilensis Ki.

M. maura Sw.

- 1567 1* guttata Sw. R. Ind. or.

- 1568 3 barbadensis Gm. Antill.

M. striatula Lam.

Mitreola Sw.?

1569 2 aurantiaca Ch. Ind. or.

M. aurantia Gm.

M. miniata Bolt.

1570 2 globosa Ch. 4. f. 1398, 9. —

M. ferrugata Wood.

M. cucumerina Lam.

1571 2 peregra Reeve. —

1572 2 n. sp. M. rub.

1573 4 picta Reeve. Ind. or.

M. tessellata Ki.

1574 1 concinna R. —

1575 1* crocata Lam. —

Strigatella Sw.

1576 1* scutulata Ch. vix. Reeve. —

1577 2 minor. —

1578 1¹ paupercula L. —

1579 1* labratula Lam. Grignon.

1580 3¹ virgata Reeve. Ind. or.

1581 1* retusa Lam. —

V. paupercula adornata Ch.

1582 1 litterata Lam. —

N. olivæ maxima Mart.

1583 2* columbellæformis Ki. —

R. f. 138. sed spira brevior.

M. Stutschburyi Bk.!

Turricula Kl. (Vexillum Bolt. Turris Mtf.

Vulpecula Blv. Tiara Sw.)

1584 2 Gruneri Reeve. Ind. or.

1585 1 corrugata Ki f. 68. —

1586 1 cinctella Lam. —

1587	5	<i>plicaria</i> L.	Ind. or.
		<i>M. plicata</i> Kl. Reeve.	
1588	2	<i>rugosa</i> Gm.	—
		<i>M. corrugata</i> Lam.	
1589	5	<i>vulpecula</i> L.	—
1590	3	<i>caffra</i> L.	—
1591	1*	<i>zonalis</i> Q & G.?	N. Holl.
1592	1	<i>melongena</i> Lam.	Ind. or.
1593	1	var.	—
1594	1*	<i>costellaris</i> Lam.	—
1595	2*	<i>funerata</i> Reeve.	—
		<i>Costellaria</i> Sw.	
1596	3	<i>exasperata</i> Ch.	—
		<i>V. corrugata</i> Wood.	
		<i>V. spiralis</i> Gm.	
1597	2*	<i>cruentata</i> Ch.	—
		<i>M. harpæformis</i> Lam.	
1598	2	—	—
		<i>Pusia</i> Sw.	
1599	4 ¹	<i>ebenus</i> Lam.	M. med.
1600	3 ¹	<i>microzonias</i> Reeve?	Antill.?
1601	1	<i>sulcata</i> Gm. Mart. 4, 1407.	Antill.
		<i>M. microzonias</i> Lam.	
1602	3	var. <i>bifasciata</i> .	—
		<i>M. cavea</i> Reeve.	
		<i>M. microzonias</i> Ki.	
1603	1	sp.	—
1604	2*	<i>dermestina</i> Lam.	—
		<i>M. speciosa</i> Reeve?	
1605	1*	<i>patriarchalis</i> Ch.	Ind. or.
1606	2*	<i>nodosa</i> Sw.	—
1607	1*	<i>puella</i> Reeve.	Antill.

- 1608 1* alveolata Reeve. Antill.
Mitrella Sw. (non Ris.)
- 1609 1* fissurata Lam. M. rub.
Cylindra Sch.
- 1610 1 dactylus L. lg. 40 m. Ind. or.
- 1611 1¹ nucea Meusch. —
 M. olivaria Lam.
Imbricaria Sch. (Conohelix Sw.)
- 1612 1* conica Sch. Tranquebar?
- 1613 1 marmorata Sw. Vanikoro.

Trib. 2. Columbellina.

Columbella Lam. Pyrene Bolt.

Strombina n.

- 1614 4 lanceolata Sow. Gallopagos.
- 1615 2* gibberula Sow. Panama.
- Mitrella Riss.**
- 1616 1* varia Sow. —
- 1617 2 flexuosa Brug. Lam. Ind. or.
- 1618 6 Therpsichore Leathes. Antill.
- 1619 10 pulchella Ki. —
 B. triticum Sol.
- 1620 5 suffusa Sow. ?
- 1621 8* lactea Sow. f. 120. Antill
- 1622 10 conulus (Mur.) L. M. med.
 B. corniculatum Lam.
 B. Linnæi Payr.
- 1623 10 ocellata Gm. Antill.
 B. cribraium Lam.
- 1624 4 Holbölli (Mangelia) Bk. Grönland.
 Pleur. viridula Reeve.

Conella Sw.

- 1625 6* ovulata Lam. Antill.
 1626 1 philippinarum Reeve. Philippin.

Pyrene Bolt. (Conidea Sw.)

- 1627 2 aurea Mart. 2. 465, 66. Ind. or.
 P. rhombiformis Bolt.
 B. flavum Brug.
 C. flavida Lam.

- 1628 6 tringa Lam. —
 N. o. unicolor. Mart. 2. f. 467?

Nitidella Sw.

- 1629 10 laevigata (Buc.) Lam. Antill.
 1630 10 nitida Lam. —
 C. nitidula (L.?) Sow.
 1631 8 var. major. *B. tringa* L.? —

Columbella Lam.

- 1632 1* labiosa Sow. Columbia.
 1633 2 major Sow. Panama.
 1634 5* rustica L. M. med.
 1635 5* var. Sow. Chile.
 1636 11 mercatoria L. Antill.
 1637 4 eburnea Mart. ?
 C. testudinaria Link.
 C. pardalina Lam.
 1638 1 Tyleri Gray. N. Holl.
 C. palmerina Ducl.
 1639 5 scripta Lam. Ind. or.
 C. versicolor Sow.
 1640 2 ocellata Link. —
 N. o. niger Mart.
 C. punctata Lam.
 1641 3¹ var. C. fulgurans Lam. —

(Pusiosstoma Sw.)

1642	2	<u>mendicaria</u> L.	Ind. or.
1643	2	var. <u>unifasciata</u> .	—
1644	1	<u>pisolina</u> (Ricin) Lam.	—
1645	1*	<u>Duclosiana</u> Sow.	—

Enzina Gray.

1646	3	<u>ferruginosa</u> (Ric.) Reeve.	Antill.
1647	3*	<u>turbinella</u> (Ric.) Ki.	—
1648	2*	<u>lauta</u> (Ric.) Reeve.	Ind. or.
1649	1*	<u>histrion</u> (Ric.) Reeve.	—

Fam. Purpurina.**Ricinula Lam.** (Sistrum Mtf.)

1650	3*	<u>undatus</u> (Murex) Ch.	—
1651	2	<u>monile</u> Ch. 4. f. 1155, 6.	—
		<u>B. armillatum</u> Gm.	
1652	4	<u>concatenata</u> Blv.	—
1653	1	sp.	—
1654	3	sp.	—
1655	1*	<u>cariosus</u> (Murex) Wood.	M. rub.?

(Morula Sch.)

1656	5	<u>tuberculata</u> Blv.	Nicobar.
1657	1	var.	—
1658	1	<u>alba</u> Mart. 3. 970.	Ind. or.

D. uva Bolt.R. morus Lam.

1659	1	<u>mutica</u> Lam.?	—
------	---	---------------------	---

(Pentadactylus Kl. Drupa Bolt.)

1660	1*	<u>lobata</u> Blv.	—
1661	2	<u>grossularia</u> Bolt.	—
		<u>R. digitata</u> Lam.	

1662	3	<u>ricinus</u> L.	—
------	---	-------------------	---

R. arachnoides Lam.

1663	4	<u>albolabris</u> Blv.	Ind. or.
1664	1*	<u>globosa</u> Mart.	—
		R. horrida Lam.	
		D. morum Bolt.	
1665	1	—	—
1666	2	<u>iodostoma</u> Lesson.	N. Zeland.
1667	1*	<u>clathrata</u> Lam.	Panama.
1668	1	jun.	—

Purpura Brug.

(Tribulus Kl. Thais Bolt.)

1669	3	<u>nodata</u> Wood.	Ind. or.
1670	2	<u>echinata</u> Blv.	—
1671	2	<u>mancinella</u> L.	—
1672	1	<u>echinulata</u> Lam.	—
1673	1*	<u>nodosa</u> (Nerit.) L. X.	Guinea.
		M. neritoideus L. XII.	
1674	2	jun.	—
1675	1	<u>lineata</u> Lam. Enc.	Panama.
		P. planospira Lam. hist.	
		()	
1676	3*	<u>hippocostanum</u> L.	Ind. or.
		P. aculeata Kratzenst. Dh.	
		M. spinosus Bandanus Mart.	
1677	3*	(minor.)	—
1678	5	<u>stellata</u> Bolt. (Argv. t. 17. f. H.)	—
		P. hippocastanum Dh. R. f. 34 ²	
1679	1*	<u>crassa</u> Blv. Gray.	Panama.
		P. melones Ducl.	
1680	1	(minor.)	—
1681	4	<u>trapa</u> Bolt. (M. 3. f. 957)	Antill.
		P. deltoidea Lam.	
		M. nodus L. Meusch.	

Hippocast. fasciatum Mart.

1682	1	<u>castanea</u> (Vasum) Bolt.	Ind. or.
		<i>P. pica</i> Blv.	
1683	2	<u>armigera</u> Ch.	—
		(<i>Microtoma</i> Sw.)	
1684	3	<u>patula</u> L.	Antill.
1685	2*	<u>columellaris</u> Lam.	Panama.
1686	3*	<u>persica</u> L.	Ind. or.
1687	3	—	—
1688	1	<u>Rudolphi</u> Ch.	—
1689	2	(minor.)	—
1690	1	<u>grisea</u> Bolt.	—
		<i>P. callosa</i> Lam.	
		<i>P. bufo</i> Lam.	
1691	4	var.	—
1692	5	<u>chocolattum</u> Ducl.	Chile.
		(<i>Stramonita</i> Sch.)	
1693	4	<u>cataracta</u> Ch.	Ind. or.
1694	4	sp.	„China.”
1695	7	<u>rugosa</u> Born.	Ind. or.
		<i>B. armillatum</i> Gm. p. p.	
		<i>P. undata</i> var. Ki. t. 35 f. 84.	
1696	3	<u>rustica</u> Lam.	Antill.
1697	2*	<u>Blainvillii</u> Dh.	Chile.
		<i>P. callaoensis</i> Blv. non. Gray.	
1698	2*	var. (c. op.)	—
1699	1*	<u>gigantea</u> Reeve?	Guinea.
1700	5	<u>hæmastoma</u> L.	Brasil.
1701	3	<u>bicostalis</u> Lam.	Antill.
1702	1*	var.	—
1703	1 ²	<u>consul</u> Ch.	Ind. or.?
1704	4	<u>luteostoma</u> Ch.	Ind. or.

- 1705 2* *flammea* Ch. 4. vig. 38. Ind. or.
 B. strigosum Gm.
 P. striata Q. & G.
 P. buccinea Dh.
- 1706 5* (minor.) —
 (*Trochia* Sw.)
- 1707 3* *cingulata* L. Cap.
 P. trochlea Brug.
 (*Polytropa* Sw.)
- 1708 1* *succincta* Martyn. lg. 45 m. N. Zeland.
- 1709 1* *textiliosa* Lam. N. Holl.
- 1711 6 *squamosa* Lam. Cap.
- 1712 10 *lapillns* L. M. germ.
- 1713 3* — Grönland.

Acanthina Fisch. (Monoceros Lam.)

- 1714 1* *calcar* Martyn. Magellan.
 B. monodon Gm.
 B. monoceros Ch.
- 1715 2 *crassilabrum* Lam. Chile.
 B. unicorn Brug.
- 1716 4 var. —
- 1717 1* (minor.) —
- 1718 1* *cymatium* Sol. California.
- 1719 1 *cornigera* Blv. c. op. Panama.
 M. brevidentatum Gray.

Gastridia Gray. (*Pseudoliva* Sw. *Pseudodactylus* Herrm.)

- 1720 1 *laevis* (*Utriculus*) Mart. ?
 Monoc. plumbeum Ch.

Concholepas Lam.

- 1721 2 *peruvianus* Lam. Chile.
- 1722 5 (minor.) —

Rapana Sch. (Pyrula Lam.)
(Cuma Sw.)

- | | | | |
|------|----------------|--|----------|
| 1723 | 4* | <u>kiosquiformis</u> Ducl. | Panama. |
| 1724 | 3 | <u>africanus</u> Mart.
M. lacerus Born.
Mancinella mutabilis Link. | Oc. ind. |
| 1725 | 4 | <u>carinifera</u> Lam.
(Rapana Sch.) | — |
| 1726 | 2* | <u>coronata</u> Lam.
P. callifera Lam.
P. guineensis Wag. | Guinea. |
| 1727 | 1 | <u>muricata</u> (Monoceros) Brod.
P. truncata Ducl. | Panama. |
| 1728 | 1 | <u>bezoar</u> L.
(Latiaxis Sw.) | Guinea. |
| 1729 | 2 | <u>crassa</u> (Rapa) Mart.
M. rapiformis Born.
M. radix Meusch.
() | Ind. or. |
| 1730 | 1 ³ | <u>lineata</u> Lam.
B. bulbus Wood.
(Rhizochilus Stp.?) | Antill.? |
| 1731 | 1* | <u>costellaris</u> Gray. W. S.
M. cariniferus Lam. Ki.? | ? |
| 1732 | 1 ¹ | <u>gibbosa</u> Reeve? | Antill. |
| 1733 | 3 | <u>galea</u> Ch.
P. abbreviata Blv. | — |
| 1734 | 1 ² | <u>plicata</u> Mart. 3. f. 954. 55
Canthareus erosus Bolt. | — |
| 1735 | 2 | <u>neritoidea</u> Ch.
P. violacea Ki. | N. Holl. |

(Rapella Sw. Bulbus Humph. Rapa Kl.)

1736 2* rapa. L. Ind. or.

P. papyracea Lam.

R. tenuis Mart.

1736 1 (jun.) —

Leptoconchus Rüpp.1737 1* striatus Rüpp. M. rub.

Magilus Peronii Lam?

Magilus Mtf. (Campulotus Guett.)1738 1 antiquus Mtf. lg. 150 m. I. Mauritius.**Fam. Buccinidæ.****Buccinum Dh.****Cantharus Bolt.**1739 1* melanostoma Sow. Ind. or.1740 2* tranquebaricum Ch. —

C. globularis Bolt.

C. tuberosus Bolt.

Rapana flavescens Sch.

1741 3* spirale Gray. —1742 1* distortum Wood. Panama.**Tritonidea Sw.** (Lagena Bolt.)1743 3 undosum L. Ind. or.

1744 3 (minor.) —

1745 8* proteus Reeve. —

N. variegata Ch. 4. f. 1145?

N. badia Link.

B. fumosum Wood.

1746 3 rubiginosum Reeve. M. rub.?1747 2* pulchra (Ric.) Reeve. Philippin.1748 1* concentricum Reeve. Ind. or.1749 1* variegatum Gray Reeve. —

List. 938. f. 33.

- 1750 4 auritula Link. Antill.
 B. coromandelianum Lam.
- 1751 1* sanguinolenta Ducl. Panama.
 Pollia hæmatoma Gray.
- 1752 1* polygonum (Fus.) Lam. Grignon. †.
- 1753 1 scalarinum (Tereb.) Lam. —
- Northia Gray.**
- 1754 2* serratum Dufresne. Columb. occ.
 B. Northii Reeve.
 B. pristis Dh.
- Pusionella Gray.**
- 1755 1* nifat Adans. Brug. Senegal.
 M. pusio Born.
- Euthria Gray.**
- 1756 3 corneus L. M. med.
 E. lignarius Lam.
- 1757 1* fuscum Brug. lg. 41 m. Peru.
 Pisania Biv. (Nassa Bolt.)
- 1758 2* tritonis Reeve. Antill.
- 1759 3 pennatum Ch. —
 B. plumatum Gm.
- 1760 2* striatum (Vol.) Gm. M. med.
 B. variegatum Brug.
 V. syracusanus Gm.
 P. variegata Wag.
- 1761 1 situla R. Ind. or.
- 1762 2 sertum Brug. —
- 1763 1 hederaceum Mart. —
 B. coronatum Gm.
 B. francolinus Brug. Lam.
 M. rusticus Meusch, Li. 986. f. 45.

Vexilla Sw.

- 1764 1* vexillum Ch. —
 Stromb. vexillum aurisiacum Ch.
 B. crassum Gm.
 V. pictum Sw.

Cominella Gray.

- 1765 1 viverrinum Ki. Senegal.
 Tafon Ad.
 1766 1 crassum Ad. V. 1213, 4. Cap.
 B. porcatum Gm.
 B. mexicanum Brug.
 1767 2 limbosum Lam.? —
 1768 3 lagenarium Lam. —
 1769 2^o anglicanum Ch. ?
 1770 1* tigrinum Ki. Cap.
 1771 1 maculosum Martyn. N. Zeland.

Fam. Muricidæ.**Murex L.****Trophon Mtf.**

- 1772 1 Geversianus Pallas. lg. 88 m. Fret. magell.
 1773 1 minor. 36 m. —
 1774 4 craticulatus Fab. Grönland.
 M. grönlandicus Reeve.
 M. Fabricii Bk.
 1775 4 (minor.)
 1776 1* Gunneri Lovén. —
 Neptunea clathrus Bolt?
 1777 6 clathratus L. —
 1778 6 labiosus Gray. (1 c. op.) Chile.
 M. crassilabris Sow.

Vitularia Sw.

- 1779 1 salebrosus King. Panama.
 1780 1 (minor.) —
 1781 1* scaber Ch. Senegal.
 M. miliaris Gm.
 M. vitulinus Lam.
 M. purpura Dh.
 1782 1 (minor.) —

Homalocantha n.

- 1783 2 scorpio L. Ind. or.

Muricidea (Sw.) n.

- 1784 3 hexagonus Lam. Antill.
 1785 2 Blainvillii Payr. M. med.

Ocenebra Leach.

- 1786 2* erinaceus L. M. med.
 1687 1 alveatus Ki. Antill.
 1788 2 nuceus Mörch. —

Phyllonotus Sw. 1833. (Muricantus Sw.
Centronotus Sw.)

- 1789 1* angularis Lam. Senegal.
 1790 2 megaceros Sow. —
 P. cornu cervi Bolt. Mart. 3. f. 986, 8.
 1791 1* Yoldii n. Japan?
 1792 5 trunculus L. M. med.
 1793 1 rosarium Ch. Guinea.
 M. melonulus Lam.
 1794 1* saxatilis L. Ind. or.
 M. cichoreum Gm.
 M. lactuca Bolt.
 M. endivia Lam.
 1795 1 duplex Mart. Bolt. Senegal.
 M. saxatilis Lam. non L.

1796	1	<u>nigrita</u> Meusch.	Panama.
		M. radix Gm.	
1797	1	<u>melanoleuca</u> n.	—
		M. nigrita Phil.	
1798	1	<u>brassica</u> Lam.	—
		M. ducalis Brod & Sow.	
1799	2	<u>regius</u> Sw.	—
1800	1 ¹	<u>imperialis</u> Sw.	—
1801	1	<u>bicolor</u> Val. lg. 110 m.	—
		M. erythrostoma Sw.	
1802	2	<u>pomiformis</u> Mart.	Antill.
		M. pomum Gm.	
		M. asperrimus Lam.	

Thyphis Mtf.

1803	1*	<u>Sowerbyi</u> Reeve.	Oc. pacif.
1804	1*	<u>tubifer</u> Brug.	Grignon †.

Pteronotus Sw.

1805	2 ¹	<u>uncinarius</u> Lam.	Cap.
1806	1*	<u>acanthopterus</u> Lam.	Japan?
1809	1	<u>tripteroides</u> Lam.	Grignon †.
1810	1*	<u>tricarinatus</u> Lam.	—
1811	5	<u>alatus</u> Bolt.	China.

M. pinnatus Sw.

M. Martinianus Pfr.

1812	1	sp.	Ind. or.
1813	5 ¹	<u>triqueter</u> Born.	—
1814	2	<u>capucinus</u> Ch. Lam.	—
1815	1	minor.	—

Chicoreus Mtf.

1816	1*	<u>microphyllus</u> Lam.	Ind. or.
		P. variegata Mart. 3. f. 995. 96?	
		P. carneola Bolt.	

1817	1	<i>Banksii</i> Sow.	Ind. or.
1818	2	<i>argyna</i> Meusch.	—
		<i>Triplex rosaria</i> Perry.	
		<i>M. palma rosæ</i> Lam.	
1819	1	—	—
1820	1*	<i>tubulatus</i> Martyn.	China.
		<i>M. rubiginosus</i> Reeve.	
1821	1	<i>rufus</i> Lam.	Ind. or.
1822	2*	<i>ramosus</i> L.	—
		<i>P. scabra</i> Martyn.	
		<i>M. versicolor</i> Gm.	
		<i>P. brunnea</i> Link.	
		<i>M. adustus</i> Lam.	
1823	3	(minor.)	—
1824	1	<i>cervicornis</i> Lam. (lg. 38 m. c. op.)	—
		<i>M. cornu cervi</i> Meusch.	
1825	1*	(lg. 30 m.)	—
1826	2	<i>cornu cervi</i> Mart. 3. 982	Antill.
		<i>M. calcitraba</i> Lam.	
1827	3*	<i>brevifrons</i> Lam.	—
		<i>M. costatus</i> Meusch.?	
		<i>P. frondosa fasciata</i> Martf. 985.	
1828	2	var.	—
1829	5	<i>sinensis</i> Reeve.	China.
1830	2	<i>frondosus</i> Mart.	Ind. or.
		<i>P. incarnata</i> Bolt.	
		<i>M. inflatus</i> Lam.	
		<i>M. ramosus</i> Aut. non L.	
1831	4	(minor.)	—
1832	1*	(lg. 200 m.)	—
1833	2	<i>virgineus</i> Bolt.	—
		<i>M. rudis</i> Link.	

M. anguliferus Lam.

1834 3 (minor.) —

1835 1 *senegalensis* Gm. Teneriffa.
 Le Sirat Ad.

1836 1 — Brasilia.

Haustellum Kl. Brontes Mtf.1837 3 *bellus* Reeve. Antill?*H. variegatum* Mart. 3. f. 1068.1838 1* *chrysostoma* Gray. I. Margarit.1839 6 *haustellum* L. Ind. or.

(Murex Bolt. Lam. Mtf.)

1840 1* *rarispina* Lam. Philippin.*M. formosus* Wood.1841 2 *trapa* Bolt. Ind. or.*M. Martinianus* Reeve.1842 2 *nigrispina* Reeve. —1843 6 *tribulus* L. —*M. crassispina* Lam.1844 1* *duplicatus* Ch. —*M. tribulus nobilior* L.*M. tenuispina* Lam.

1845 1 — —

1846 1 (minor.) —

1847 1 *ternispina* Lam. —1848 1 *hystrix* Mart. M. rub.*M. tribulus maximus* Ch.*M. Forskålii* Bolt.*M. scolopax* Dw.**Haustellaria (Sw.) n.**1849 3 *Branderis* L. M. med.

1850 2 — —

1851 1 var. *triseriatim spinosa* —

1852	1	<u>cornutus</u> L.	Guinea.
1853	1	—	—

Fam. Fusidæ.**Turbinella Lam.****Peristernia n.**

1854	1	<u>crenulata</u> Reeve.	?
		T. craticulata Wag.	

1855	5*	<u>nassatula</u> Lam.	Ind. or.
------	----	-----------------------	----------

1856	1	<u>incarnata</u> Dh.	—
------	---	----------------------	---

1857	1*	<u>heptagonalis</u> Reeve.	—
------	----	----------------------------	---

1858	2	<u>contracta</u> (Bucc.) Reeve.	—
------	---	---------------------------------	---

Clavella Sw. (Clavilithes Sw. 1840.)

1859	1	<u>longæva</u> Brander.	Grignon †.
------	---	-------------------------	------------

1860	2	<u>uniplicata</u> Lam.	—
------	---	------------------------	---

1861	3	<u>rugosa</u> (Fusus) Lam.	—
------	---	----------------------------	---

1862	1	<u>filosa</u> Wag.	Guinea.
------	---	--------------------	---------

1863	1*	<u>aféra</u> Lam. Le lipin Ad.	—
------	----	--------------------------------	---

Lathyrus Mtf. (Polygona Sch.)

1864	1*	<u>attenuata</u> Reeve.	Antill.?
------	----	-------------------------	----------

1865	2	<u>annulata</u> Bolt. Link.	Antill.
------	---	-----------------------------	---------

Ch. 4 f. 1316.

Syrinx clathrata Bolt.

1866	1*	<u>filamentosa</u> Koch.	—
------	----	--------------------------	---

1867	4	(minor.)	—
------	---	----------	---

1868	2	<u>turrita</u> Gm.	Ind. or.
------	---	--------------------	----------

T. lineata Lam.

M. vexillum Gm.

1869	1	<u>craticulata</u> L.	—
------	---	-----------------------	---

B. costatum Martyn.

1870	1	<u>zea</u> n. sp.	Guinea.
------	---	-------------------	---------

1871	4	<u>ananas</u> Ch.	Antill.
------	---	-------------------	---------

B. sulcatum Meusch.

M. infundibulum Gm.

- 1872 1 *gibbula* Gm. Antill.
 Fusus filusus Lam.
 1873 3 *recurvirostra* Wag. —
 (*Plicatella* Sw.) Gray.
 1874 1* *candelabrum* Reeve Panama.
 1875 1 *polygona* L. c. op. Ind. or.

Leucozonia Gray. (Lagena Sch.)

- 1876 2 *nassa* Gm. Guinea.
 1877 2 *fuscata* (Vol.) Gm. List. 828 f. 50. Antill.
 Mart. 4. f. 1133, 34.
 T. angularis Reeve?
 1878 1 *brasiliانا* d'Orb. Brasilia.
 T. Knorrii R.? non Dh.
 1879 1* *smaragdulus* L. Ind. or.
 T. rustica Lam.
 1880 3 *nigella* Ch. Antill.
 T. ocellata Gm.
 1881 2* *cingulata* (Monoceros) Lam. Acapulco.
 Vasum Bolt. Cynodona Sch.
 1882 2 *capitellum* L. Antill.
 1883 1 *muricata* Born. —
 T. pugillaris Lam.
 1884 1 *rhinoceros* Ch. Africa.
 1885 4 *cornigera* L. Ind. or.
 1886 1 *armata* Brod. Oc. pacif.
 1887 1 *ceramica* L. Ind. or.
 1888 1 (minor.) —

Xancus Bolt. (Mazza Kl. Turbinella Lam.)

- 1889 1 *ovoidea* Ki. (c. epid.) Brasilia.
 1890 1 *rapa* Lam. Ind. or.

- 1891 3 *pyrum* L. Ind. or.
 1892 5 (pulli.) —
- Cancellaria Lam.** (Nacella Bolt.)
- 1893 2 *reticulata* L. Antill.
 1894 4 *scabriculus* L. S. N. X. M. med.
 V. cancellata L. S. N. XII.
- 1895 1* *chrysostoma* Sow. Peru.
 1896 2 *rugosa* Lam. Antill.
 1897 1* *scalariformis* Mart. Ind. or.
 V. nassa Gm.
- 1898 1* var.? —
- 1899 3 *buccinoides* Sow. P. Portrero.
 1900 2* *asperella* Lam. Ind. or.
 1901 1¹ sp. Panama.
- (Admete Kröyer.)**
- 1902 1 *viridula* Fabr. Grönland.
 A. crispa Möll.
- Fasciolaria Lam.** (Colus Bolt.)
- 1903 3* *tulipa* L. Antill.
 1904 2 *filamentosa* Ch. —
 Neptunea cincta Link.
- 1905 2 *trapezium* L. Ind. or.
 1906 2 var.? M. rub.
 1907 1 *clava* Jonas. lg. 140 m. Ind. or.
 F. persica Reeve.
- 1908 1 *lignaria* L. M. med.
 F. tarentina Lam.
- 1909 2 var. —
- Fusus Kl.** (Colus Humphr. Syrinx Bolt.)
- 1910 1 *incisus* Martyn. Ind. or.
 F. probosciferus Lam.
 M. aruanus Gm. non L.

1911	1	<i>glabratus</i> Ch.	Ind. or.
		<i>M. undatus</i> Gm.	
		<i>S. tabacarius</i> Bolt.	
		<i>F. incrassatus</i> Lam.	
1912	1	<i>tuberculatus</i> Lam. Ki. 7. f. 1.	—
1913	2	<i>forceps</i> Perry.	China.
		<i>F. turricula</i> Ki.	
1914	3	<i>glomeratus</i> Meusch. Gualt. 52. L.?	—
1915	1	<i>lineatus</i> Ch.	Antill.
		<i>F. ansatus</i> Gm.	
1916	2 ¹	var.	—
1917	1	<i>distans</i> Lam. Ki.	?
1918	1*	<i>reuma</i> Martyn.	—
1919	1	<i>nicobaricus</i> Ch.?	Ind. or.
1920	1*	<i>nicobaricus</i> Ki. non. Ch.	—
1921	2 ²	<i>polygonoides</i> Lam.	M. rub.
1922	1	<i>rostratus</i> Olivi. lg. 70 m.	M. med.
		<i>M. Sanctæ Luciae</i> Salis.	
1923	3	—	—
1924	1	sp.	?
1925	1	<i>Dupetit-Thouarsii</i> Ki. (c. op.)	California.
1926	4	<i>marmoratus</i> Phil.	Brasilia.
		<i>F. multicarinatus</i> d'Orb. non Lam.	
1927	1	<i>parvulus</i> Ch. Bolt.	?
		<i>S. buccinoides</i> Bolt.	
		<i>Neptunea minor</i> . Link.	
		<i>F. ocelliferus</i> Lam. Enc.	
		<i>F. verruculatus</i> Lam.	
		()	
1928	4	<i>maroccanus</i> Ch.	M. med.
		<i>B. scævulum</i> Meusch.	
		<i>F. sinistralis</i> Lam.	

()

- 1929 1 *linea* Martyn. N. Zeland.
M. lineatus Ch.

Cassidulus Humphr. (Pyrula Lam.)
 (Hemifusus Sw.)

- 1930 1 *colosseus* Lam. lg. 100 m. Ind. or.
 1931 1 *tuba* Gm. China.
 1932 1 *ternatanus* Ch. Ind. or.
 1933 3 *morio* L. Africa.
 1934 1 var. ? —

(Volema Bolt. Pugilina Sch.)

- 1935 3 *pugilinus* Born. Ind. or.
Fusus ponderosus Ch.
Pyrula vespertilio Gm.

- 1936 2 *paradisiacus* Mart. M. rub.
Pyrula nodosa Lam.
 (Myristica Sw.)

- 1937 2 *asper* Mart. 398, 99. Ind. or.
Pyrula galeodes Lam.
Volema aromatica Bolt.

- 1938 1 *myristica* Lam. Enc. Bolt. —
P. squamosa Lam.
P. calcaratus Dw.
P. Martiniana Pfr.

(Cassidulus Humphr. Galeodes Bolt. Melongena Sch.)

- 1939 1* *patula* Brod. & Sow. 75 m. Panama.
 1940 1* *melongena* L. Antill.
 1941 2 (minor.) —

Chorus Gray.

- 1942 2 *xanthostoma* (Purpura) Brod. Valparaiso.
 (c. op.)

- 1943 1* (jun. c. op.) Valparaiso.
- 1944 1 giganteus Less. —
 Monoceros fusoides King.
- Busycum Bolt.** (Fulgur Mtf. Pyrula Lam.)
- 1945 1 canaliculatum L. Am. bor.
 Volema granulata Link.
- 1946 1³ aruanum L. Antill.
 Pyrula carica Gm.
- 1947 1 perversum L. Ind. or.
 (Tudicla Bolt. Pyrella Sw.)
- 1948 2 spirillus L. —
- 1949 1 rusticulum Bast. Burdigala †.
- Liostomus Sw.**
- 1950 2 bulbus Brander. Grignon †.
 Fusus bulbiformis Lam.
- Sipho Kl.** (Atractus Ag. Fusus Lam.)
- 1951 1 islandicus Ch. l. 100 m. „Færøe.”
- 1952 3* ventricosus Gray. Terra nov.
 F. striatus Sow.
- Neptunea Bolt.** (Chrysodomus Sw.)
- 1953 1 antiquus L. (c. op.) Oc. bor.
- 1954 1* minor. (c. op.) —
- 1955 1 sinistrorsa. —
- 1956 2¹ despectus L. —
- 1957 2* fusiformis Blv. Chile.
 F. purpuroides d'Orb.
 P. d'Orbignyii Reeve.
 F. raphanoides Gray.
- 1958 1* nodosus Martyn. N. Zeland?
 Drupa glans Bolt.
 F. raphanus Lam.

Fam. Tritonidæ.**Ranella Lam. Bursa Bolt.****Tritonium Müll.**

1959	10	<u>undatum</u> L.	Oc. bor.
1960	2	var.	—
1961	1	<u>Humphreysianum</u> Bennet.	Grönland.
1962	1	<u>tenebrosum</u> Hanley. <i>coil</i>	—
1963	6	(<u>lineatum</u> Gm. Kn. Del. 3. XIV. f. 4.	—
		B. cyaneum Möll. non Brug.	
1964	5	var. <u>apertura</u> cyanea.	—
1965	1	<u>ciliatum</u> Fab. (juv.)	—
		T. Mölleri Reeve.	
1966	1	<u>scalariforme</u> Bk. lg. 52 m.	—
1967	1	lg. 43 m.	—
1968	1	<u>glaciale</u> L.	—

Argobuccinum Kl.

1969	1	<u>vexillum</u> Cumg.	Panama.
		M. affinis Gm. ?	
1970	2	minor.	—
1971	1*	<u>rudis</u> (Triton) Brod.	Peru.
1972	3*	<u>scabra</u> King. c. epid.	—
1973	2	—	—

Lampas Sch.

1974	2	<u>ventricosa</u> Sow. c. op.	Chile.
1975	4	—	—
1976	3	—	—
1977	1	<u>venustula</u> Reeve.	Ind. or.
1978	1*	<u>cruentata</u> Sow.	China.
1979	1	<u>rhodostoma</u> Bk.	Manila
1980	2	<u>bufo</u> Ch.	Ind. or.

M. bufonia Gm.

Bursa mammata Bolt.

- 1981 1 *rubeta* L. ? Ind. or.
 T. tuberosum Bolt. Ch. 4.
 1236, 37.

1982 1 *lampas* L. lg. 240 m. —

1983 2 *minor*. —

Apollon Mtf. (*Gyrina* Sch.)

- 1984 1 *leucostoma* Lam. N. Holland.
 Biplex australasiæ Perry?

1985 1* (*minor*.) —

1986 1 *olearium* L. M. med.
 R. gigantea Lam.

1987 3 *gyrinus* L. Ind. or.
 R. ranina Lam.
 G. verrucosum Link.

1988 5 *olivator* Meusch. Mart. 4, 1229. 30 —
 Gyrineum natator (Trit.) Bolt Lnk.
 R. tuberculata Brod.

1989 2 var. ? *nodosa* *R. tuberculata* Brod. —

1990 2* *granulare* Bolt. —
 R. rubicola Perry.
 R. granifera Lam.

1991 1* *quercina* n. List. 943. f. 39? Guinea.
 Schr. n. Lit. 3. t. 11. f. 16, 17.

Bursa Bolt. (*Gyrineum* Link. *Bufonaria* Sch.)

1992 3 *crumena* Lam Ind. or.

1993 3 *rana* L. —

1994 2 var. ? *R. albivaricosa* Reeve. China.

1995 1 *elegans* Bk. Ind. or.

1996 2 *Suensonii* n. lg. 170 m. Nicobar.
 Mart. 4. f. 1276.

1997 2 (*minor*.) —

- 1998 11 *bufonia* Bolt. Ind. or.
 G. echinatum Link.
 R. spinosa Lam.

Triton Lam. Tritonium Bolt.

Distorsio Bolt. (*Distortrix* Link. *Persona* Mtf.)

- 1999 2 *anus* L. Ind. or.
 2000 1 (minor.) —
 2001 1 *ridens* Reeve (jun.) Guinea?
 Cassis penita Meusch. (Sba.
 60. 5, Gualt. 31 D.)
 M. reticularis L. Bk.
 2002 1 *decipiens* Reeve. China.
 2003 2 *reticularis* L. Antill.
 T. clathratum Lam.
 2004 1* (c. op.) —
Hindsia Gray. (*Nassaria* Link.)
 2005 2* *albus* Mart. Tranquebar.
 B. niveum Gm.
 Nept. pusilla Bolt.
 N. lyrata Link.
 2006 1 *acuminata* Reeve. Cap?
Epidromus Kl. (*Colubraria* Sch. *Cumia* Biv.)
 2007 1* *rudis* (Buc.) Meusch. Gualt. 44 H. Ind. or.
 T. clathratus Sow.
 2008 6 *obscurus* Reeve. —
 2009 4 *testaceus* n. Bon. 3 t. 48? Antill.
 2010 1 *distortus* Wag. Ind. or.
 B. digitellum Gm.?
 2011 1 *intertextus* Helb. M. med.
 T. pygmæus Pfr. Reeve.
 R. lanceolata Phil.

- 2012 3 *lanceolatus* Mke. Antill.
***Aquilus* Mtf.** (Cabestana Bolt.)
- 2013 2* *labiosus* Wood. —
 2014 2 — —
 2015 4* *dolarium* L. Cap.
 2016 1* *cutaceus* L. M. med.
 2017 1* (minor.) —
 2018 1 *Spengleri* Ch. Cap.
***Lampusia* (β.) Sch.** (Triton Mtf.)
- 2019 1* *australis* Ch. N. Holl.
 2020 1 *opis* Bolt. M. med.
T. nodiferum Lam.
- 2021 1 *variegatum* Lam. Enc. Antill.
T. marmoratum Link.
- 2022 1 (pullus.) —
 2023 2* *tritonis* L. lg. 300 m. Ind. or.
- Simpulum* Kl.** (*Lampusia* Sch.)
- 2024 2 *costatus* Born. Brasilia?
B. costato tuberculatum Ch.
 1252, 3.
M. parthenopus Salis.
T. succinctum Lam.
T. pileare L. d'Orb.
- 2025 7 *pileare* L. Lam. Antill.
T. Martinianus d'Orb. Ch. 4.
 1248, 9.
- 2026 2 *aquatilis* Reeve. —
 2027 5 *rubecula* L. Ind. or.
 2028 1 *chlorostomum* Lam. c. op. —
 2029 2 — —
 2030 1* *corrugatum* Lam. M. med.

- 2031 1¹ caudatum Say? Am. bor.
 2032 2 ficoides Reeve. Guinea.

Cymatium Bolt. (Lotorium Mtf.)

- 2034 3 femorale L. Antill.
 2035 1* grandimaculatum Reeve? Ind. or.?
 2036 2 rhinoceros Bolt. —

T. distortus Lam. Enc.

T. lotorium Lam.

Septa triangularis Perry.

- 2037 2 lotorium L. (non autt.) —
 P. pilosa Mart.
 T. pyrum Lam. non L.

- 2038 1* var. —

- 2039 3 cynocephalum Lam. Antill.

- 2040 1* pyraster Lam. Grignon †.

Gutturnium Kl.

- 2041 1* antillarum d'Orb. Antill.

T. tuberosum Reeve f. 1 b.

- 2042 2 nodulus Mart. Ind. or.?

T. tuberosum Lam.

Distorsio muricina Bolt.

M. ranula Meusch.

T. pyriformis Conr.?

Ranularia Sch.

- 2043 1 caudatus Gm. Ind. or.

T. canaliferum Lam.

- 2044 1 pyrum L. (monente Bk.) —

M. clavator Ch.

P. gutturnium Mart.

R. longirostra Sch.

- 2045 2 sinensis Reeve. China.

(Monoplex Perry) n.

2046 1 obesus Perry. Ind. or

T. retusum Lam.

(Lagena Kl.)

2047 4 clandestinus Ch. —

B. cincticulum Meusch.

Nept. doliata Bolt.

2048 3 rostratus (Dol.) Mart. 3. f. 1083. Antill.

Fus. cutaceus Lam. Enc.

Cassidaria cingulata Lam. hist.

Tr. undosum Ki.

2049 1 Wiegmanni Anton.

Acapulco.

F. Chemnitzii Gray.

Sycotypus Browne. (Ficus Kl. Bolt. Py-
rula Lam. Ficula Sw.)2050 2 ficus L. Ind. or.

Ficula lævigata Reeve.

F. variegatus Bolt.

2051 4 ficoides Lam. —

2052 1* var. ? —

2053 2 Dusumieri Val. —2054 2 reticulatus Lam. —

2055 1 sp. —

P. reticulata Ki?

Dolium Browne. (Galea Kl. Cadus Bolt.

Perdix Mtf.)

2056 3 perdix L. Ind. or.

2057 1 var. ? „Brasilia.“

2058 2 pennatum Mart. 3. f. 1078. Antill.2059 2 olearium L. 100. m. Ind. or.

2060 1 var. ? ?

- 2061 2 australe Ch. China.
 B. chinense Dw.
 D. variegatum „Lam.“ Phil.
- 2062 2 galea L. M. med.
- 2063 1* crenulatum Phil. Brasilia.
- 2064 2 zonatum Green. China.
- 2065 4 fasciatum Mart. Ind. or.
- 2066 1* lactescens Mart. —
 D. costatum Dh.
- 2067 3 cassis Bolt. —
 D. maculatum Lam.
- 2068 1* tessellatum Lam. Guinea.
 D. minjac. Ad. Dh.
 D. fimbriatum Sow.
 B. dolium L.
- 2069 1* (minor). —
 (Malea Val. Cadium Link.)
- 2070 1* dentatum Barnes. Panama.
- 2071 2* pomum L. Ind. or.
- Morum Bolt.** (Oniscia Sow. Theliostoma Aut.
 Sow. Gen. Lambidium Link.)
 (Morum Bolt.)
- 2072 1 oniscus L. Antill.
- 2073 1¹ Lamarckii Dh. ?
 S. oniscus Linnæi Ch. XI.
 1712, 13. Guinea?
- 2074 1* tuberculosum Sow. ?
 (Oniscidia Sw.)
- 2075 2* cancellata Sow. China.
 Galeodea Link. (Morio Mtf. Cassidaria Lam.)
- 2076 2 harpæformis Lam. Grignon. †
- 2077 2 echinophora L. M. med.

- 2078 2 *rugosa* L. Mantis. M. med.
 B. strigosum Gm.
 C. thyrhena Autt. non Ch.
 B. nodosum Wood.

Cassis Kl.

Cassidea Sw. (Cassis Kl.)

- 2079 8* *vibex* L. Ind. or.
 var. *C. erinaceus* L.
 2080 2 *quadrata* Link. (Mart. 2. f. 385, 86.) —
 C. torquata Reeve.
 2081 2 var. *nodosa*. —
 2082 1* *major*. —
 2983 2* *minor*. —
 2084 1* *achatina* Lam. —
 2085 3 *pyrum* Lam. Zeylon.
 2086 2 — —
 2087 1 var. *C. Zeylanica* Lam. —

Semicassis Kl.

- 2088 2* *japonica* Reeve. China.
 2089 4 *pila* Reeve. —
 2090 2 *pomum* Wag. —
 2091 2 *saburon* Brug. Guinea?
 2092 4 *canaliculata* Brug. Ind. or.
 2093 1* *sulcosa* Born. M. med.
 B. variatum Martyn.
 2094 3 var. —
 2095 1* *tessellata* Ch.? Guinea?
 2096 1 *ventricosa* Mart. Antill.
 C. granulosa Lam.
 B. granulatum Born.
 2097 1 *bisulcata* Wag.? —

- 2098 3 *cicatricosa* Meusch. Antill.
 C. recurvirostris Gm. non Reeve.
 C. granulosa jun. Ki.

2099 1 *lactea* Ki. —

2100 1 *gibba* Gm. List. 999. f. 64. —

C. globulus Bolt.

C. abbreviata Lam.

***Phalium* Link. (Bezoardica Sch.)**

2101 1 *glaucia* L. Ind. or.

2102 3* *decussata* L. —

2103 2 *areola* L. —

2104 2 *undata* Mart. —

C. zebra Lam.

2105 2 (minor.) —

***Cassis* Browne.**

2106 1 *cornuta* L. (juv.) —

2107 1 *Madagascariensis* Lam. Antill.

2108 1* *tuberosa* L. lg. 110 m. —

2109 3 *flammea* L. —

2110 1 *spinosa* Meusch. lg. 90 m. Ind. or.

***Cypræcassis* Stutschb.**

2111 2 *rufa* L. —

2112 1 lg. 60 m. —

2113 1 (juv.) *B. pennatum* Gm. —

2114 4 *testiculus* L. Antill.

Fam. *Cypræadæ*.

***Cypræa* L.**

2115 2 *cervus* L. —

C. cervina Lam.

2116 2* *cervinetta* Ki. Peru.

2117 3* *exanthema* L. Antill.

2118	3	(minor.)	Antill.
2119	4	(jun.)	—
2120	3	<u>argus</u> L.	Ind. or.
2121	2	<u>testudinaria</u> L.	—
2122	1*	<u>amarata</u> Meusch. 1787.	—
		C. scurra Ch.	
		C. indica Gm.	
2123	1	var.	—
2124	6	<u>arabica</u> L.	—
2125	9	(jun.)	—
2126	2*	—	—
2127	2*	<u>reticulata</u> L.	—
		C. amethystea L.?	—
2128	5	(minor.)	—
2129	2*	<u>arlequina</u> Ch.	—
		C. histrio Gm.	
2130	3	<u>mappa</u> L.	—
2131	2*	<u>pulchella</u> Sw.	China.
2132	5	<u>stercoraria</u> L.	Guinea.
2133	2*	(minor.)	—
2134	4	(jun.)	—
2135	5	<u>mus</u> L.	Antill.
2136	1*	<u>Scottii</u> Brod.	N. Holl.
		C. Friendtii Gray.	
2137	1	—	—
2138	4*	<u>mauritiana</u> L.	Ind. or.
2139	3*	(jun.)	—
2140	11	<u>caput serpentis</u> L.	—
2141	1	<u>arenosa</u> Gray.	Oc. pacif.
2142	2	<u>ventriculus</u> Lam.	—
		C. achatina Sol.	
2143	1 ¹	<u>tessellata</u> Sw.	N. Zeland.

2144	3	<i>isabella</i> L.	Ind. or.
2144	4	<i>talpa</i> L.	—
2145	3	<i>carneola</i> L.	—
2146	1	<i>aurora</i> Sol. (antice perforata.)	
		lg. 95 m.	Taiti.
		<i>C. aurantium</i> Martyn non Mart.*)	
2147	2*	<i>lurida</i> L.	M. med.
2148	3*	<i>succincta</i> L.	Antill.
		<i>C. cinerea</i> Mart.	
		<i>C. sordida</i> Lam.	
2149	6	(minor.)	—
2150	1	<i>camelopardalis</i> Perry.	M. rub.
		<i>C. melanostoma</i> Leathes.	
2151	4	<i>vitellus</i> L.	Ind. or.
2152	1	<i>lynx</i> L. lg. 65 m.	—
2153	5	var.	—
2154	4	(jun.)	—
2155	1	<i>pardus</i> Bolt.	M. rub.
		<i>C. leopardus</i> Link.	
		<i>C. pantherina</i> Sol.	
		<i>C. tigrina</i> Lam.	
2156	2*	(var.)	Nicobar.
2157	1	(monstrositas).	—
2158	14*	<i>tigris</i> L.	Ind. or.
2159	1	(minor.)	—
2160	3	(jun.)	—
2161	11	<i>moneta</i> L.	—
2162	3	var.	—
2163	6	<i>annulus</i> L.	—

*) *C. gullata* Gm.

2164	3*	<u>obvelata</u> Lam.	Ind. or.
		C. obvallata Reeve.	
2165	5	asellus L.	—
2166	2*	clandestina L.	—
		C. moniliaris Lam.	
2167	3*	hirundo L.	—
2168	11	caurica L.	—
2169	4*	crenata Bolt.	—
		C. cruenta Dw.	
		C. variolaria Lam.	
		C. morbilosa Bolt.	
2170	12*	erronea L.	—
		C. olivacea Lam.	
2171	1*	cylindrica Born.	—
2172	2	(minor.)	—
2173	1	felina Gm.	—
2174	1*	fimbriata Gm.	—
2175	1*	Saulii Gask.	—
2176	2*	punctulata Gray.	Philippin.
2177	2	(minor.)	Panama.
2178	2*	arabacula Lam.	—
2179	1*	pallida Gray.	—
2180	3	sanguinolenta Gm.	—
2181	1*	lentiginosa Gray.	Africa.
2182	1	zonata Ch.	Ceylon.
2183	1*	picta Gray.	Guinea.
2184	1*	surinamensis Perry.	„Surinam.“
2185	2*	pyrum Gm.	M. med.
		C. rufa Lam.	
2186	1*	onyx L.	Ind. or.
2187	1*	carnicolor Duclos.	—
		C. onyx. Reeve. f. 39 b.	

2188	3*	<u>undata</u> Lam.	Ind. or.
		C. vittata Dh. Dict. class.	
		C. diluculum Reeve.	
2189	3*	<u>ziczac</u> L.	—
2190	3*	<u>lutea</u> Meusch.	—
		Luponia (Gray.) n.	
2191	4*	<u>algoensis</u> Gray.	Cap.
2192	3*	<u>flaveola</u> L.	M. med.
		C. spurca Reeve.	
		C. acicularis Gm.	
2193	3*	<u>spurca</u> L.	Antill.
		C. flaveola Reeve.	
		C. lota Born.	
2194	7*	<u>helvola</u> L.	Ind. or.
2195	1	<u>poraria</u> L.	—
2196	10	<u>ocellata</u> L.	—
2197	1*	<u>Lamarckii</u> Gray.	Mozambique.
2198	1	(major.)	—
2199	3*	<u>turdus</u> Lam.	M. rub.
2200	1*	<u>miliaris</u> Gm.	Philippin.
2201	1*	<u>eburnea</u> Barnes. lg. 47 m.	I. Fidji.
2202	1*	<u>esontropia</u> Ducl. lg. 32 m.	Ind. or.
2203	4	<u>eribraria</u> L.	—
2204	1	var.	—
2205	9	<u>erosa</u> L.	—
2206	2*	(minor.)	—
2207	2	<u>stolida</u> L.	—
		Pustularia Sw.	
2208	4*	<u>limacina</u> Lam.	—
2209	1	<u>staphylæa</u> L.	—
		C. granata Meusch.	
2210	2	<u>nucleus</u> L.	—

- 2211 2 *cicercula* L. Ind. or.
 2212 1* *globulus* L. —
Trivia Gray.
 2213 3 *pustulata* Lam. Acapulco.
 2214 3 *radians* Lam. —
 2215 1* *Solandri* Gray. var. California.
 2216 10* *pediculus* L. Antill.
 2217 3 *europæa* Mtg. Europa.
 C. coccinella Lam.
 2218 2 *sanguinea* Gray. Panama.
 C. latyrus Duf.
 2219 3* *subrostrata* Gray ?
 2220 8* *rotunda* Ki. Antill.
 C. quadripunctata Gray?
 2221 5* *suffusa* Gray —
 C. armandina Dncl.
 2222 5 *globosa* Sow. —
 C. pilula Ki.
 2223 8* *pulex* Sol. M. med.
 2224 1* *ovulata* Lam. an. Cap.
 C. ovula Lam. hist.
 2225 3* var. *alba*.
Ovula Lam Amphiceras Meusch.
 (Amphiceras Meusch. Volva Bolt.)
 2226 3 *ovum* L. Ind. or.
 C. oviformis Lam.
 2227 2 *concinna* Sow. Philippin.
 A. Cumingii Mörch.
 2228 24* *carnea* Poiret M. med.
 (Calpurnus Mtf.)
 2229 5* *verrucosa* L. Philippin.

(Cyphoma Bolt.)

- 2230 3 gibbosa L. Antill.
 2231 2* intermedia Sow. Brasil.
 2232 1* †.

(Radius Sch.)

- 2233 1* birostris L. Ind. or.

(Radius Mtf.)

- 2234 4 volva L. Guinea.

(Simnia Leach 1826 Scymnia Ris.)

- 2235 3* nniplicata Sow. Brasil.
 2236 3* acicularis Lam. Antill.

Pedicularia Sw.

- 2237 1* sicula Sw. M. med.

Thyreus paradoxus Phil.

Trib. 2. Marginellinae.**Erato Risso.**

- 2238 4. Maugeriae Gray. Antill.

Marginella Lam.**Glabella Sw.**

- 2239 1* pseudofaba Sow. Senegal.
 2240 2* faba L. —
 2241 2* var. —
 2242 1* arenaria Yoldi. —

M. bifasciata var Sow. 13.

- 2243 1* Adansonii Ki. —
 2244 2 muscaria Lam. Cap.

Porcellana Ads. (Cucumis Kl.)

- 2245 2* glabella L. Senegal.

Cucumis ocellata Mart.

Gl. ruffina Sw.

- 2246a 4* *irrorata* Mke. Brasilia?
 2247 5* *aurantia* Lam. Senegal.
 2248 7* *undulata* Mart. Cap.
 M. rosea Lam.
 M. arabicus Meusch.
 2249 1* var. —
 2250 3* *pyrum* Meusch. Cap.
 Pterygia flammea Link.
 M. nubeculata Lam.
 M. picta Dw.

Marginella Dw.

- 2251 1 *pellucida* Pfr. Antill.
 M. diaphana Ki.
 2252 2* *conoidalis* Ki. —
 2253 4* *apicina* Mke. —
 M. flavida Redf.
 2254 2* *amygdalum* Ki. Senegal.
 2255 2* *curta* Sow. Peru.
 2256 4 *subcærulea* Mart. Antill.
 V. prunum Gm.
 V. cærulescens Lam.
 2257 1* *xanthostoma* n. Curacaa.
 differt a *M. pulchra* Gray spira-
 breviere, labro postice mi-
 nus producta.
 2258 1* *vesiculata* Mart. —
 M. longivaricosa Lam. Senegal.
 2259 2 *cincta* Ki. ?
 2260 6* *marginata* Born Antill.
 M. bivaricosa Lam.
Cryptospira (Hinds.) n.
 2261 2* *quinqueplicata* Lam. Ind. or.

2262	1	var.	Ind. or.
2263	1	n. sp.	Nicobar.
2264	1	<u>elegans</u> Gm.	?
<u>Persicula maxima</u> Mart.			

Volutella Sw. (non Perry.)

2265	1*	<u>bullata</u> Born. lg. 61 m.	Brasilia.
		V. ovum Gm.	
		M. Belangeri Ki.	
2266	1*	lg. 51 m.	—
2267	1*	Largillieri Ki.	Bahia.
2268	3*	angustata Sow.	—
		V. bullata Gm. Ki.	

Persicula Schum.

2269	5*	<u>fasciata</u> Mart.	Senegal.
		P. lineata Link.	
		V. cingulata Dw.	
		Bobi Ad.	
2270	5*	<u>persicula</u> L.	—
		M. guttata Link.	
		P. punctata Mart.	
2271	10	interrupto lineata Mühlf. 1818.	Antill.
		M. interrupta Lam.	
2272	2*	obesa Redf. (March. 1846.)	—
		M. similis Sow. (Octbr. 1846.)	

Gibberula Sw.

2273	3*	<u>miliaria</u> L.	M. med.
		Volvaria miliacea Lam.	
2274	1*	phrygia Sow.	Antill.
2275	2*	<u>muralis</u> Hinds.	Curaçao.
2276	22 ¹	<u>monilis</u> L.	M. rub.

Hyalina Gray. (non Sch.)2277 20* *pallida* L. non autt. Antill.*M. avena* Val. Ki.*M. avenacea* Dh.*M. varia* Sow.2278 1* *lactea* Ki. —*Pers. parva* Mart. f. 426.**Volvaria Lam.** (*Hyalina* Sch.)2279 5* *pellucida* Sch. —*V. pallida* Lam. non L.**Fam. Volutidæ.****Melo Humphr.** (*Cymbium* Mtf.)2280 1 *æthiopica* Lam. Ind. or.

2281 1* lg. 70 m. —

2282 1* *senticosa* Bolt (Mart. 3 f. 788.) —*V. armata* Lam.2283 1* *ramosa* Meusch. lg. 150 m. —*V. diadema* Lam.*Cymb. flammeum*. Mtf.2284 3 *indica* Gm. —*V. præputium* Ch.*C. indiarum orientarium* Mart.*V. melo* Sol.

2285 4 (jun.) —

2286 2 —

Cymbium Kl. (*Yetus* Ad. *Cymba* Brod.)2287 1* *persicum* Mart. Africa.*V. Neptuni* Gm.*Gl. nævosa* Meusch.*V. navicella* Gm.*C. patera* *C. carinatum* Bolt.

2288 1* lg. 50 m.

2289 2* olla L.

C. excavatum Mart.

C. marmoratum Link.

C. jacobinum Bolt.

C. cisium Mke.

2290 1* philippinum Mart. —

V. papillaris Gm. Sch.

C. melo Bolt.

V. olla Aut.

Voluta L.

Cymbiola Sw. (Scapha Gray. Vespertilio Kl.)

2291 7 vespertilio L. Ind. or.

2392 8 (minor.) —

2393 2 (pulli.) —

2294 1 var. *V. serpentina* Lam?

2295 1* Spengleriana Mart. lg. 110 m. —

V. imperialis Lam.

2296 1 lg. 130 m. —

2297 2* mamilla Meusch. —

C. capitis bonæ spei spurium

Mart.

V. scapha Gm.

2298 1 —

2299 1* fasciata Wag? China.

2300 1* Moltkiana Mart. Ind. or.

V. flavicans Gm.

V. volvacea Lam.

V. punctata Ki.

2301 1 marmorata Sw. lg. 120 m. N. Holl.

2302 1 nivosa Lam. lg. 90 m. —

2303 1 undulata Lam. —

Scaphella Sw.

- 2304 2 zebra Leach. N. Holl.

Marginella radiata Lam.

Musica Humphr.

- 2305 1 musica L. lg. 81 m. Antill.
 2306 3 var. V. carneolata Lam. —
 2307 2 var. V. thiarella Lam. —
 2308 2 var. V. Guineensis Ch. Guinea?
 2309 1 hebræa L. lg. 90 m. Ind. or.
 2310 1 var. lg. 100 m. —
 2311 1 var. lg. 100 m. —

Harpula Sw.

- 2312 1* lapponica L. —
 2313 1 vexillum Mart. Ind. or.
 M. arausiacus Meusch.
 2314 2 muricina Lam. Grignon †.
 2315 2 musicalis Ch. —

Fulguraria Sch.

- 2316 4 fulgura Mart. China.
 V. rupestris Gm.
 V. fulminata Lam.

Lyria Gray.

- 2317 1³ lyrata Humphr. 1825. Panama?
 Harpula harpa Sw. Exct. Conch.
 V. costata Sw. non Brand.
 V. anna Less.
 2318 1* Delessertiana Petit. Madagascar.
 2319 3 costata Brander. Grignon †.
 V. torulosa Dh.
 2320 1 nucleus Lam. Ind. or.
 2321 3 harpula Lam. Grignon †.

Volutilithes Sw. (Plejona Bolt.)

- 2322 1* *crenulata* Lam. Grignon †.
 2323 2 *citharoedus* Ch. —
 V. cithara Lam.
 2324 4 *spinosa* L. —
 2325 1 *rarispina* Lam. (c. *Crepidula*
 unguiforme Bast.) Bordeaux †.

Fam. Olividae.**Harpa Humphr. Cythara Kl.**

- 2326 1* *costata* L. lg. 80 m. Ind. or.
 H. imperialis Lam.
 2327 2 *ventricosa* Lam. —
 2328 2* *major* Mart. Bolt. Link. —
 B. conoidalis Lam.
 B. testudo Sol. ap Don.
 2329 8 *nablium* Mart.
 H. davidis Bolt.
 H. antiqua Ch.
 H. articularis Lam.
 2330 2 *cancellata* Ch. —
 H. striata Sw.
 2331 1* *crenata* Sw. Panama.
 H. Rivoliana Less.
 H. rosea crenata Gray.
 2332 1 *rosacea* Mart. Guinea.
 H. doris Bolt.
 H. rosea Lam.
 2333 3¹ *nobilis* Mart. Ind. or.
 2334 3 *crassa* n. —
 Mart. 3. f. 1095.
 2335 3* *minor* Mart. —
 H. amoretta Bolt.
 2336 1 *mutica* Lam. Grignon †.

Ancillaria Lam. (Eburna Lam. 1801. Dip-
saccus Kl.)

- 2336 5* glabrata L. Antill.
 2337 3 balteata Sow. —
 2338 2* Tankervillii Sw —
 ()
 2339 1* torosa Meusch. (List. 746. f. 40.) Mauritius.
 P. tumida Bolt.
 A. mauritiana Sow.
 A. volutella Dh.
 2340 1 alba Ki. t. 1. f. 1. b. —
 (Ancilla Lam.)
 2341 4* ampla Gm. Ind. or.
 A. candida Lam.
 2342 1 albisulcata Sow. f. 16. —
 2343 1* ventricosa Sow. f. 31, 32? —
 2344 2 caffra Forsk. p. 33 t. 40 f. F. M. rub.
 V. ampla var. Gm. Mart. 2.
 723, 24?
 V. albisulcata Sow. f. 12, 15.
 2345 2* (jun.) —
 (Anaulax Roissy.)
 2346 1* australis Sow. N. Holland.
 2347 3* buccinoides Lam. Grignon. †.

Oliva Lam.

Scaphula Sw. (non Bens.)

- 2348 1² vesica (Bulla) Gm. Patagonia.
 O. auricularia Lam.
 O. patula Sow.
 O. clanophia Ducl.
 2349 1 aquatilis Reeve jun. præced? Brasilia.

Agaronia Gray.

- 2350 4 megalostoma Meusch. Senegal.
 O. hiatula Gm.
 Hiatula Lamarckii Sw.
 Ancilla maculata Sch.

2351 1 sp. —

Olivancillaria d'Orb.

- 2352 4 brasiliensis Ch. Brasília.
 P. urceus Bolt.
 O. brasiliana Lam.

Utriculina Gray.

- 2353 7 gibbosa Born. Ind. or.
 P. cingulata Ch.
 O. ventriculus Lam.

- 2354 1¹ lutaria Bolt. —
 O. subulata Lam.

- 2355 1* acuminata Lam. —

- 2356 2 (minor.) —

- 2357 1 litterata Lam. Antill.

Strephona (Browne.) n.

- 2358 3* splendidula Sow. Panama.

- 2359 6* flammulata Lam. Antill.

Mica marmorea Mart 2. 526.

- 2360 2* jaspidea Ducl. Ind. or.
 O. Duclosii Reeve.

- 2361 11* reticularis Lam. Antill.
 C. olivaceus Meusch.

- 2362 1* var. fasciata Ducl. t. 9 f. 11. —

- 2363 2 var. unicolor castanea.

- 2364 5* ispida Link. —

O. fusiformis Lam.

- 2365 2* polpasta Ducl. Panama.

2466	3*	<u>peruviana</u> Lam. (undulata.)	Panama.
2367	4*	var. punctata.	—
2368	4*	— unicolor.	—
2369	1*	— castanea.	—
2370	1*	angulata.	—
2371	1	<u>angulata</u> Lam. lg. 75 m.	Antill.
		V. incrassata Sol.	
		V. corticata et striatula Martyn?	
2372	1*	lg. 62 m.	—
2373	1*	<u>porphyrea</u> L. lg. 90 m.	Brasilia.
		P. tentoria Link.	
2374	1*	lg. 80 m.	—
2375	2	—	—
		Porphyria (Bolt.) n.	
2376	2	<u>porphyreticus</u> Mart.	Ind. or.
		P. miniata Bolt.	
		O. erythrostoma Lam.	
2377	6	var.	—
2378	6	(minor.)	—
2379	2	<u>nobilis</u> Reeve.	—
2380	5	(minor.)	—
2381	4*	<u>olympiadina</u> Ducl.	—
		C. flavus Meusch.?	
2382	1	<u>ponderosa</u> Ducl.	—
2383	6	<u>sericea</u> Bolt.	—
		Textile sericum Mart.	
		O. textilina Lam.	
2384	9	<u>tremulina</u> Lam.	—
2385	2	—	—
2386	2	var.	—
2387	9	<u>irisans</u> Lam.	—
2388	2	sp.	—

- 2389 3* *mauritiana* Mart. (castanea.) Ind. or.
 P. vidua Bolt.
 O. maura Lam.
- 2390 3* var. *aurantiaca*. —
- 2391 3* var. *P. oliva* Bolt. —
- 2392 1 var. —
- 2393 10* var. *O. tigrina* Lam. —
 O. holoserica Mart.
- 2394 4 sp. China.
- 2395 8 *elegans* Lam. Ind. or.
- 2396 7* *guttula* Mart. —
 O. tricolor Lam.
 P. variegata Bolt.
- 2397 11* *viridescens* Mart. —
 C. ventr. reticulatus Mart. 978, 9.
 P. reticulata Bolt.
 O. sanguinolenta Lam.
- 2398 4* *scripta* Lam. —
- 2399 3* *funeralis* Lam. —
 P. labradorensis Bolt.
- 2400 2 *mustelina* Lam. —
- Ispidula* Gray.**
- 2401 4* *emicator* Meusch. —
 V. annulata Gm.
 V. cruenta Sol.
 P. amethystina Bolt.
 P. aurata Link.
 O. guttata. *O. leucophæa* Lam.
- 2402 4* *episcopalis* Lam. —
 P. cærulea Bolt. Mart. 2. f. 518.
- 2403 25* *ispidula* L. —

- 2404 4 var. *aurantia*. Ind. or.
 2405 2 var. *carnea*. —

Dactylus Kl.

- 2406 2² *avellana* Lam. Guinea.
 2407 4* *undata* Lam. M. rub.
 2408 3* *bulbosa* Bolt (Mart. 2. f. 507. 8.) Ind. or.
 V. ventricosa Sol.
 2409 6 *inflata* Lam. —
 2410 3 *tuberosa* Bolt. —
 O. bicincta Lam.

Cylindrus (Meusch.) Gray.

- 2411 10 *carneolus* Mart. —
 O. carneola Lam.
 2412 4* *tessellata* Lam. —
 C. tigrinus Meusch.?
 2413 1 *fabagina* Lam. —
 M. crassa Mart. 2. f. 532, 33.

Olivella Sw.

- 2414 20* *exigua* Mart. Antill.
 V. jaspidea Gm.
 O. conoidalis Lam.
 2415 12 — —
 2416 16 *parvula* Mart. —
 V. nivea Gm.
 O. eburnea Lam.
 2417 10 *oryza* Lam. —
 2418 10 *pulchella* Ducl. —
 2419 1* *mitreola* Ducl. —
 2410 4 *minuta* Link. (Mart. 2. f. 545.) —
 O. ziczac Ducl.
 2421 3 *nitidula* Sol. (Mart. 2. f. 546. 47.) —
 O. mutica Reeve.

- 2422 1 *Esther* Ducl. ? Antill.
 2423 6* *millepunctata* Ducl. c. op. —
 2424 10* var. *unicolor amethystina*. —
 2425 3 *nana* Lam. —
 O. micans Sol.
 Olivina (d'Orb.) n.
 2426 4* *semistriata* Gray. Peru.
 2427 4* *columellaris* Sow. —
 2428 1 n. sp. S. Thomas.
 2429 1* *biplicata* Sow. Peru.
 Lamprodoma Sw.
 2430 4* *volutella* Lam —
 O. cœrulea Wood.
 2431 8 var. *castanea*. —

Fam. Naticidæ.

Trib. 1. Polliniciidæ.

Sigaretus Lam. *Stomatia* Browne.

- 2432 2 *depressus* Phil. Antill.
 2433 1¹ *fuscus* (Sinum Bolt) n. ?
 Knor. Verg. 4. t. 17. f. 5.
 2434 1 *Zonatus* d'Orb. Antill.
 S. Martinianus Phil.
 2435 1 *concavus* Lam. Ind. or.
 2436 4 *cymba* Mke. Chile.
 S. maximus Phil.
 S. Grayi Dh.

Natica Adans.

Naticina Gray.

- 2437 1* *papilla* Gm. Ind. or.
 9*

Mamilla Sch.

- 2438 2 melanostoma Lam. Ind. or.
 N. mamillaris Born.
- 2439 2 sp. —
- 2440 2 putamen Meusch. (List. 566 f. 15.) —
 Mamma mulieris indicæ Ch.
 1936, 37.
- 2441 2 (minor.) —
- 2442 1 maura Lam. —
 N. nux castanea Martyn.

Neverita Risso.

- 2443 1* patula Sow. Acapulco.
 N. glauca Humb. d'Orb.
 N. Bonplandi Val.
- 2444 1 glaucina L. Ind. or.
- 2445 2 olla M. de Serres. M. med.
 N. Josephinæ Risso.
 (Albula Bolt.)

- 2446 3 albumen L. Ind. or.

Pollinices Mtf. (Uber Humphr. Mamma Kl.)

- 2447 1 fuscata Ch. (c. op.) Antill.
 N. brunnea Link.
 N. mamillaris Lam.
- 2448 1 nitida Donovan. —
 N. mamilla L. p. p.
 Naticina lactea Guild.

- 2449 1 alba Mtf. Ind. or.

- 2450 2 mamilla L. —

N. tumida Sw. Ch. V. f. 1918, 9.

- 2451 3* cora d'Orb. Peru.

- 2452 1* aurantia Lam. Ind. or.

- 2453 1* conica Lam. —

Cepatia Gray.

- 2454 1 cepacea Lam. Grignon †.

Cernia Gray.

- 2455 1* fluctuata Sow. Ind. or.

N. imperforata Jay.

- 2456 1 — —

Lunatia Gray.

- 2457 1 monilifera Lam. M. germ.

- 2458 2* triserialis Say. c. op. Am. bor.

- 2459 1* borealis Gray. c. op. Grönland.

N. grönlandica Bk.

- 2460 2 nana Möll. (1. c. op.) —

- 2461 2* canaliculata Gould. —

N. suturalis Gray.

N. cornea Möll.

Amaura Möll.

- 2462 1* candida Möll. —

Trib. 2. Naticidæ.**Natica Lam.**

(Stigmaulax n.)

- 2463 2 sulcata Born. Antill.

N. rugosa Gm.

N. costata Mke.

- 2464 2 rugosa Ch. —

N. cancellata Gm.

(Cochlis Bolt.)

- 2465 6* vittata Gm. M. med.

N. parva Ch. 1917, 18.

N. Valenciennesii Payr.

- 2466 2 (major.) —

- 2467 1 epiglottina Lam. Grignon †.

2468	1	<i>maroccana</i> Ch.	M. med.
2469	1	<i>unifasciata</i> Lam.	Peru.
2470	1	<i>ala papilionis</i> Ch.	Ind. or.
		<i>N. zonaria</i> Dh.	
		<i>N. tæniata</i> Mke.	
2471	1*	<i>canrena</i> L. Lam. c. op.	Antill.
		<i>N. pellis erminea</i> Martyn.	
		<i>N. perdix. Ala papilionis</i> Ch.	
2472	1	(c. op.)	—
2473	3	<i>lineata</i> Ch. Bolt. Lam.	Ind. or.
2474	2	<i>zebra</i> Ch.	—
		<i>C. undulata</i> Bolt.	
2475	3	<i>onca</i> Bolt.	—
		<i>C. pavementum</i> Bolt. Ch. 1889, 90.	
		<i>N. candida</i> Wood.	
		<i>N. chinensis</i> Lam. Ch. V. 1887, 8.	
2476	1	<i>hebræa</i> Martyn. an var. <i>sequentis</i> ? M. med.	
		<i>N. maculata</i> Salis 1793 Dh.	
		<i>N. adpersa</i> Mke.	
2477	1	<i>stercus muscarum</i> Ch. Gm.	
		Lam. Enc.	—
		<i>N. millepunctata</i> Lam.	
		<i>N. guttata</i> Link.	
		<i>C. milleporia</i> Bolt.	
		<i>N. punctata</i> Meusch.	
2478	2	<i>Fanel</i> Adans.	Guinea.
		<i>N. multoties punctata</i> Ch.	
		1878-80.	
2479	2	<i>Forskålii</i> Ch.	M. rub.
2480	1*	<i>rufa</i> Born.	Ind. or.
2481	1	<i>cinnamomea</i> Mke?	China.

- 2482 3 *globosa* Ch. Ind. or.
 N. helvacea Lam.
 N. fuscata Link.
- 2483 2 *vitellus* L. —
 N. stellatus Martyn.
- 2484 2 *arachnoideus* Gm. —
- 2485 4 *undata* Meusch. Guinea.
 N. fulminea Mke.
 Le Gochet Ad.
 C. ziczac Bolt.
- 2486 2 var. *N. punctata* Ch. XI. f.
 1903. 4 —
- 2487 1* *clausa* Brod. & Sow. Grönland.

Fam. Bullidæ.

Philine Ascan. *Bullæa* Lam.

- 2488 1 *quadripartita* Ascan. M. germ.
 B. aperta Lam.
- 2489 1 (ossa ventriculi.) —

Scaphander Mtf.

- 2490 1* *lignarius* L M. med.
- 2491 1 (ossa ventric.) —

Acera Müll.

- 2492 1 *bullata* L. Gallia.
- 2493 1¹ — —
- 2494 2 (ossa ventric.) —

Bulla L.

Haminea Leach.

- 2495 2¹ *hydatis* L. M. med.
- 2496 7* *Guildingii* Sw. Antill.

Bullea Blv. (Bulla Kl. Bullus Mtf. Cymbium Latr.)

2497 4* *ampulla* L. Ind. or.

2498 2 *solida* Gm. Antill.

B. ampulla d'Orb.

2499 1 *maculosa* Mart. —

B. ibyx Meusch.

B. umbilicata Bolt.

B. striata Brug. non Phil.

B. media Phil.

Alys Mtf.

2500 2* *naucum* L. Ind. or.

2501 2 *obovata* Mke. ?

Solidula Fisch. (Tornatella Lam.)

(Tornatina aut.)

2502 3 *canaliculata* (Bulla) d'Orb. Antill.

Torn. bullata Ki. ?

(*Actæon* Mtf. *Spio* Risso.)

2503 1 *tornatilis* L. M. med.

T. fasciata Lam.

2504 1 sp. ?

(*Solidula* Fisch. *Pupa* Bolt. *Dactylus* Sch.)

2505 1¹ *punctata* Mart. Ind. or.

2506 2² *solidula* L. —

2507 1* *sulcata* Lam. Grignon †.

Bullina Fer.

2508 2 *undata* Brug. Antill.

B. nitidula Sol.

B. elegans Mke.

Aplustrum Sch.

(*Hydatina* Sch.)

2509 2 *physis* L. d'Orb. Antill.

H. filosa Sch.2510 1² *virgata* Martyn. Ind. or.

B. physis Q. & G.

B Quoyana d'Orb.

2511 4 *albocincta* v. d. Hoeven. China.2512 2 *circulata* Martyn. Ind. or.

B. fasciata Brug.

B. velum Gm.

(Aplustrum Sch.)

2513 2 *amplustre* L. —

Amplustra thalassiarchi Mart. Lex.

Dolabella Lam.2514 1* *scapula* (Patella) Martyn. Ind. or.

Doris verrucosa Gm.

D. Rumphii Cuv.

Aplysia L.2515 4* *tigrina* Rang. Mauritius.2516 1² *fasciata* Poiret. M. med.**Fam. Pleurobranchidæ.****Operculatum L.** Umbrella Lam.2517 1* *læve* L. Mus. Tess. lg. 74 m. Ind. or.

P. umbrella Martyn.

P. sinica Gm.

U. indica Lam. Reeve.

P. umbellata Gm. p. p.

2518 1* *chinensis* Ch. lg. 74 m. —

P. umbellata Gm. p. p.

2519 1* Animal spiritu vini servatum —

Fam. Pteropoda.**Hyalea Lam.** 1799 Cavolina Gioeni 1783.2520 2 *telemus* (Monoculus) L. M. med.

Anomia tridentata Forsk.

- 2521 2 var. M. med.
 2522 3 uncinata Rang. Oc. atl.
 2523 2 pisum Mörch. Ind. or.
 (Diacria Gray.)
 2524 5 trispinosa Lesueur. Oc. atl.
Cuvieria Rang. Herse Gistel.
 2525 3* columnella Rang. —
 2526 2* urceolaris Mörch. Ind. or.

Fam. Chitonidæ.**Chiton L.****Lophurus Poli.**

- 2527 2 marmoratus Ch. 8. p. 170. St. Croix.
 C. marmoreus Ch. p. 282.
 C. punctatus L.?
 2528 3 minor. I. Barbados.
 5529 2 squamosus L. Antill.
 C. scaber variegatus Ch. 8,
 792. 93. VII. 16 A.
 Scutigerulus angulatus Meusch.
 C. marmoreus Reeve.
 2530 3 undatus Spgl. 1797. —
 C. squamosus Born. Ch. Lam.
 C. tuberculatus L.?
 2531 1 viridis Spgl. Wood. —
 C. squamosus denticulatus Ch.
 X. 1659.
 C. foveolatus Sow.
 2532 1 Cumingii Fremb. Chile.
 2533 1* var. —

- 2534 1 latus Sow. 1825. lg. 90 m. Chile.
 C. magnificus Dh.
 C. olivaceus Fremb.

Leptochiton Gray.

- 2535 2 albus L. Grönland.

Callochiton Gray.

- 2536 3 ruber L. —

Tonicia Gray.

- 2537 3* elegans Fremb. Chile

- 2538 1* lineolatus Wood. —

Enoplochiton Gray.

- 2539 1 niger Barnes. —

C. coquimbensis Fremb.

Acanthopleura Guild.

- 2540 1* salamander Spgl. Antill.

C. piceus var. Gm.

C. occidentalis Reeve?

- 2541 1¹ piceus Gm. —

Corephium Gray.

- 2543 1 tuberculiferus Sow. Chile.

C. spiniferus Fremb.

C. aculeatus Barnes.

Ischnochiton Gray. 1847.

- 2544 1* acutiliratus Reeve. Antill.

Acanthochetes Leach. Acanthochiton
 Herm.

- 2545 1 fascicularis L. M. med.

Fam. Patellidæ.

Patella L.

- 2544 1 gorgonica Humphr. Cap.

P. longicosta Lam.

2545	1	var.	Cap.
2546	2	sacharina L.	—
2547	2	plicata Born.	—
2548	1	P. plicaria Gm.	
2549	3	P. barbara Lam.	
2550	2	P. cypria Gm.	
2551	2	var. P. spinifera Lam.	—
2552	2	granatina L.	—
		P. apicina Lam.	
2553	3*	var.	—
2554	2	—	—
2555	2	—	—
3556	1	angulosa Gm.	—
		P. tigrina Gm.?	
2557	3*	minor.	—
2558	3	chlorosticta Gm.	—
2559	1	petasus Meusch. (1787.) lg. 95 m.	—
		P. badia Gm.	
		P. monopis Gm.	
2560	4	lg. 70 m.	
2561	4	var lg. 70 m.	—
2563	4	— lg. 45 m.	—
2564	1	scutellaris Lam. Del.	—
		an var. præcedentis?	
2565	1	sp.	?
2566	1	langula Meusch. 1778.	M. med.
		P. crenata Gm.	
		P. margaritacea Gm.	
		P. scutelleris (Lam.) var. Phil.	
		P. Bonardi Payr.	
2567	3	(minor.)	—

2568	1	<u>spinulosa</u> Meusch.	Ulyssipon.
		P. repanda (Gm.) Dw.	
		P. aspera Lam.	
		P. Loweü d'Orb.	
2569	2	—	
2570	1	pentagona Born.	Cap.
		P. stellæformis Reeve.	
2571	1	oculata Meusch. List. 537. f. 16. „Ulyssip.“	
		P. crenata Gm. p. p.	
		P. plumbea Lam. ? Libot Ad. ?	
2572	2 ²	— detrita.	Senegal.
2573	1*	<u>lugubris</u> (Mitrula) Mart. 60. Gm.	
		P. cærulea Born ?	
2574	2	<u>costoso-plicata</u> Mart.	M. med.
		P. ferruginea Gm.	
		P. pyramidata Lam.	
		P. Lamarckii Payr.	
2575	3	(minor).	—
2576	3	vulgata L.	I. Feröe.
2577	2	var ?	?
2578	4	sp.	China.
2579	4 ¹	<u>lusitanica</u> Gm.	M. med.
		P. punctata Lam.	
2580	1*	var.	—
2581	5	<u>ulyssiponensis</u> Gm.	—
2582	2	major.	—
2583	1*	<u>tramoserica</u> Ch. non Martyn.	China.
2585	2	—	—
2586	1	var.	China.
2587	1*	sp.	?
2588	5	rota Ch. X. f. 1619	Nicobar.
2589	3	var.	—

2590	3 ¹	<u>capensis</u> Gm.	Cap.
		P. Reynaudii Dh.	
2591	1*	testudinaria L.	Ind. or.
		P. testudinata Martyn.	
2592	3	(minor.)	—
2593	2	argentea Q. & G. (Petit)	N. Zeland.
2594	1	var.	—
2595	1	var?	?
2596	2	(typica.)	N. Zeland.
2597	2	sp.	?
2598	1*	sp. 55 m.	N. Zeland.
2599	1	sp. 45 m.	—
2600	1*	<u>ænea</u> Gm. (non Martyn.)	I. Malouines.
		P. pectinata L. Schr.	
2601	1	var.	—
2602	1	<u>ænea</u> Martyn.	—
		P. cuprea Gm.	—
		P. deaurata Gm.	—
2603	1	var. compressa.	—
2604	1	<u>magellanica</u> Gm.	—
2605	5	<u>clypeater</u> Les.	Chile.
		P. argentata Sow.	
		P. nausaltica Petit.	
2606	1	<u>albida</u> Mart.	Africa.
		P. melanogramma Gm.	
		P. saphiana Lam.	—
		P. algira Dh. Cuv. R. A.	
2607	1*	—	—
2608	5*	<u>granularis</u> L.	Cap.
2609	2	var.	—
2610	4	minor.	—
2611	1	sp.	—

- | | | | |
|------|----------------|---|-----------|
| 2612 | 2 | cochlear Born. | Cap. |
| 2613 | 1* | 30 m. | — |
| 2514 | 1 | rustica L. lg. 90 m. | — |
| | | P. indica Gm.? | |
| 2615 | 1* | miniata Born. 60 m. | — |
| | | P. umbella Gm. | — |
| 2616 | 16 | — | — |
| 2618 | 4 ² | compressa L. | — |
| | | an var. præcedentis? | |
| 2618 | 3 | pellucida L. | Europa. |
| 2619 | 1 | crassa. | — |
| 2620 | 1 | expansa. | — |
| 2621 | 1 | cornea Helb. lg. 30 m. lg. 25 m. | Cap. |
| | | P. guttata Gm. | |
| | | P. pruinosa Krauss. | — |
| 2622 | 3 | (minor.) | |
| 2623 | 1* | var. P. stellifera Gm.? | |
| 2624 | 3 | tranquebarica Gm. List. 530 f. 8. | Ind. or. |
| 2625 | 1 | var. | — |
| | | (Pilidium Forb.) | |
| 2626 | 2 | rubella Fab. | Grönland. |
| | | (Lepeta Gray.) | |
| 2627 | 2 | candida Couth. | — |
| | | Tectura Aud. & M. Edw. (Lottia Gray. | |
| | | Acmaea Esch. Patelloidea Q & G.) | |
| 2628 | 4 | stellaris Q & G. | Nicobar. |
| | | P. sacharina L.? | |
| 2629 | 1* | — | — |
| 2630 | 4 | viridula Lam. | Chile. |
| | | P. zebrina Less. | |
| 2631 | 4 | L. costata Sow. | — |

2632	4	<i>variabilis</i> Sow. (major.)	Chile.
2633	2	—	—
2634	9	(minor.)	—
2635	5	<i>subrugosa</i> d'Orb.?	—
2636	5	var.	—
2637	4	<i>parasitica</i> d'Orb.	—
2638	4	<i>L. variabilis</i> Sow. p. p. Beechy. t. 5 f. 5.	
2639	4	var.	—
2640	4	var.	—
2641	6	var.?	—
2642	7	<i>pustula</i> Helb.	Antill.
		<i>P. punctulata</i> Gm.	
		<i>P. pnncturata</i> Lam.	
2643	2 ²	<i>fungus</i> Meusch. List. 439 f. 23.	—
		<i>P. fungoides</i> Bolt.	
		<i>P. octoradiata</i> δ Gm. Schr.	
		N. Lit. 3. t. 1 f. 4?	
2644	14	<i>melanosticta</i> Gm.	—
		<i>L. antillarum</i> Sow. Gen. et Man. 321.	
		<i>P. pallescens</i> Phil.?	
2645	4*	<i>striata</i> Q & G. lg. 30 m.	Ind. or.
2646	2	(minor.)	—
2647	6	<i>ancylus</i> Esch.	Chile.
		<i>L. punctata</i> Gray.	
2648	2	<i>testudinalis</i> Müll.	Oc. bor.
		<i>P. Clelandi</i> Mawe.	
		<i>P. Borniana</i> Helb.	
2649	4	(minor.)	—
2650	5	<i>melanoleuca</i> Gm.	Antill.
2651	5	<i>leucopleura</i> Gm.	—

C. extintorium? Sow. Gen.

C. rugosa Less.

Scurria Gray.

2652 4* *scurra* Les. Chile.

A. mitra Esch.

L. pallida Sow.

Fam. Calyptradae.

Hipponix Dfr. (Cochlearia Kl. Cochlolepas Kl.)

2653 4 *cornu copiae* Lam. Grignon †.

2654 1* *subrufa* Mart. Antill.

2655 7 *trigona* Gm. —

2656 3 *barbata* Sow. Ind. or.

2657 2 *antiquata* L. Antill.

P. mitrula Gm.

P. cernua Gm. —

2658 4 var. —

2659 3* *incurva* Gm. —

P. militaris L. Dw.

P. intorta Lam.

Capulus Mtf. (Pileopsis Lam. Ancilia Meusch. Sphondylus Sloane.)

2660 2 *ungarica* L. M. med.

2661 1 (minor.) —

Calyptræa Lam.

2662 3 *equestris* L. Ind. or.

2663 2 var. —

Crucibulum Sch.

(Disputea Say. Calypeopsis Les. Ill.)

2664 1* *spinosa* Sow. Peru.

2665 1¹ (minor.) —

2666 1* *scutellata* Gray. —

C. dendata Mke.

2667 1* *auriculata* Ch. Antill.

P. auricula Gm.

2668 3 var. —

2669 3 *peziza* Gray. Chile.

C. tenuis Brod.

2670 2 *rugosa* Dh. —

C. lignaria Brod.

2670 2 — —

(*Crucibulum* Sch.)

2671 1 *radiata* Brod. Caraccas.

2672 8 *undulata* Mart. Ind. or.

P. labiata Born. p. 36. fig. p. 414.

L. lævis. *Mitella chinensis*

undulata Mart. 1234.

P. trochiformis Ch.

Ancilia caperata Meusch

A. stricta Meusch.

P. plicata Gm.

C. rugoso-costatum Sch.

2673 1 var. *punctata*. —

2674 1 — *depressa*. —

Crepidula Lam.

(*Ianacus* Aut.)

2675 1* *plana* Say. Am bor.

2676 1* sp. Peru.

2577 1¹ „*pedum*“ Madagascar

2678 2 *Lessonii* Brod. Peru.

(*Crypta* Humphr.)

2679 1 *costata* Dh.? N. Zeland.

2680 1 *fornicata* L. Lam. N. Jersey.

A. punctata Meusch. List. 545. f. 34.

2681	2	sp.	
2682	5	hepatica Dh.	Cap.
2683	1	marginalis Brod.	California.
2684	2	incurva Brod.	Chile.
2685	3	peruviana Lam.	Peru.
2686	1	sp.	Brasilia.
2687	1	aculeata Ch. Gm.	Antill.
2688	1	(minor.)	—

Trochita Sch. (Infundibulum d'Orb.)
(Trochatella Les. Luna Kl.)

2689	1*	radians Lam.	Peru.
		P. trochoides Dlw.	
		C. poculum Gray.	
		C. trochiformis d'Orb. non Gm.	
2690	2	(minor.)	
		(Haliotoidea Sw.)	
2691	1*	dilatata Sow.	N. Zeland.
		C. maculata Q. & G.	
		(Galerus Humph. Trochita Sch.)	
2692	1	chinensis L.	M. med.
		A. volutata Meush. Ntf. 18 t.	
		2 f. 16, 17.	
		T. spiralis Sch.	
2693	2.	var. P. costata Gm.	—
		A. equestris Meusch.	
		C. muricata Brocchi. Phil.	
		C. lævigata Lam. Del.	
		C. vulgaris Phil.	
2694	1*	aperta Brander.	Grignon †.
		P. opercularis Brand.	
		P. echinata Gm.	
		C. trochiformis Lam.	

Fam. Siphonariadæ.*)**Siphonaria Sow.**

2695	1	<i>characteristica</i> Reeve.	Peru.
2696	1*	<i>gigas</i> Sow. lg. 40 m.	—
2697	1*	<i>atra</i> Q. & G.	Ind. or.
2698	4	<i>exigua</i> Mart. (f. 88, 9) Sow.	—
2699	3	sp.	Peru.
2700	1	<i>variabilis</i> Kraus.	Cap.

S. concinna Sow.*P. deflexa* Helb?

2701	3	<i>melanozonias</i> Gm.	—
------	---	-------------------------	---

S. aspera Kraus.

2702	9	<i>Lessoni</i> Blv.	Chile.
------	---	---------------------	--------

2703	3	<i>striatula</i> Gm.	Africa.
------	---	----------------------	---------

S. algesiræ Q. & G.

2704	2	sp.	Liberia.
------	---	-----	----------

Gadinia Gray. (Mouretia Sow.)

2705	2	<i>peruviana</i> Sow.	Chile.
------	---	-----------------------	--------

2706	1*	(jun.)	—
------	----	--------	---

Amphibola Sch. (Ampullacera Q. & G.)

2707	2	<i>nux avellana</i> Ch.	N. Zelandia.
------	---	-------------------------	--------------

H. crenata Martyn.*H. avellana* Gm.*A. australis* Sch.*Ampullaria avellana* Lam.**Fam. Fissurellidæ.****Emarginula Lam.**

(Clypidina Gray.)

2708	3*	<i>notata</i> L.	Antill.
------	----	------------------	---------

P. manipula Humphr.

*) Hæc familia post numerum 727 nescio an sit melius inserenda.

(Subemarginula Blv.)

- 2709 6 *octoradiata* Gm. (excl. syn.) Antill.
 E. tricarinata Sow.
 P. laqueare Gray.
 E. Listeri Anton.
 2710 2 var. *P. octocostata* Wag. —
2711 2 *tricarinata* Born. (L.) Ind. or.
 E. emarginata Blv.

Fissurella Lam.

- 2712 5 *nodosa* Born. Antill.
 P. spinosa Gm.
 2713 1 sp. —
2714 2 *atricapilla* Dw. —
 F. viridula Lam.
2715 2 *græca* L. —
 2716 6* var. —
 2717 4 sp. —
 2718 3 sp. —
2719 8* *barbadensis* Gm. —
2720 6 var. *P. porphyrozonias* Gm. —
2721 4 var. *P. angusta* Gm. —
 F. radiata Lam.
2722 2* *peruviana* Lam. Peru.
 F. subrotunda Dh.
 F. affinis Gray.
 2723 2 (minor.) —
 (Fissurella Less.)
 2724 1* *personata* Martyn. Maghellan.
 P. picta Gm.
 E. radiata Lam.
 2725 1 var. —
 2726 1 var. —

2727	1	<u>maxima</u> Sow.	Maghellau.
2728	1	—	Chile.
2729	1	<u>costata</u> Les.	—
		F. chilensis Sow.	
2730	2	—	—
		(Serra Less.)	
2731	3	<u>biradiata</u> Sow.	—
2732	1	sp.	—
2733	2	<u>radiosa</u> Les.	—
2734	1	<u>oriens</u> Sow.	—
2735	2*	<u>crassa</u> Lam.	—
2736	1	—	—
2737	3	(minor.)	—
		(Clypidella Sw.)	
2738	3	<u>fascicularis</u> Lam.	Antill.
2739	4	<u>pustula</u> L.	—
		(Pupillia Gray.)	
2740	5	<u>scutellum</u> Gm.	Cap.
		Dentalium L.	
2741	1	<u>aprinum</u> L.	Ind. or.?
2742	1	<u>striatulum</u> Gm.	—
		(Entalis Gray.)	
1743	9	<u>dentalis</u> L.	M. med.

Fam. Trochoidea.

Haliotis. L.

2744	2	<u>Cracherodii</u> Leach.	California.
2745	1*	minor. lg. 99 m.	—
2746	2	<u>iris</u> Martyn.	N. Zeland.
2747	1	<u>fulgens</u> Phil.	California.
		H. californiana Valenc.	
		H. splendens (Mawe.) Reeve.	

2748	1	<i>corrugata</i> Gray.	California.
		<i>H. nodosa</i> Phil.	
2749	2*	<i>tuberculata</i> L.	M. med.
2750	8	<i>minor</i> .	—
2751	1	<i>sp.</i>	?
2752	1	<i>lamellosa</i> Lam.	M. med.
2753	1	<i>varia</i> L.	Ind. or.
2754	2	<i>minor</i> .	—
2755	1*	<i>pustulata</i> Reeve?	Mozambique.
2756	3	<i>virginea</i> Ch.	Guinea.
		<i>H. marmorata</i> L.?	
2757	1	<i>diversicolor</i> Reeve.	China.
2758	1	<i>glabra</i> Ch.	Guinea?
2759	3	<i>asinina</i> L.	Ind. or.
2760	6	(<i>minor</i> .)	—
2761	3	<i>sanguinea</i> Hanl.	Cap.
		<i>H. ficiformis</i> Mke.	
2762	3	<i>midæ</i> L. lg. 60 m.	—
2763	1	lg. 30 m.	—
		(<i>Padollus</i> Mtf.)	
2764	1	<i>Roei</i> Gray.	N. Holl
		<i>H. scabricosta</i> Mke.	
2765	4	<i>parva</i> L.	Cap.
		<i>H. canaliculata</i> Lam.	
2766	1*	<i>nævosa</i> Martyn.	N. Holl.
		<i>H. ruber</i> Leach.	
2767	1*	<i>Dringii</i> Reeve. lg. 32 m.	—
2768	1	<i>pulcherrima</i> Martyn.	—
2769	1 ²	<i>excavata</i> Lam.	—
		Stomax Mtf. (<i>Stomatia</i> Helb.)	
2770	1	<i>imperforata</i> Helb.	Ind. or.
		<i>S. phymotis</i> Lam.	

Gena Gray.

- 2771 1 lutea L. Ind. or.

Stomatella auricula Lam.

Stomatella Lam.

- 2772 1* papyracea Ch. V. f. 1817, 8. —

Turbo papyraceus Gm. Dh.

- 2773 2* coccinea A. Adams. St. Thomas.

Trochus L.**Margarita Leach.**

- 2774 3 helycinus Fabr. Grönland.

Tr. neritoideus Gm.

- 2775 1 grönlandicus Ch. —

M. undulata var. lævior. Möll.

Phorcus Risso.

- 2776 2 variegatus (Turbo) Risso 1813. M. med.

P. margaritaceus Risso.

T. Richardi Payr.

Steromphalus Leach.

- 2777 4² capensis Gm. Cap.

- 2778 3 umbilicalis Da Costa. Brittainia.

T. obliquatus Gm.

- 2779 2 cinerarius L. —

Gibbula Leach.

- 2780 6* umbilicaris L. M. med.

T. fuscatus Gm.

- 2781 10 ardens Salis. —

T. tessellatus Ch. V. f. 1683.

Gm.?

T. cruciatus L.?

M. canaliculata Phil.

- 2782 2⁹ magus L. —

- 2783 4 fanulum Gm. M. med.
 2784 2 declivis Forsk. M. rub.
 M. ægyptiaca Lam.
 T. ægyptius Gm.
Monilea Sw. (Tallopia Gray.)
 2785 1* calliferus Lam. ?
 2786 1 var.? —
Omphalius Phil. (Chlorostoma Sws.)
 2787 4 brasilianus Mke. 2 c. op. Brasilia.
 T. viridulus Gm.? Ch. 1677.
 2788 5¹ quadricostatus Gray. 1 c. op. Chile.
 M. catenifera P. & M.
 2789 4 indusii Ch. V. 1682. Antill.
 T. carneus Gm.
 T. canaliculatus d'Orb.
 T. scalaris Anton.
 T. crenulatus Bolt.
 2790 3 Hotesserianus d'Orb. —
 T. occultus Phil.
 T. nassaviensis Ch. 1676?
 2791 6 fasciatus Born. —
 C. lun. lævis Ch. 1667, 68.
 Turbo dentatus Gm.
 T. carneolus Lam.
 2792 5 excavatus Lam. 2 c. op. —
 T. umbilicaris Ch.
 2793 1 bicarinatus P. & M. non Gray. Chile.
 T. carinatus Kock.
 2794 2¹ luctuosus d'Orb. —
 T. euomphalus Jon.
 2795 2 sp. —
 T. luctuosus Ki. t. 31. f. 4.

- 2796 2 *microstoma* d'Orb. Antill.
 T. bidentata Mke.
 2797 1 *ater* Less. —
 2798 3 *min. 2. c. op.* —
 (*Chlorostoma* Sw.)
 2799 1 *rusticus* Gm. Ind. or.
 T. agrestis Ch.
 2800 1 *nigerrimus* Gm. —
 T. niger Ch.
 2801 3 *argyrostomus* Gm. China.
 T. niger cidariformis Ch.
 T. corvus Link.
 T. lithanthrax Bolt.

Tigris Kl. (Livona Gray. Meleagris Mtt.)

- 2802 2 *pica* L. c. op. Antill.
 2803 3 (jun.) —

Diloma Phil.

- 2804 2* *araucanus* d'Orb. Chile.
 T. nigerrimus (Ch.) Phil.

Oxysteles Phil.

- 2805 3 *expansus* (Margarita) Sow. Cap.
 s806 2¹ *merula* Ch. —
 T. sinensis Gm.
 2807 1¹ *tigrinus* Ch. —

Trochocochlea Kl. (*Ossilinus* Phil. *Trochus* Leach. *Gibbium* Gray).

- 2808 1 *impervius* Mke. Cap.
 2809 1 *Listeri* Gray. Madeira.
 Li. 648. f. 43. (*T. inflatus* ? Meusch.)
 T. crassus d'Orb. Canar.

(Melagraphia Stentz.)

2810	2	<u>constrictus</u> Lam.	N. Zeland.
		T. trochlea Gray.	
2811	2*	<u>melaleucus</u> Link.	Senegal.
		M. punctulata Lam.	
		Le Osilin Ad.	
2812	1	lugubris Lam. Del.	?
2813	2	turbiniformis Salis.	M. med.
		M. articulatus Lam.	
		M. tessellata Dh.	
		T. granulatus Meusch.	
2814	2	turbinatus Born.	—
		T. tessulatus Born.	
		M. fragaroides Lam.	
2815	4	(minor.)	—
2816	1*	<u>pellis serpentis</u> Wood.	Panama.
		Zizyphinus Leach. (Calliostoma Sw.)	
2817	1*	granatum Ch. Gm.	N. Zeland.
2818	1	—	—
2819	1	<u>asper</u> Ch.	—
		T. diaphanus Gm.	
		T. punctulatus Martyn.	
		T. perlatus Bolt.	
2820	1	<u>papillosus</u> Da Costa.	M. med.
		T. granulatus Born.	
2821	3	annulatus Martyn.	N. Zeland.
		T. virgineus Ch.	
2822	1	<u>canaliculatus</u> Martyn.	—
		T. doliarium Ch.	
2823	1	<u>ornatus</u> Lam.	Cap.
2824	2	bicingulatus Lam.	—
		T. vinctus Phil.	

2825	3	<u>tranquebaricus</u> Ch.	Ind. or.
2826	5	<u>conuloides</u> Lam.	M. med.
2827	1	<u>zizyphinus</u> L.	—
2828	1	<u>conulus</u> L.	—
2829	5	<u>hyacinthinus</u> Ren.	—
		T. violaceus Ris.	
		T. Laugier Payr.	

2830	1	sp.	Rio.
2831	6	<u>striatus</u> L.	M. med.
		T. erythroleucus Lam.	

Bankivia Bk.

2832	14	<u>fulminata</u> Mke.	Cap.
------	----	-----------------------	------

Cantharidus Mtf. (Elenchus Sw.)

2833	3	sp.	„Bengalia.“
2834	2*	<u>bellulus</u> Dkr.	N. Holland.
2835	2*	<u>iriodon</u> Q. & G.	—
		M. virgata Mke.	
2836	1*	<u>leucostigma</u> Mke.	—
2837	1*	<u>badius</u> Gray.	—
		T. australis Q. & G.	
2838	1*	<u>iridis</u> Ch.	N. Zeland.

T. iris Gm.

L. opalus Martyn.

2839	2	— <u>polita</u> .	—
------	---	-------------------	---

Thalotia Gray.

2840	4	<u>rostratus</u> Gm.	N. Holl.
2841	1	<u>picta</u> Gray.?	—

Euchele Phil. (Aradasia Gray.)

2842	3*	<u>denigrata</u> Ch. V. 1754, 5.	Ind. or.
		Turbo atratus Gm.	
		M. canaliculata Lam.	

- 2843 1 sp. Bengalia.
 2844 2 asper Ch. Guinea?

T. asper (agrestis) Ch. V.
 1852 Gm.

T. perlatus Gm.

T. cingulatus Link.

T. quadricarinatus Ch. XI.

M. tricarinata Lam.

Cidaris granulata Bolt.

- 2845 2 sp. Ind. or.

Monodonta Lam.

- 2846 6 labeo L. —

- 2847 2 var.? —

- 2848 4 sp. China.

- 2849 1 canaliferas Lam. Ind. or.

Clanculus Mtf.

- 2850 1 rotelliformis Phil.? ?

- 2851 3* pharaonius L. Ind. or.

- 2852 1 sp. ?

- 2853 2* villanas Phil. Guinea.

Globulus agrestis Ch. V. 1678.

- 2854 1* civicus Ch. V. 1679. —

T. urbanus Gm.

T. tornatus Bolt.

T. reticulatus Gray.?

- 2855 1* sp. Bengalia.

- 2856 2 clanculus Gray.? ?

- 2857 1 sp. ?

- 2858 4 jujubinus Gm. Antill.

T. lunatus Bolt.

Polydonta Sch. (Lamprostoma Sw.)

- 2859 1 maculatus L. Ind. or.
 T. sanguinolentus Ch.
- 2860 1 niveus Ch. —
 T. grandinatus Link.
- 2861 2* sp. —
- 2862 6 alveare Gm. —
- 2863 3 granularis Bolt. —
 T. radiatus β Gm.
- 2864 1 turboides Bolt. Ch. V. f. 1658. M. rub.
 T. erythræensis Brocchi.
- 2865 1 lima Yoldi. Ind. or.
- 2866 1 sp. —
- 2867 3 sp. China.
- 2868 1 sp. ?

Pyramidea Sw.

- 2869 1 pyramidalis Ch. Ind. or.
 T. marmoratus Lam.
 T. flammeus Bolt.
- 2870 1 niloticus L. —

Tectus Mtf. (Pyramis Sch.)

- 2871 1 dentatus Forsk. M. rub.
 T. foveolatus Gm.
 T. pyramidalis Lam.
- 2872 1 Forskålii Bolt. —
 T. noduliferus Lam.
 T. dentatus duplex Ch.
- 2873 2 pyramis Born. Ind. or.
 T. acutus Lam.?
- 2874 1 obeliscus Lam. —
 T. pyramis Ch. V. f. 1520.
- 2875 2* fenestratus Gm. —

- 2876 1 muricatus Ch. Antill.
 T. mauritianus Gm.
 T. gothicus Bolt.
- 2877 1 minor. —
- Rotella Lam.** (Umbonium Link 1807. Pionillus Mtf. Globulus Sch.)
- 2878 3 monilifera Lam. Ind. or.
 2879 1 javanica Lam. —
 2880 2 suturalis Lam. —
 2881 1 sp. —
 2882 4 sp. N. Zeland.
 2883 1* gigantea Less. —
 2884 6 elegans Bk. Philippin.
 2885 20* vestiaria L. Ind. or.
 R. lineolata Lam.
- 2886 3 rosea Lam. —
- Delphinula Roissy.** Cyclostoma Lam. 1802.
 Angarius Bolt.)
- 2887 3 laciniata L. Ind. or.
 2888 1 Angarius roseus Bolt.
 2889 1* atrata Ch. —
 D. frondosa Link.
 D. decrepitus Ch.
- 2890 1 — —
 2891 5 (jun) —
 2892 1 distorta L. lg. 40 m. —
 2893 1 — lg. 28 m. —
 2894 1 — lg. 30 m. —
- Liotia Gray.** (Delphinula Aut.)
- 2895 1* Peronii Ki. N. Holl.
 2896 1* varicosa Reeve. Philippin.

4897 2* cruentata Mühlf. Antill.

D. radiata Ki.

N. G.

2898 1¹ *Helicella*? *latilabris* Bk. Ind. or.?

Trib. 2. Turbinidæ.

Turbo L.

Astralium Link. (Imperator Mtf. Sol. Kl.

2899 1* phœbia Bolt. Ch. V. f. 1716, 17 Antill.

A. deplanatum Link.

T. longispina Lam. Ki. f. 1.

2900 1 var. —

2901 1 calcar L. —

T. inermis Gm.?

T. spinulosa Lam. Ki.?

2902 1 var. —

2903 2* (jun.) —

2904 6 (pulli.) —

(Calcar Ch. Stella Kl.)

2905 1¹ *Spenglerianus* Ch. Ind. or.

T. aculeatus Gm.

(Uvanilla Gray.)

2906 1 petrosus Martyn. —

2907 1 juv. —

2908 2 sp. Rouxleg.

2909 1 sp. ?

2910 1 *ramosus* Meusch. c. op. Antill.

T. imbricatus Gm.

2911 1 (minor.) —

(Pachypoma Gray.)

2912 1* cælatus Ch. dm. 75 m. —

2913 2 var. —

(Lithopoma Gray.)

2914 2 tuber L. —

(Pomaulax Gray.)

- 2914 2 Buschii Phil California.
 T. inermis Ki. non Gm. —

- 2915 1 undosus Gray. —
 (Bolma Risso.)

- 2916 1 rugosus L. (c. op.) M. med.

- 2917 2 (minor.) —

- 2918 3 (pulli.) —

Lunella Bolt. (Marmorostoma Sw.)

(Sarmaticus Gray.)

- 2917 1 sarmaticus L. (c. op.) Cap.

- 2919 1 smaragdinus Ch. N. Zeland.

T. smaragdus Martyn.

T. helycinus Dh.

- 2920 8 helycinus Born. Cap.

T. cidaris Gm.

(Marmorostoma Sw.)

- 2921 2 complanatus Ch. Ind. or.

T. versicolor Gm.

- 2922 3 mespilus Ch. —

T. porphyrites Ki. (non Martyn.)

- 2923 1¹ granulatus Ch. —

T. granulatus Ki.

- 2924 1 reclusus Ch. —

T. spinosus Meusch.

T. coronatus Gm.

- 2925 1 creniferus Ki. M. rub.

T. nebulosus Forsk?

Prisogaster Mörch.

- 2926 3 niger Gray. Chile.

T. ater Lesson.

Chrysostoma Sw.

2927 3* paradoxus Born. Nicobar.

T. nicobaricus Ch.

Senectus Humph. Lunatica Bolt. Fornax.

Saccus, Olearia Kl.)

2928 2 cornutus Ch. China.

2929 1 sp. ?

2930 1 argyrostoma L. Ind. or.

2931 1 Spenglerianus Ch. (juv.) —

T. canaliculatus Herm.

2932 2 castaneus Ch. Antill.

T. hippocastanum Lam.

2933 3 crenulatus Ch. —

2934 3* chrysostomus L. Ind. or.

2935 2 var. —

2936 3 spinosus Gm. —

T. tuberculatus (Q. & G.) Ki.

2937 4 ticaonicus Reeve. —

T. radiatus Ki.?

2938 3 — —

2939 1 sp. —

T. radiatus Ki. f. 1^a. —

2940 3 margaritaceus L. —

2941 1 sparverius Ch. —

T. margaritaceus Ki. non L.

2942 1¹ imperialis Ch.? —

2943 1 marmoratus L. (jun.) —

2944 2 petholatus L. —

2945 1 personatus L. —

T. tænia Meusch. (Gualt. 64 F.)

T. aurantia Perry?

L. obscura Bolt. Ch. V. 1830, 31.

C. nassovica denigrata. Ch.

- 2946 1 (minor. c. op.) Ind. or.
Phasianella Lam. Eutropia Humphr.
 2947 1 *Tritonis* Ch. lg. 93 m. N. Zeland.
 B. australe Gm.
 Ph. bulimoides Lam.
 2948 1* lg. 75 m. —
 2949 2 — —
 2950 2 *Lehmanni* Mke. N. Holl.
 l'Astrolabe t. 59 f. 5.
 2951 2 var. —
 2952 4 *variegata* Lam. Ind. or.
 2953 4 var. —
 2954 1* *rubens* Lam. —
 (*Ticolia* Ris.)
 2955 8 *speciosa* Mühlf. I. Ferro.
 Ph. Vieuxii Payr.
 2956 2 sp. M. med.
 2957 5 *pullus* L. —

Fam. Neritidæ.**Navicella Lam.** (*Catillus* Humphr. Cimber. Mtf.)

- 2958 2 *porcellana* L. Ind. or.
 2959 1* *depressa* Less. —
 N. elliptica Sow.
 2960 1 *borbonica* Bory St. Vincent. —
 2961 1 *suborbicularis* Sow. I. Philippin.
 2962 3 *aponogetonis* Vahl. (1795 Nathist. Selsk. Skrift.) Bengal.
 N. tessellata (Lam.) Bens.

- 2963 4* (minor.) Bengal.
 2964 1* lineata Lam. Philippin.

Neritina Lam. Neritella Humph.

Alina Recl. (1842.)

- 2962 1* latissima Brod. (c. op.) Realejo.
 2963 1* globosa Sow. lg. 19 m. Oc. pacif.
 2964 2* Nutallii Recl. Sandwich.

N. convexa Nutall. (1 c. op.)

Neripteron Less.

- 2965 1* auriculata Lam. N. Holl.
 2966 2* sp. (1 c. op.) Sandwich.
 2967 2 Lamareckii Dh. „Nicobar.”

N. auriculata Sow.

- 2968 4* sp. e circumnav. Galatheaë (2 c. op.)
 2969 1 „navicularis.” Sumatra.

Dostia Gray.

- 2970 2¹ valvata (Lepas) Mart. f. 133, 4. Ind. or.
 N. phrygia Meusch.
 N. violacea Gm.
 2971 4* depressa Bens. (1 c. op.) —
 N. crepidularia W. S.

Theodoxus Mtf. (Elea Z.)

- 2972 4 strangulata Mühlf. Eur. mer.
 2973 2* Prevostiana Fer. (c. op.) —
 2974 2* danubialis L. (c. op.) —
 2975 4 fluviatilis L. Dania.

Clithon Mtf.

- 2976 1* coronata Leach. Ind. or.
 N. corona Lam. non L.
 N. longispina Recl.
 2977 3* corona L. (2. c. op.) Sumatra.

2978	2*	<u>spinosa</u> Budgin.	I. Sandwich.
		N. undata Less.	
2979	3*	(1 c. op.)	—
2980	5	(minor.)	—
		Neritella Humph.	
2981	1*	<u>rubella</u> Müll.	Ind. or.
		N. Bruguieri Recl.?	
2982	1	<u>pulligera</u> L.	—
2983	2*	sp. (c. op.)	Nicobar.
2984	2*	(minor. 1 c. op.)	—
2985	1*	sp.	—
2986	3	<u>canalis</u> Sow.	I. Societ.
		N. Owenii Wood S. p. 45.	
2987	3 ¹	var. latior.	—
2988	2	sp.	Nicobar?
		()	
2989	3*	<u>punctulata</u> Lam. (c. op.)	Martinique.
2990	2*	(1 c. op.)	—
2991	1*	sp.	L. Thomas.
2992	1	— (c. op.)	—
2993	1	sp.	Brasilia.
		Neritina Sw.	
2994	3	<u>cornea</u> L.	Philippin.
		N. amphibia Les.	
		N. dubia Sow.	
2995	5	<u>philippinarum</u> Sow.	—
2996	3	<u>dubia</u> Ch.	Ind. or.
2997	1	var. N. fasciata Lam.	—
2998	1*	var.	—
2999	2*	<u>lugubris</u> Lam. Sow.	Nicobar?
3000	2	(minor.)	—
3001	1	<u>lugubris</u> Lam. Del. t. 32 f. 4.	Ind. or.

- 3002 3 *ramosa* Meusch. (Argv. 7. P.) Philippin.
N. *ziczac* Lam. Del. t. 32 f. 1 a. b. ?
- 3003 5 *elegantissima* v. d. Busch. —
N. *strigillata* Lam. Del. t. 32 f. 3
Sow. f. 32. N. *purpurea* Sow.
N. *elegante* Chenu. Cours elem.
- 3004 5* *turrita* Ch. Sumatra.
N. *strigilata* Lam.
- 3005 2* var. (1 c. op.) —
- 3006 4* var. N. *semiconica* Lam. (2. c. op.) —
- 3007 1 sp. —
- 3008 2¹ *triangularis* Meusch. (Li. 604
f. 29.) Ind. or.
N. *coromandeliana* Sow.
- 3009 1* *gagates* Lam. Deles. (c. op.) ?
Geve t. 24. f. 251.
N. *sumatrensis* Sow.
- 3010 1 sp. ?
- 3011 2* sp. (1 c. op.) I. Maurit
- 3012 1* *zebra* Lam. (c. op.) Am. mer.
- 3013 2 var. N. *lineolata* Lam. —
- 3014 1² *ziczac* Lam. Del. t. 32 f. 1 d. ?
- 3015 1* sp. Mejico.
- 3016 2 *Schmidtii* Gray. W. S. Bengal.
- 3016 1* *Schmidtii* Sow. non Gray. —
N. *tigrina* Bens.
- Vitta Kl.** (Scapha Kl.)
- 3017 6 *turriculata* Mke. Antill.
N. *virginea* Sow. f. 27 dext.
- 3018 5 *virginea* L. —
Bon. f. 204. Schr. Einl. t. 4.
f. 14. Sow. Ill. f. 27 sin.

N. marmorata Link. (Ch. IX.
f. 1086.)

- 3019 20 *trabalis* Meusch. (Petiv. Gaz.
68 f. 4.) Antill.
N. virginea Lam. non L.
Sow. f. 27 sin.
N. brasiliana Recl.
- 3020 6 *chlorina* Link. Antill.
N. meleagris Lam.
- 3021 4* *Matoni* Recl. (c. op.) Brasilia.
- 3022 1* *picta* Sow. (c. op.) Panama.
- 3023 4* *pulchella* Gray. W. S. Antill.
- 3024 4* var. *lineolata*. —
- 3025 2* var. *sagittifera*. —
- 3026 5 *pupa* L. —
()
- 3027 10 *viridis* L. —
- 3028 3* var.? (c. op.) Sicilia.

Nerita L.

Theliostyla n.

- 3029 8* *albicilla* L. Ind. or.
- 3030 2* var. —
- 3031 1 *marginata* Gm. M. rub.
Schr. Einl. 2. 371. t. 4. f. 16.
N. peloronta Forsk.
N. oryzarum var. Recl.?
- 3032 1 var. *coccinea*. —
- 3033 6* *petechialis* Meusch. Ind. or.
N. signata Macleay.
- 3034 2 *chamæleon* L. —
- 3035 2 var. —
- 3036 4 *chlorostoma* Lam.? —

- 3037 1* *bizonalis* Lam. Enc. t. 454. f. 3. Ind. or.
N. atropurpurea Recl.
N. planispirata Anton.
- 3038 3* *plexa* Ch. —
N. textilis Gm.
- 3039 2 *exuvia* L. —
- 3040 2* (minor.) —
- 3041 2 *diversicolor* Martyn. Guinea.
N. malaccensis Gm.
N. ascensionis Gm.
- 3042 9 *varia* Meusch. Antill.
N. tessellata Gm.
- 3043 2* sp. (c. op.) "Sina."
- 3044 10* *Yoldii* Recl. "Brasilia."
- 3045 1* *senegalensis* Gm. Senegal.
Le Dumar Ad.
N. punctulata Q. & G.
- 3046 1* *nigerrima* Ch. Antill.
- 3047 1* *morio* Sow. Oc. pacif.
- 3048 2* *picea* Recl.? (c. op.) —
- Odontostoma Kl.**
- 3049 3* *polita* L. Ind. or.
- 3050 5 var. *fasciata*. —
- 3051 5 var. —
- 3052 2 *australis* Gray. Cap?
- 3053 2 *flavescens* Ch. X. f. 1594, 95. M. rub.
(c. op.)
N. bidens β . Gm.
N. d'Orbignyana Recl.
- 3054 6* *flava* Meusch. (List. 603 f. 22.) Ind. or.
- 3055 7* *hieroglyphica* Ch. V. 2016. 18. —
N. litterata Gm.
- 3056 4* *nigra* Ch. V. 2015. —
N. fasciata Meusch.
N. bifasciata Gm.
- 3057 1* sp. —
- 3058 1* sp. —
- 3059 2* sp. (c. op.) —
- 3060 4* *Chemnitzii* Recl. —
- 3061 1* *histrion* L. Dh. —
- Pila Kl.**
- 3062 7* *undata* L. Ch. V. 1950, 51. —
- 3063 1* var.? —

- 3064 4* *striata* Martyn ap. Burrow. Ind. or.
 N. undata Lam. Enc. 454. f. 6.
 N. semirugosa Recl.?
 3065 2 *ornata* Sow. Panama.
 3066 1 (minor. c. op.) —
 3067 1* *grossa* L. Ind. or.
 3068 1 var.? *elongata* —
 3069 4 *plicata* L. —
 3070 4 (minor.) —
 3071 4 *variegata* Ch. V. p. 233. f. 1962, 3. Antill.
 N. versicolor Gm.
 3072 2 *peloronta* L. —

Cephalopoda Cuv.

A. Tetrabranchia Owen.

Nautilus L.

- 3071 3 *pompilius* L. Ind. or.
 3072 1¹ *jun.* lg. 45 m. —
 3073 1¹ *ambiguus* Sowb. (persecta.) —
 3074 1 *jun.*? lg. 80 m. —
 3075 1 *umbilicatus* Ch. —

Ceratites de Haan.

- 3076 1 *nodosus* Brug. Calc. conch. †.

B. Dibranchia Owen.

I. Decapoda Leach.

a. (Oigopsidæ d'Orb.)

Ommatostrephes d'Orb.

- 3077 1 sp. (rostrum.) ?

b. (Myopsidæ d'Orb.)

Spirula Lam. *Lituus* Browne.

- 3078 8 *fragilis* Lam. Antill.
 N. spirula L.

II. Octopoda Leach.

Argonauta L.

- 3079 1 *argo* L. lg. 180 m. M. med.
 3080 1 lg. 170 m. —
 3081 1 lg. 138 m. —
 3082 1¹ *oryzata* Meusch. lg. 118 m. Ind. or.
 A. tuberculosa Lam.
 3083 1 lg. 85 m. —
 3084 1¹ *hians* Sol. —
 3085 1² *gondola* Dlw. —

A d d e n d a.

post. no. 185 adde.

Camæna (Alb.) n.

- | | | | |
|------|---|----------------------|--------|
| 3086 | 4 | cicatricosa Müll. | China. |
| | | H. senegalensis Lam. | |

post. no. 718.

- | | | | | |
|------|---|---|-----------------------------|-----------|
| 3087 | 2 | 3 | Clausilia macarana Ziegler. | Dalmatia. |
| 3088 | 3 | | dalmatina Partsch. | — |
| 3089 | 1 | | pachygastris Partsch. | — |
| 3090 | 2 | | cærulea Fer. | Græcia. |
| 3091 | 2 | | catharoensis Rm. | Dalmatia. |
| | | | C. lævigata Mühlf. | |
| 3092 | 2 | | itala Martens. | Italia. |
| 3093 | 1 | | bilabiata Wag. | — |

post. no. 1536 adde.

- | | | | |
|------|---|---------------------------|---------|
| 3094 | 3 | Cyllene grana (Buc.) Lam. | M. med. |
|------|---|---------------------------|---------|
145. H. charybdis n.
 n. sp.: H. polygyrata Born. = H. obvoluta Müll.: H. angigyra Z.
 Differt ab. H. polygyrata t. superne plana nec concava, anfr. (7¹/₂) latioribus; umbilico profundiore et angustiore.
 Diam. maj. 38 m., min. 27 m.
 Hab. Brasilia.
-

S k a b e.

- | | | | |
|-----|---|--|--|
| 1—2 | 2 | Mahogni Conchylieskabe omtrent 39 Tom. brede med 22 Skuffer. | |
| 3—4 | 2 | beitsede do. 42 ¹ / ₂ Tom. brede med 26 Skuffer. | |
| 5—6 | 2 | do. do. 38 Tom. brede med 26 Skuffer. | |
- Alle Skabene ere 2 Al. 3¹/₂ Tom. høie, forsynede med Døre og foroven med en Reol 1 Al. høi.
 7 En kostbar og sjelden Jagtkniv.
-





3 2044 072 245 053

